



Index of Papers 1982(1) – 2020(2)

978 papers in alphabetical order

- ABACI, S., EDWARDS, J. S. & WHITTAKER, B. N. (1992): Relative Permeability Measurements for two Phase Flow in unconsolidated Sands. – *Mine Water Environ.*, **11**(2):11-26, 8 Abb.
- ABBASSI, R., KHAN, F. & HAWBOLDT, K. (2009): Prediction of Minerals Producing Acid Mine Drainage Using a Computer-Assisted Thermodynamic Chemical Equilibrium Model. – *Mine Water Environ.*, **28**(1):74-78, 2 Fig., 3 Tab.; doi:10.1007/s10230-008-0062-4.
- ABED, A. M., SADAQAH, R. & KUISI, M. A. (2008): Uranium and Potentially Toxic Metals During the Mining, Beneficiation, and Processing of Phosphorite and their Effects on Ground Water in Jordan. – *Mine Water Environ.*, **27**(3):171-182, 5 Fig., 5 Tab.; doi:10.1007/s10230-008-0039-3.
- ABU QDAIS, H., BEGDAY, I. V., KATORGIN, I. Y., SHKARLET, K. Y., KHARIN, K. V., BLUZHINA, A. S. & LIKHOVID, A. A. (2018): Assessment of Metals Pollution from Tailing Sites in the North Caucasus Region, Russia. – *Mine Water Environ.*, **37**(4):815-824, doi:10.1007/s10230-018-0545-x.
- ACKMAN, T. E. (2000): Feasibility of Lime Treatment at the Leviathan Mine Using the In-Line System. – *Mine Water Environ.*, **19**(1):56-75, 14 Abb.
- ACKMAN, T. E. (2003): An Introduction to the Use of Airborne Technologies for Watershed Characterization in Mined Areas. – *Mine Water Environ.*, **22**(2):62-68, 5 Abb.; doi:10.1007/s10230-003-0002-2.
- ADAMCZYK, A. F., LESNIAK, T. C. & MOTYKA, J. (1987): Origin of Nitrogen Compounds in Water Infiltrating into Porphyry Quarry, Zalas, Southern Poland. – *Int. J. Mine Water*, **6**(2):27-36, 3 Abb.
- ADAMS, R. (2014): A Review of Mine Water Rebound Predictions from the VSS–NET Model. – *Mine Water Environ.*, **33**(4):384-388, doi:10.1007/s10230-014-0312-6.
- ADAMS, R., AHLFELD, D. & SENGUPTA, A. (2007): Investigating the Potential for Ongoing Pollution from an Abandoned Pyrite Mine. – *Mine Water Environ.*, **26**(1):2-13, 4 Fig., 6 Tab.; doi:10.1007/s10230-007-0144-8.
- AGARTAN, E. & YAZICIGIL, H. (2012): Assessment of Water Supply Impacts for a Mine Site in Western Turkey. – *Mine Water Environ.*, **31**(2):112-128, 14 Fig., 3 Tab.; doi:10.1007/s10230-011-0167-z.
- AGBOOLA, O., MOKRANI, T., SADIKU, E. R., KOLESNIKOV, A., OLUKUNLE, O. I. & MAREE, J. P. (2017): Characterization of Two Nanofiltration Membranes for the Separation of Ions from Acid Mine Water. – *Mine Water Environ.*, **36**(3):401-408, doi:10.1007/s10230-016-0427-z.
- AKABZAA, T. M., JAMIESON, H. E., JORGENSON, N. & NYAME, K. (2009): The Combined Impact of Mine Drainage in the Ankobra River Basin, SW Ghana. – *Mine Water Environ.*, **28**(1):50-64, 4 Fig., 8 Tab.; doi:10.1007/s10230-008-0057-1.
- AKBARI DEHKHARGHANI, A. (2019): Exfoliated Graphitic Carbon Nitride for the Fast Adsorption of Metal Ions from Acid Mine Drainage: A Case Study from the Sungun Copper Mine. – *Mine Water Environ.*, **38**(2):335-341, doi:10.1007/s10230-018-0561-x.
- AKESSON, J.-A. (1983): A Study of Geohydrological and Rock Engineering Environment at Lappvattnet Experimental Mine. – *Int. J. Mine Water*, **2**(3):25-38, 7 Fig., 1 Tab.



- AKHBARIZADEH, R., SHAYESTEFAR, M. R. & DAREZERESHKI, E. (2014): Competitive Removal of Metals from Wastewater by Maghemite Nanoparticles: A Comparison Between Simulated Wastewater and AMD. – *Mine Water Environ.*, **33**(1):89-96, 7 Fig., 1 Tab.; doi:10.1007/s10230-013-0255-3.
- AKINWEKOMI, V., MAREE, J. P. & WOLKERSDORFER, C. (2017): Using Calcium Carbonate/Hydroxide and Barium Carbonate to Remove Sulphate from Mine Water. – *Mine Water Environ.*, **36**(2):264-272, 12 Fig., 3 Tab.; doi:10.1007/s10230-017-0451-7.
- ALAKANGAS, L. & ÖHLANDER, B. (2006): Pilot-scale Studies of Different Covers on Unoxidised Sulphide-rich Tailings in Northern Sweden: the Geochemistry of Leachate Waters. – *Mine Water Environ.*, **25**(3):171-183, 2 Fig., 6 Tab.; doi:10.1007/s10230-006-0129-z.
- ALCALDE, J., EDRAKI, M., JEREZ, O., KELM, U. & RUBINOS, D. A. (2020): Assessment of Mineralogical, Textural, and Water Chemistry Changes During Long-Distance Tailings-Slurry Transport. – *Mine Water Environ.*, **39**(1):135-149, doi:10.1007/s10230-020-00658-x.
- ALDERTON, D. H. M., SERAFIMOVSKI, T., MULLEN, B., FAIRALL, K. & JAMES, S. (2005): The Chemistry of Waters Associated with Metal Mining in Macedonia. – *Mine Water Environ.*, **24**(3):139-149, 4 Fig., 2 Tab.; doi:10.1007/s10230-005-0085-z.
- AL-FOUZAN, F., HARBERT, W., DILMORE, R., HAMMACK, R. W., SAMS, J., VELOSKI, G. A. & ACKMAN, T. E. (2004): Methods for Removing Signal Noise from Helicopter Electromagnetic Survey Data. – *Mine Water Environ.*, **23**(1):28-33, 7 Abb.; doi:10.1007/s10230-004-0033-3.
- ALI, R. & TURNER, J. (2004): A Study of the Suitability of Saline Surface Water for Recharging the Hypersaline Palaeochannel Aquifers of the Eastern Goldfields of Western Australia. – *Mine Water Environ.*, **23**(3):110-118, 11 Fig., 1 Tab.; doi:10.1007/s10230-004-0051-1.
- ALIZADEH, A. & NASERI, P. (2015): An Investigation on the Influence of EAF Slag Particle Size on AMD Neutralization Behavior in Static and Dynamic Slag Leaching Systems. – *Mine Water Environ.*, **34**(2):204-212, doi:10.1007/s10230-014-0302-8.
- ALLEN, D. M. & LEPITRE, M. E. (2004): Use of Pb, ¹⁸O, and ²H Isotopes in Mining-related Environmental Studies. – *Mine Water Environ.*, **23**(3):119-132, 7 Fig., 2 Tab.; doi:10.1007/s10230-004-0052-0.
- ALLEN, D. M. & VOORMEIJ, D. A. (2002): Oxygen-18 and Deuterium Fingerprinting of Tailings Seepage at the Sullivan Mine. – *Mine Water Environ.*, **21**(4):168-182, 5 Fig., 2 Tab.; doi:10.1007/s102300200041.
- AL-ZOUBI, H. S. & AL-THYABAT, S. S. (2012): Treatment of a Jordanian Phosphate Mine Wastewater by Hybrid Dissolved Air Flotation and Nanofiltration. – *Mine Water Environ.*, **31**(3):214-224, 9 Fig., 4 Tab.; doi:10.1007/s10230-012-0197-1.
- AMEZAGA, J. M., KROLL, A., JARVIS, A. P., REES, B., PUURA, E., MISERÉ, W. M. H., WINGS, R. W. M. G., BAJTOŠ, P., WEBER, L., SÁRVÁRYNÉ-SZENTKATOLNAY, B., GARZONIO, C. A., WOLKERSDORFER, C., YOUNGER, P. L. & BOWELL, R. J. (2004): Contemporary Reviews of Mine Water Studies in Europe, Part 1. – *Mine Water Environ.*, **23**(4):163-183, 16 Fig., 3 Tab.; doi:10.1007/s10230-004-0060-0.
- ANANDAN, K. S., SAHAY, S. N. & KARTHIKEYAN, S. (2010): Delineation of Recharge Area and Artificial Recharge Studies in the Neyveli Hydrogeological Basin. – *Mine Water Environ.*, **29**(1):14-22, doi:10.1007/s10230-009-0090-8.



- ANANDAN, K. S., SAHAY, S. N., RAMABADRAN, T. K. & PRASAD, S. S. (2010): Ground Water Control Techniques for Safe Exploitation of the Neyveli Lignite Deposit, Cuddalore District, Tamil Nadu, India. – *Mine Water Environ.*, **29**(1):3-13, 8 Fig., 2 Tab.; doi:10.1007/s10230-009-0089-1.
- ANASTASI, F. S. & WILLIAMS, R. E. (1984): Aquifer Restoration at Uranium in situ Leach Sites. – *Int. J. Mine Water*, **3**(4):29-37, 3 Fig., 2 Tab.
- ANDREICHUK, V., ERASO, A. & DOMÍNGUEZ, M. C. (2000): A Large Sinkhole in the Verchnekam-sky Potash Basin in the Urals. – *Mine Water Environ.*, **19**(1):2-18, 9 Abb.
- ANDRES, C., ORDÓÑEZ, A. & ÁLVAREZ, R. (2017): Hydraulic and Thermal Modelling of an Underground Mining Reservoir. – *Mine Water Environ.*, **36**(1):24-33, doi:10.1007/s10230-015-0365-1.
- ANNANDALE, J. G., JOVANOVIC, N. Z., HODGSON, F. D. I., USHER, B., AKEN, M. E., VAN DER WESTHUIZEN, A. M., BRISTOW, K. L. & STEYN, J. M. (2003): Prediction of the environmental impact and sustainability of large scale irrigation with gypsiferous mine water on groundwater resources. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 453-463, 2 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- ANNANDALE, J. G., JOVANOVIC, N. Z., TANNER, P. D., BENADÉ, N. & DU PLESSIS, H. M. (2002): The Sustainability of Irrigation with Gypsiferous Mine Water and Implications for the Mining Industry in South Africa. – *Mine Water Environ.*, **21**(2):81-90, 5 Fig., 2 Tab.; doi:10.1007/s102300200023.
- ANTIVACHIS, D. N., CHATZITHEODORIDIS, E., SKARPELIS, N. & KOMNITSAS, K. (2017): Secondary Sulphate Minerals in a Cyprus-Type Ore Deposit, Apliki, Cyprus: Mineralogy and Its Implications Regarding the Chemistry of Pit Lake Waters. – *Mine Water Environ.*, **36**(2):226-238, doi:10.1007/s10230-016-0398-0.
- APPELS, W. M., WALL, S. N., BARBOUR, S. L., HENDRY, M. J., NICHOL, C. F. & CHOWDHURY, S. R. (2017): Pyrite Weathering in Reclaimed Shale Overburden at an Oil Sands Mine near Fort McMurray, Canada. – *Mine Water Environ.*, **36**(4):479-494, doi:10.1007/s10230-017-0454-4.
- ARGUNHAN-ATALAY, C. & YAZICIGIL, H. (2018): Modeling and Performance Assessment of Alternative Cover Systems on a Waste Rock Storage Area. – *Mine Water Environ.*, **37**(1):106-118, doi:10.1007/s10230-017-0476-y.
- ARMSTRONG, D. (1987): Consolidation Drainage of Fine Grained Materials. – *Int. J. Mine Water*, **6**(4):1-14, 7 Fig., 4 Tab.
- ARMSTRONG, D. (1994): Acid Mine Drainage – Community Perceptions. – *Mine Water Environ.*, **13**(1):41-50, 5 Abb.
- ARNOLD, M., KANGAS, P., MÄKINEN, A., LAKAY, E., ISOMÄKI, N., LAVÉN, G., GERICKE, M., PAJUNIEMI, P., KAARTINEN, T. & WENDLING, L. (2019): Mine Water as a Resource: Selective Removal and Recovery of Trace Antimony from Mine-Impacted Water. – *Mine Water Environ.*, **38**(2):431-446, doi:10.1007/s10230-019-00597-2.
- ASLIBEKIAN, O. & MOLES, R. (2001): An Investigation of Environmental Contamination at the Silvermines Abandoned Mines Site in Ireland based on the Preliminary Delimitation of Pollution Hot Spots. – *Mine Water Environ.*, **20**(2):73-80, 5 Fig., 5 Tab.; doi:10.1007/s10230-001-8085-0.



- ASSARI, A. & MOHAMMADI, Z. (2017): Combined Use of Geostatistics and Multi-Criteria Decision Analysis to Determine New Pumping Well Locations in the Gol-Gohar Open Pit Mine, Iran. – *Mine Water Environ.*, **36**(2):283-298, doi:10.1007/s10230-017-0442-8.
- ASTON, T. R. C. (1985): Tritium Dating of Water Inflow at the Donkin-Morien Project, Nova Scotia. – *Int. J. Mine Water*, **4**(2):41-52, 3 Fig., 2 Tab.
- ASTON, T. R. C. & MACLEOD-LAFOSSE, H. (1985): Analyses of Water Inflows in the Donkin-Morien No. 3 Tunnel, Sydney Coalfield, Nova Scotia. – *Int. J. Mine Water*, **4**(3):11-23, 7 Fig., 1 Tab.
- ASTON, T. R. C. & SINGH, R. N. (1982): A new approach for determining permeability characteristics of rock using slug testing techniques. – *Int. J. Mine Water*, **1**(3):33-42, 2 Fig., 4 Tab.
- ASTON, T. R. C. & SINGH, R. N. (1983): A Reappraisal of Investigations into Strata Permeability Changes Associated with Longwall Mining. – *Int. J. Mine Water*, **2**(1):1-14, 11 Abb.
- ASTON, T. R. C., SINGH, R. N. & WHITTAKER, B. N. (1983): The Effect of Test Cavity Geology on the In Situ Permeability of Coal Measures Strata Associated with Longwall Mining. – *Int. J. Mine Water*, **2**(4):19-34, 3 Fig., 3 Tab.
- ATASOY, A. D., BABAR, B. & ŞAHINKAYA, E. (2013): Artificial Neural Network Prediction of the Performance of Upflow and Downflow Fluidized Bed Reactors Treating Acidic Mine Drainage Water. – *Mine Water Environ.*, **32**(3):222-228, 4 Fig., 3 Tab.; doi:10.1007/s10230-013-0232-x.
- ATASOY, A. D. & BILGIC, B. (2018): Adsorption of Copper and Zinc Ions from Aqueous Solutions Using Montmorillonite and Bauxite as Low-Cost Adsorbents. – *Mine Water Environ.*, **37**(1):205-210, doi:10.1007/s10230-017-0464-2.
- ATIBA-OYEWOA, O., ONYANGO, M. S. & WOLKERSDORFER, C. (2017): Adsorptive Performance of Surface-modified Montmorillonite in Vanadium Removal from Mine Water. – *Mine Water Environ.*, **36**(4):628-637, 8 Fig., 4 Tab., 3 Anl.; doi:10.1007/s10230-017-0475-z.
- ATKINS, A. S. & POOLEY, F. D. (1982): The Effects of Bio-Mechanisms on Acidic Mine Drainage in Coal Mining. – *Int. J. Mine Water*, **1**(1):31-44, 7 Fig., 2 Tab.
- ATKINS, A. S. & SINGH, R. N. (1982): A Study of Acid and Ferruginous Mine Water in Coal Mining Operations. – *Int. J. Mine Water*, **1**(2):37-57, 10 Fig., 2 Tab.
- ATKINSON, L. C., KEEPING, P. G., WRIGHT, J. C. & LIU, H. (2010): The Challenges of Dewatering at the Victor Diamond Mine in Northern Ontario, Canada. – *Mine Water Environ.*, **29**(2):99-107, 12 Abb.; doi:10.1007/s10230-010-0109-1.
- ATKINSON, T. (1988): Water – one of Mankind's most valuable Commodities. – *Int. J. Mine Water*, **7**(1):1-7.
- ATKINSON, T. & DOW, R. (1982): Surface Mine Drainage Using Large Diameter Pumpwells. – *Int. J. Mine Water*, **1**(4):1-26, 5 Abb.
- ATKINSON, T., DOW, R. & BROM, R. W. C. (1984): A Review of Hydrogeological Investigations for Deep Coal Mines, with special Reference to Petrophysical Methods. – *Int. J. Mine Water*, **3**(3):19-34.
- ÁVILA, P. F., FERREIRA DA SILVA, E., SALGUEIRO, A. R. & FARINHA, J. A. (2008): Geochemistry and Mineralogy of Mill Tailings Impoundments from the Panasqueira Mine (Portugal): Implications for the Surrounding Environment. – *Mine Water Environ.*, **27**(4):210-224, 5 Fig., 6 Tab.; doi:10.1007/s10230-008-0046-4.



- AWBERY, H. G. (1988): The Protection of the Nottinghamshire Coalfield by the Bentinck Colliery Minewater Concentration Scheme. – *Int. J. Mine Water*, **7**(1):9-24, 15 Abb.
- AWOH, A. S., MBONIMPA, M. & BUSSIÈRE, B. (2013): Field Study of the Chemical and Physical Stability of Highly Sulphide-Rich Tailings Stored Under a Shallow Water Cover. – *Mine Water Environ.*, **32**(1):42-55, 11 Fig., 3 Tab.; doi:10.1007/s10230-012-0213-5.
- AWOH, A. S., MBONIMPA, M., BUSSIÈRE, B., PLANTE, B. & BOUZAHZAH, H. (2014): Laboratory Study of Highly Pyritic Tailings Submerged Beneath a Water Cover Under Various Hydrodynamic Conditions. – *Mine Water Environ.*, **33**(3):241-255, 12 Fig., 2 Tab.; doi:10.1007/s10230-014-0264-x.
- BAGDY, I. & SULYOKM, P. (1990): Case Example on Acid-Resistant Bulkhead in Hungary. – *Int. J. Mine Water*, **9**(1-4):97-109, 7 Abb.
- BAHRAMI, A., HOSSEINI, M. & RAZMI, K. (2007): An Investigation on Reusing Process Water in Gold Cyanidation. – *Mine Water Environ.*, **26**(3):191-194, 8 Fig., 3 Tab.; doi:10.1007/s10230-007-0001-9.
- BALCI, N. & DEMIREL, C. (2018): Prediction of Acid Mine Drainage (AMD) and Metal Release Sources at the Küre Copper Mine Site, Kastamonu, NW Turkey. – *Mine Water Environ.*, **37**(1):56-74, doi:10.1007/s10230-017-0470-4.
- BALINTOVA, M., SINGOVSKA, E., VODICKA, R. & PURCZ, P. (2016): Statistical Evaluation of Dependence between pH, Metal Contaminants, and Flow Rate in the AMD-Affected Smolnik Creek. – *Mine Water Environ.*, **35**(1):10-17, doi:10.1007/s10230-014-0324-2.
- BANKS, D. (1994): The Abandonment of the Killingdal Sulphide Mine, Norway: a Saga of Acid Mine Drainage and Radioactive Waste Disposal. – *Mine Water Environ.*, **13**(3-4):35-47, 4 Fig., 1 Tab.
- BAQUERIZO, G., CHANEAC, A., ARELLANO-GARCÍA, L., GONZÁLEZ-SÁNCHEZ, A. & REVAH, S. (2013): Biological Removal of High Loads of Thiosulfate Using a Trickling Filter Under Alkaline Conditions. – *Mine Water Environ.*, **32**(4):278-284, 7 Fig., 1 Tab.; doi:10.1007/s10230-013-0239-3.
- BARRETT, D., MORAN, C. & CÔTE, C. M. (2010): A Method for Estimating the Potential Trading of Worked Water among Multiple Mines. – *Mine Water Environ.*, **29**(2):92-98, 3 Fig., 2 Tab.; doi:10.1007/s10230-010-0110-8.
- BASSET, A., PINNA, M. & RENZI, M. (2017): Do Mining Activities Significantly Affect Feeding Behavior of Freshwater Benthic Macroinvertebrates? A Case Study in South Sardinia (Italy). – *Mine Water Environ.*, **36**(2):239-247, doi:10.1007/s10230-017-0432-x.
- BASU, A., BOYD, M. J. & MCCONCHIE, P. (1988): Numerical Modelling of two Phase Flow of Gas and Water during Drainage of a Coal Seam. – *Int. J. Mine Water*, **7**(4):27-42, 8 Fig., 1 Tab.
- BATTIOUI, M., BOUZAHZAH, H., BENZAAZOUA, M., HAKKOU, R. & SBAA, M. (2016): Column Kinetic Tests Assessing Geochemical Behavior of Mine Wastes in the Jerada Coal District (Morocco). – *Mine Water Environ.*, **35**(4):497-507, doi:10.1007/s10230-016-0395-3.
- BATTY, L. C. (2005): The Potential Importance of Mine Sites for Biodiversity. – *Mine Water Environ.*, **24**(2):101-103, doi:10.1007/s10230-005-0076-0.
- BAYEL, D. K., KARACA, Z., ONEN, V. & DELIORMANLI, A. H. (2016): The Relationship Between Mineral Content and Flocculant Characteristics for Slurry Waste Water Recycling at Marble Processing Plants. – *Mine Water Environ.*, **35**(3):332-336, doi:10.1007/s10230-015-0367-z.



- BEHROOZ, M. & BORDEN, R. C. (2012): Physical, Hydrologic, and Aqueous Chemical Characterization of the Ore Knob Tailings Pile (Ashe County, North Carolina, USA). – *Mine Water Environ.*, **31**(1):3-15, 9 Fig., 3 Tab.; doi:10.1007/s10230-011-0166-0.
- BEHROOZ, M. & BORDEN, R. C. (2012): Waste Glycerol Addition to Reduce AMD Production in Unsaturated Mine Tailings. – *Mine Water Environ.*, **31**(3):161-171, 9 Abb.; doi:10.1007/s10230-012-0180-x.
- BEI, X. & CHINA, D. (2004): Chinese Mine Accidents Provide Tragic Lessons. – *Mine Water Environ.*, **23**(1):54, doi:10.1007/s10230-004-0036-0.
- BEKESI, G., TYLER, M. & WATERHOUSE, J. (2012): Lessons from the Use of an Active Production Well for Compliance Monitoring in the Great Artesian Basin, Australia. – *Mine Water Environ.*, **31**(3):225-232, 8 Abb.; doi:10.1007/s10230-012-0183-7.
- BERNARDEZ, L. A., DE ANDRADE LIMA, L. R. P., RAMOS, C. L. S. & ALMEIDA, P. F. (2012): A Kinetic Analysis of Microbial Sulfate Reduction in an Upflow Packed-Bed Anaerobic Bioreactor. – *Mine Water Environ.*, **31**(1):62-68, 7 Fig., 1 Tab.; doi:10.1007/s10230-012-0170-z.
- BETRIE, G. D., SADIQ, R., TESHAMARIAM, S. & MORIN, K. A. (2016): On the Issue of Incomplete and Missing Water-Quality Data in Mine Site Databases: Comparing Three Imputation Methods. – *Mine Water Environ.*, **35**(1):3-9, doi:10.1007/s10230-014-0322-4.
- BEZUIDENHOUT, N., BROWN, A., SUTHERLAND, F., WATES, J., KOTZE, A., NUSSEY, G. & VAN NIEKERK, J. (2003): Advances made in mine water management at Sasol Mining during the past eight years. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 423-431, 2 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- BHATTACHARYA, J., ISLAM, M. & CHEONG, Y. W. (2006): Microbial Growth and Action: Implications for Passive Bioremediation of Acid Mine Drainage. – *Mine Water Environ.*, **25**(4):233-240, 2 Fig., 1 Tab.; doi:10.1007/s10230-006-0138-y.
- BHATTACHARYA, J., JI, S., LEE, H., CHEONG, Y., YIM, G., MIN, J. & CHOI, Y. (2008): Treatment of acidic coal mine drainage: design and operational challenges of successive alkalinity producing systems. – *Mine Water Environ.*, **27**(1):12-19, 5 Fig., 2 Tab.; doi:10.1007/s10230-007-0022-4.
- BISH, G. M. (1987): Laminar Flow through Unconsolidated Packer Beds of Spherical and Non-Spherical Material. – *Int. J. Mine Water*, **6**(3):1-24a, 5 Fig., 1 Tab.
- BISH, M. G. (1986): Opencast Coal mining in South Wales. – *Int. J. Mine Water*, **5**(3):1-12, 5 Abb.
- BLANCO, I., SAPSFORD, D. J., TRUMM, D., POPE, J., KRUSE, N., CHEONG, Y.-w., McLAUCHLAN, H., SINCLAIR, E., WEBER, P. & OLDS, W. (2018): International Trials of Vertical Flow Reactors for Coal Mine Water Treatment. – *Mine Water Environ.*, **37**(1):4-17, doi:10.1007/s10230-017-0491-z.
- BLESS, D., PARK, B., NORDWICK, S., ZALUSKI, M., JOYCE, H., HIEBERT, R. & CLAVELOT, C. (2008): Operational Lessons Learned During Bioreactor Demonstrations for Acid Rock Drainage Treatment. – *Mine Water Environ.*, **27**(4):241-250, 8 Fig., 5 Tab.; doi:10.1007/s10230-008-0052-6.
- BO, L., QIANG, W., XIAN-QIAN, D. & MENG-YU, C. (2018): Risk Analysis Model of Water Inrush Through the Seam Floor Based on Set Pair Analysis. – *Mine Water Environ.*, **37**(2):281-287, doi:10.1007/s10230-017-0498-5.



- BOGNER, J. E. & DOEHLER, R. W. (1984): Ettringite Formation following Chemical Neutralization Treatment of Acidic Coal Mine Drainage. – *Int. J. Mine Water*, **3**(1):13-24, 3 Abb.; doi:10.1007/BF02504589.
- BOGUSH, A. A. & VORONIN, V. G. (2011): Application of a Peat-humic Agent for Treatment of Acid Mine Drainage. – *Mine Water Environ.*, **30**(3):185-190, 3 Fig., 2 Tab.; doi:10.1007/s10230-010-0132-2.
- BOGUSH, A. A., VORONIN, V. G., TIKHOVA, V. D. & ANOSHIN, G. N. (2016): Acid Rock Drainage Remediation and Element Removal Using a Peat-Humic Agent with Subsequent Thermal Treatment of the Metal–Organic Residue. – *Mine Water Environ.*, **35**(4):536-546, doi:10.1007/s10230-015-0380-2.
- BOLZICCO, J., AYORA, C., RÖTTING, T. & CARRERA, J. (2003): Performance of the Aznalcóllar permeable reactive barrier. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 287-299, 10 Fig., 2 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- BORGHETTI SOARES, A., DE OLIVEIRA UBALDO, M., DE SOUZA, V. P., MOREIRA SOARES, P. S., BARBOSA, M. C. & GONDIM MENDONÇA, R. M. (2009): Design of a Dry Cover Pilot Test for Acid Mine Drainage Abatement in Southern Brazil. I: Materials Characterization and Numerical Modeling. – *Mine Water Environ.*, **28**(3):219-231, 14 Fig., 8 Tab.; doi:10.1007/s10230-009-0077-5.
- BORVINSKAYA, E. V., SUKHOVSKAYA, I. V., VASIL'eva, O. B., NAZAROVA, M. A., SMIRNOV, L. P., SVETOV, S. A. & KRUTSKIKH, N. V. (2017): Whitefish (*Coregonus lavaretus*) Response to Varying Potassium and Sodium Concentrations: A Model of Mining Water Toxic Response. – *Mine Water Environ.*, **36**(3):393-400, doi:10.1007/s10230-016-0426-0.
- BOSMAN, D. J., CLAYTON, J. A., MAREE, J. P. & ADLEM, C. J. L. (1990): Removal of Sulphate from Mine Water with Barium Sulphide. – *Int. J. Mine Water*, **9**(1-4):149-163, 5 Fig., 6 Tab.; doi:10.1007/BF02503689.
- BOSSÉ, B., BUSSIÈRE, B., HAKKOU, R., MAQSoud, A. & BENZAAZOUA, M. (2013): Assessment of Phosphate Limestone Wastes as a Component of a Store-and-Release Cover in a Semiarid Climate. – *Mine Water Environ.*, **32**(2):152-167, 10 Fig., 3 Tab.; doi:10.1007/s10230-013-0225-9.
- BOSSÉ, B., BUSSIÈRE, B., MAQSoud, A., HAKKOU, R. & BENZAAZOUA, M. (2016): Hydrogeological Behavior of a Store-and-Release Cover: A Comparison Between Field Column Tests and Numerical Predictions With or Without Hysteresis Effects. – *Mine Water Environ.*, **35**(2):221-234, doi:10.1007/s10230-015-0350-8.
- BOTZ, M. K. & MASON, S. E. (1990): Prevention of Acid Drainage from Gold Mining in the Western United States and Impact on Water Quality. – *Int. J. Mine Water*, **9**(1-4):27-41, 5 Tab.
- BOUJOUNOU, K., ABIDI, A., BAÇAOU, A., EL AMARI, K. & YAACOUBI, A. (2018): Flotation Process Water Recycling Investigation for the Complex Draa Sfar Sulphide Ore, Morocco. – *Mine Water Environ.*, **37**(1):75-87, doi:10.1007/s10230-017-0471-3.
- BOUW, P. C. & MORTON, K. L. (1987): Calculation of Mine Water Inflow using Interactively a Groundwater Model and an Inflow Model. – *Int. J. Mine Water*, **6**(4):31-50, 10 Abb.
- BOUZAHZAH, H., BENZAAZOUA, M., BUSSIÈRE, B. & PLANTE, B. (2014): Prediction of Acid Mine Drainage: Importance of Mineralogy and the Test Protocols for Static and Kinetic Tests. – *Mine Water Environ.*, **33**(1):54-65, 7 Fig., 6 Tab.; doi:10.1007/s10230-013-0249-1.



- BOUZAHZAH, H., BENZAAZOUA, M., BUSSIÈRE, B. & PLANTE, B. (2015): ASTM Normalized Humidity Cell Kinetic Test: Protocol Improvements for Optimal Sulfide Tailings Reactivity. – *Mine Water Environ.*, **34**(3):242-257, doi:10.1007/s10230-014-0307-3.
- BOWELL, R. J. (2001): Hydrogeochemistry of the Getchell Underground Mine – Part 1: Mine Water Chemistry. – *Mine Water Environ.*, **20**(2):81-97, 10 Fig., 7 Tab.; doi:10.1007/s10230-001-8086-z.
- BOWELL, R. J. (2003): Pit Lake Systematics: A Special Issue. – *Mine Water Environ.*, **22**(4):167-169, doi:10.1007/s10230-003-0019-6.
- BOWELL, R. J., KABELLEGA, D., KNOL, R., McLVEEN, G., REES, S. B., SHOO, K. & STEPHEN, R. (2003): Establishing a geochemical baseline for environmental assessment at the Geita mine, Tanzania. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 403-421, 6 Fig., 8 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- BRAHMI, K., BOUGUERRA, W., BELHSAN, H., ELALOU, E., LOUNGOU, M., TLLI, Z. & HAMROUNI, B. (2016): Use of Electrocoagulation with Aluminum Electrodes to Reduce Hardness in Tunisian Phosphate Mining Process Water. – *Mine Water Environ.*, **35**(3):310-317, doi:10.1007/s10230-015-0354-4.
- BRAWNER, C. O. (1982): Control of Ground Water in Surface Mining. – *Int. J. Mine Water*, **1**(1):1-16, 11 Abb.
- BRIDGWOOD, E. W., SINGH, R. N. & ATKINS, A. S. (1983): Selection and Optimisation of Mine Pumping Systems. – *Int. J. Mine Water*, **2**(2):1-18, 4 Fig., 1 Tab.
- BRINDHA, K. & ELANGO, L. (2014): Geochemical Modelling of the Effects of a Proposed Uranium Tailings Pond on Groundwater Quality. – *Mine Water Environ.*, **33**(2):110-120, 10 Fig., 2 Tab.; doi:10.1007/s10230-014-0279-3.
- BROUYÈRE, S., ORBAN, P., WILDEMEERSCH, S., COUTURIER, J., GARDIN, N. & DASSARGUES, A. (2009): The Hybrid Finite Element Mixing Cell Method – A New Flexible Method for Modelling Mine Ground Water Problems. – *Mine Water Environ.*, **28**(2):102-114, 14 Fig., 4 Tab.; doi:10.1007/s10230-009-0069-5.
- BROWN, A. (2010): Reliable Mine Water Technology. – *Mine Water Environ.*, **29**(2):85-91, 1 Abb.; doi:10.1007/s10230-010-0111-7.
- BROWN, K. & TROTT, S. (2014): Groundwater Flow Models in Open Pit Mining: Can We Do Better? – *Mine Water Environ.*, **33**(2):187-190, 5 Fig., 1 Tab.; doi:10.1007/s10230-014-0270-z.
- BUKOWSKI, P. (2011): Water Hazard Assessment in Active Shafts in Upper Silesian Coal Basin Mines. – *Mine Water Environ.*, **30**(4):302-311, 8 Fig., 2 Tab.; doi:10.1007/s10230-011-0148-2.
- BUKOWSKI, P., BROMEK, T. & AUGUSTYNIAK, I. (2006): Using the DRASTIC System to Assess the Vulnerability of Ground Water to Pollution in Mined Areas of the Upper Silesian Coal Basin. – *Mine Water Environ.*, **25**(1):15-22, 3 Fig., 2 Tab.
- BUTLER, B. A. & FORD, R. G. (2018): Evaluating relationships between total dissolved solids (TDS) and total suspended solids (TSS) in a mining-influenced watershed. – *Mine Water Environ.*, **37**(1):18-30, doi:10.1007/s10230-017-0484-y.
- BYLAK, A., RAK, W., WOJCIK, M., KUKULA, E. & KUKULA, K. (2019): Analysis of Macrobenthic Communities in a Post-Mining Sulphur Pit Lake (Poland). – *Mine Water Environ.*, **38**(3):536-550, doi:10.1007/s10230-019-00624-2.



- CAIN, P., BROWN, J. D. & AMIRALTY, J. A. (1985): Stability Enhancement of coal Measures Strata with Water-Based Chemical Agents. – *Int. J. Mine Water*, **4**(4):37-53, 1 Fig., 1 Tab.
- CAMERON, D., WILLETT, M. & HAMMER, L. (2006): Distribution of Organic Carbon in the Berkeley Pit Lake, Butte, Montana. – *Mine Water Environ.*, **25**(2):93-99, 1 Fig., 3 Tab.; doi:10.1007/s10230-006-0116-4.
- CANTY, G. A. & EVERETT, J. W. (2006): Injection of Fluidized Bed Combustion Ash into Mine Workings for Treatment of Acid Mine Drainage. – *Mine Water Environ.*, **25**(1):45-55, 6 Fig., 1 Tab.; doi:10.1007/s10230-006-0107-5.
- CARNEIRO, S. R. C., MARQUES, E. A. G. & CHISTE-COSTA, J. P. (2016): Evaluation of Hydraulic Conductivity of Itabirites of the Alegria Centro and Alegria Sul Open Pits, Samarco Mineração S.A., Minas Gerais State, Brazil. – *Mine Water Environ.*, **35**(2):136-144, doi:10.1007/s10230-015-0328-6.
- CARUSO, B. S. & BISHOP, M. (2009): Seasonal and Spatial Variation of Metal Loads from Natural Flows in the Upper Tenmile Creek Watershed, Montana. – *Mine Water Environ.*, **28**(3):166-181, 7 Fig., 3 Tab.; doi:10.1007/s10230-009-0073-9.
- CARUSO, B. S., MIRTSKHULAVA, M., WIREMAN, M., SCHROEDER, W., KORNILOVIC, B. & GRIFFIN, S. (2012): Effects of Manganese Mining on Water Quality in the Caucasus Mountains, Republic of Georgia. – *Mine Water Environ.*, **31**(1):16-28, 6 Fig., 5 Tab.; doi:10.1007/s10230-011-0163-3.
- CARVALHO, P., RICHARDS, D. G., FERNÁNDEZ-RUBIO, R. & NORTON, P. J. (1990): Prevention of Acid Mine Drainage at Neves-Corvao Mine, Portugal. – *Int. J. Mine Water*, **9**(1-4):71-84, 6 Abb.
- CASTIGLIA, P., LINDERFELT, W., CHENG, C., TINKLENBERG, A., JORDAN, D., DALE, T., FOOTE, R. & LANE, T. (2015): A Deep, Non-potable Water Supply for the Ochoa Sulphate of Potash (SOP) Mine Project, New Mexico, USA. – *Mine Water Environ.*, **34**(2):223-230, doi:10.1007/s10230-014-0288-2.
- CASTRO-RODRÍGUEZ, A. A., ISIDRO-ANGELES, M. G., NERI-OLIVA, A., FLORES-CASTRELLÓN, O., ARELLANO-GIL, J. & SANTOS-JALLATH, J. E. (2017): Soil Infiltration, Permeability, and Rock Fracturing Assessment to Establish Water Flow Patterns in a Mine with Acid Mine Drainage. – *Mine Water Environ.*, **36**(4):564-571, doi:10.1007/s10230-017-0445-5.
- CESAR TEIXEIRA, L. A., SANTOS DOS SANTOS, J., LEAL COSTA, V. S., YOKOYAMA, L. & MARQUEZ SARMIENTO, C. (2010): Preliminary Studies on Precipitating Manganese Using Caro's Acid and Hydrogen Peroxide. – *Mine Water Environ.*, **29**(2):154-157, 2 Fig., 2 Tab.; doi:10.1007/s10230-010-0100-x.
- CHALOV, P. I., NIFADIEV, V. I. & VASILIEV, I. A. (2001): Evaluating the Environmental Effects of Uranium Production at the Kara-Balty Mining Complex. – *Mine Water Environ.*, **20**(4):153-157, 6 Abb.; doi:10.1007/s10230-001-8100-5.
- CHAMBERLAIN, V. E., WILLIAMS, R. E. & TOWATANA, P. (1995): Metal concentrations and concomitant Metal Mobility in unsaturated Mine and Mill Wastes. – *Mine Water Environ.*, **14**(1-4):23-37, 16 Abb.
- CHAMORRO, S., BARATA, C., PIÑA, B., CASADO, M., SCHWARZ, A., SÁEZ, K. & VIDAL, G. (2018): Toxicological Analysis of Acid Mine Drainage by Water Quality and Land Use Bioassays. – *Mine Water Environ.*, **37**(1):88-97, doi:10.1007/s10230-017-0472-2.



- CHAMPAGNE, P., VAN GEEL, P. & PARKER, W. (2005): A Bench-scale Assessment of a Combined Passive System to Reduce Concentrations of Metals and Sulphate in Acid Mine Drainage. – *Mine Water Environ.*, **24**(3):124-133, 4 Fig., 2 Tab.; doi:10.1007/s10230-005-0083-1.
- CHAMPAGNE, P., VAN GEEL, P. & PARKER, W. (2008): Impact of Temperature and Loading on the Mitigation of AMD in Peat Biofilter Columns. – *Mine Water Environ.*, **27**(4):225-240, 8 Fig., 3 Tab.; doi:10.1007/s10230-008-0053-5.
- CHAROU, E., STEFOULI, M., DIMITRAKOPOULOS, D., VASILIOU, E. & MAVRANTZA, O. D. (2010): Using Remote Sensing to Assess Impact of Mining Activities on Land and Water Resources. – *Mine Water Environ.*, **29**(1):45-52, 8 Fig., 1 Tab.; doi:10.1007/s10230-010-0098-0.
- CHAULYA, S. K. (2003): Assessment and Management of Water Resources for a Lignite Mine. – *Mine Water Environ.*, **22**(1):45-51, 1 Fig., 6 Tab.; doi:10.1007/s102300300007.
- CHEN, K., XUE, G., CHEN, W., ZHOU, N. & LI, H. (2019): Fine and Quantitative Evaluations of the Water Volumes in an Aquifer Above the Coal Seam Roof, Based on TEM. – *Mine Water Environ.*, **38**(1):49-59, doi:10.1007/s10230-018-00573-2.
- CHEN, L., FENG, X., XU, D., ZENG, W. & ZHENG, Z. (2018): Prediction of Water Inrush Areas Under an Unconsolidated, Confined Aquifer: The Application of Multi-information Superposition Based on GIS and AHP in the Qidong Coal Mine, China. – *Mine Water Environ.*, **37**(4):786-795, doi:10.1007/s10230-018-0541-1.
- CHEN, L. W., FENG, X. Q., XIE, W. P., ZENG, W. & ZHENG, Z. Y. (2017): Using a Fluid-Solid Coupled Numerical Simulation to Determine a Suitable Size for Barrier Pillars When Mining Shallow Coal Seams Beneath an Unconsolidated, Confined Aquifer. – *Mine Water Environ.*, **36**(1):67-77, doi:10.1007/s10230-016-0404-6.
- CHEN, W. C., LI, W. P., QIAO, W. & LI, L. F. (2020): Beneficial Use of Deep Ordovician Limestone Water from Mine Safety Dewatering at the Xinglongzhuang Coal Mine, North China. – *Mine Water Environ.*, **39**(1):42-56, doi:10.1007/s10230-020-00653-2.
- CHEONG, Y. W., DAS, B. K., ROY, A. & BHATTACHARYA, J. (2010): Performance of a SAPS-Based Chemo-Bioreactor Treating Acid Mine Drainage Using Low-DOC Spent Mushroom Compost, and Limestone as Substrate. – *Mine Water Environ.*, **29**(3):217-224, 3 Fig., 5 Tab.; doi:10.1007/s10230-010-0104-6.
- CHILESHE, B. C. & KULKARNI, R. V. (1992): Konkola Deep Mining Project: Concept and Planning. – *Mine Water Environ.*, **11**(3):1-15, 4 Abb.
- CHRAITI, R., RADDAOUI, M. & HAFIANE, A. (2016): Effluent Water Quality at Phosphate Mines in M'Dhilla, Tunisia and its Potential Environmental Effects. – *Mine Water Environ.*, **35**(4):462-468, doi:10.1007/s10230-016-0400-x.
- CIDU, R. (2007): Influence of Past Mining on the Quality of Surface Waters at Funtana Raminosa (Sardinia). – *Mine Water Environ.*, **26**(4):199-208, 9 Fig., 7 Tab.; doi:10.1007/s10230-007-0013-5.
- CIDU, R., BIDDAU, R. & NIEDDU, G. (2007): Rebound at Pb-Zn Mines Hosted in Carbonate Aquifers: Influence on the Chemistry of Ground Water. – *Mine Water Environ.*, **26**(2):88-101, 13 Fig., 3 Tab.; doi:10.1007/s10230-007-0155-5.
- CIDU, R., BIDDAU, R. & SPANO, T. (2005): Temporal Variations in Water Chemistry at Abandoned Underground Mines Hosted in a Carbonate Environment. – *Mine Water Environ.*, **24**(2):77-87, 8 Fig., 4 Tab.; doi:10.1007/s10230-005-0075-1.



- CIDU, R., DA PELO, S. & FRAU, F. (2013): Legacy of Cyanide and ARD at a Low-Scale Gold Mine (Furtei, Italy). – *Mine Water Environ.*, **32**(2):74-83, 7 Fig., 1 Tab.; doi:10.1007/s10230-012-0209-1.
- CIDU, R., DORE, E., BIDDAU, R. & NORDSTROM, D. K. (2018): Fate of Antimony and Arsenic in Contaminated Waters at the Abandoned Su Suergiu Mine (Sardinia, Italy). – *Mine Water Environ.*, **37**(1):151-165, doi:10.1007/s10230-017-0479-8.
- CIDU, R., FRAU, F. & DA PELO, S. (2011): Drainage at Abandoned Mine Sites: Natural Attenuation of Contaminants in Different Seasons. – *Mine Water Environ.*, **30**(2):113-126, 9 Fig., 3 Tab.; doi:10.1007/s10230-011-0146-4.
- COETZEE, H., HORSTMANN, U., NTSUME, G. & CROUKAMP, L. (2003): The potential environmental impact of the decant of water from Witwatersrand. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 201-217, 10 Fig., 4 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- COLDEWEY, W. G. & WOLKERSDORFER, C. (2014): Professor Dr. Walter Semmler: A German Mine Water Pioneer. – *Mine Water Environ.*, **33**(4):372–375, 3 Abb.; doi:10.1007/s10230-014-0301-9.
- COLDEWEY, W. G. & WOLKERSDORFER, C. (2018): A hard coal miner at the Haarmannsbrunnen (Haarmann Fountain) in Osnabrück (Germany). – *Mine Water Environ.*, **37**(4):856-857, 1 Abb.; doi:10.1007/s10230-018-0556-7.
- CONNELLY, R. J. & GIBSON, J. (1985): Dewatering of the Open Pits at Letlhakane and Orapa Diamond Mines, Botswana. – *Int. J. Mine Water*, **4**(3):25-41, 5 Fig., 2 Tab.
- CONNELLY, R. J. & WARD, A. D. (1987): Optimising Dewatering Costs on a South African Gold Mine. – *Int. J. Mine Water*, **6**(2):15-25, 6 Fig., 1 Tab.
- COOK, T., SKOUSEN, J. G. & HILTON, T. (2008): Covering Pre-existing, Acid-producing Fills with Alkaline Sandstone to Control Acid Mine Drainage. – *Mine Water Environ.*, **27**(4):259-264, 2 Fig., 4 Tab.; doi:10.1007/s10230-008-0051-7.
- CÔTE, C. M., MORAN, C. J. & HEDEMANN, C. (2007): Evaluating the Costs and Benefits of Salt Management Strategies at Mine Sites Using a Systems Model. – *Mine Water Environ.*, **26**(4):229-236, 9 Fig., 2 Tab.; doi:10.1007/s10230-007-0016-2.
- COUTO, R. (2003): The use of a floating raft and walkway to replace the conventional timber walkway and penstock on tailings dams. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 265-274, 7 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- CRAVOTTA, C. A., III (2007): Passive aerobic treatment of net-alkaline, iron-laden drainage from a flooded underground anthracite mine, Pennsylvania, USA. – *Mine Water Environ.*, **26**(3):128-149, 8 Fig., 3 Tab.; doi:10.1007/s10230-007-0002-8.
- CRAVOTTA, C. A., III (2010): Abandoned Mine Drainage in the Swatara Creek Basin, Southern Anthracite Coalfield, , USA: 2. Performance of Treatment Systems. – *Mine Water Environ.*, **29**(3):200-216, 6 Fig., 3 Tab.; doi:10.1007/s10230-010-0113-5.
- CRAVOTTA, C. A., III, BRIGHTBILL, R. A. & LANGLAND, M. J. (2010): Abandoned Mine Drainage in the Swatara Creek Basin, Southern Anthracite Coalfield, Pennsylvania, USA: 1. Stream Water Quality Trends Coinciding with the Return of Fish. – *Mine Water Environ.*, **29**(3):176-199, 13 Fig., 1 Tab.; doi:10.1007/s10230-010-0112-6.



- CRAVOTTA, C. A., III, MEANS, B. P., ARTHUR, W., MCKENZIE, R. M. & PARKHURST, D. L. (2015): AMDTreat 5.0+ with PHREEQC Titration Module to Compute Caustic Chemical Quantity, Effluent Quality, and Sludge Volume. – *Mine Water Environ.*, **34**(2):136-152, doi:10.1007/s10230-014-0292-6.
- CRAVOTTA, C. A., III & WARD, S. (2008): Downflow Limestone Beds for Treatment of Net-Acidic, Oxic, Iron-Laden Drainage from a Flooded Anthracite Mine, Pennsylvania, USA: 1. Field Evaluation. – *Mine Water Environ.*, **27**(2):67-85, 5 Fig., 2 Tab.; doi:10.1007/s10230-008-0029-5.
- CRAVOTTA, C. A., III, WARD, S. & HAMMARSTROM, J. (2008): Downflow Limestone Beds for Treatment of Net-Acidic, Oxic, Iron-Laden Drainage from a Flooded Anthracite Mine, Pennsylvania, USA: 2. Laboratory Evaluation. – *Mine Water Environ.*, **27**(2):86-99, 3 Fig., 3 Tab.; doi:10.1007/s10230-008-0031-y.
- CRAW, D., CAVANAGH, J., DRUZBICKA, J., HARDING, J. S., KERR, G., POPE, J. & TRUMM, D. (2015): A Geoenvironmental Model for Orogenic Gold Deposits to Predict Potential Environmental Effects. – *Mine Water Environ.*, **34**(4):388-403, doi:10.1007/s10230-015-0358-0.
- CUI, F., WU, Q., LIN, Y., ZENG, Y. & ZHANG, K. (2018): Damage Features and Formation Mechanism of the Strong Water Inrush Disaster at the Daxing Co Mine, Guangdong Province, China. – *Mine Water Environ.*, **37**(2):346-350, doi:10.1007/s10230-018-0530-4.
- CURTIS, G. P., KOHLER, M. & DAVIS, J. A. (2009): Comparing Approaches for Simulating the Reactive Transport of U(VI) in Ground Water. – *Mine Water Environ.*, **28**(2):84-93, 7 Fig., 1 Tab.; doi:10.1007/s10230-009-0064-x.
- DAMUCHALI, A. M., ASADOLLAHFARDI, G. & KHODADADI, A. (2012): Effective Parameter Predictions in Metals Transport from the Zanjan Zinc Mine Tailings using PHREEQC. – *Mine Water Environ.*, **31**(4):339-343, 9 Fig., 3 Tab.; doi:10.1007/s10230-012-0201-9.
- DAVIES, G. E. & CALVIN, W. M. (2017): Quantifying Iron Concentration in Local and Synthetic Acid Mine Drainage: A New Technique Using Handheld Field Spectrometers. – *Mine Water Environ.*, **36**(2):299-309, doi:10.1007/s10230-016-0399-z.
- DAVIES, M., FIGUEROA, L., WILDEMAN, T. & BUCKNAM, C. (2016): The Oxidative Precipitation of Thallium at Alkaline pH for Treatment of Mining Influenced Water. – *Mine Water Environ.*, **35**(1):77-85, doi:10.1007/s10230-015-0349-1.
- DAVIS, A. (2003): A Screening-Level Laboratory Method to Estimate Pit Lake Chemistry. – *Mine Water Environ.*, **22**(4):194-205, 9 Fig., 6 Tab.
- DAVIS, A., WHITEHEAD, C., LENGKE, M. & COLLORD, J. (2019): Acid-Base Accounting Tests in Combination with Humidity Cells Help to Predict Waste Rock Behavior. – *Mine Water Environ.*, **38**(3):467-487, doi:10.1007/s10230-019-00617-1.
- DAW, G. P. & POLLARD, C. A. (1986): Grouting for Ground Water Control in Underground Mining. – *Int. J. Mine Water*, **5**(4):1-40, 16 Fig., 5 Tab.
- DAWOOD, I. & AUBERTIN, M. (2014): Effect of Dense Material Layers on Unsaturated Water Flow Inside a Large Waste Rock Pile – A Numerical Investigation. – *Mine Water Environ.*, **33**(1):24-38, 10 Fig., 2 Tab.; doi:10.1007/s10230-013-0251-7.
- DE BEER, M., MATHEWS, E., KRUEGER, D., MAREE, J. P., MBHELE, N., PHALANNDWA, M. & NOVHE, O. (2008): Limestone Neutralisation of Arsenic-Rich Effluent from a Gold Mine. – *Mine Water Environ.*, **27**(1):46-51, 7 Fig., 5 Tab.; doi:10.1007/s10230-007-0023-3.



- DE LA TORRE, M. L., GRANDE, J. A., VALENTE, T. M., SANTISTEBAN, M., PEREZ-OSTALE, E. & SANCHEZ-RODAS, D. (2017): A Statistical Determination of the Transit Speed of Pollutants in a Water Reservoir Affected by Acid Mine Drainage from the Iberian Pyrite Belt. – *Mine Water Environ.*, **36**(1):34-38, doi:10.1007/s10230-016-0390-8.
- DEÁK, G., MIHAI, S., DEÁK, S. E. & OANCEA, I. (2007): Addressing the Risk of Surface Water Intrusion in Old Romanian Salt Mines. – *Mine Water Environ.*, **26**(4):251-255, 8 Fig., 1 Tab.; doi:10.1007/s10230-007-0011-7.
- DEB, D., DESHPANDE, V. N. & DAS, K. C. (2008): Assessment of Water Quality around Surface Coal Mines using Principal Component Analysis and Fuzzy Reasoning Techniques. – *Mine Water Environ.*, **27**(3):183-193, 8 Fig., 6 Tab.; doi:10.1007/s10230-008-0030-z.
- DEEN, S. G., BONDICI, V. F., ESSILFIE-DUGHAN, J., HENDRY, M. J. & BARBOUR, S. L. (2018): Biotic and Abiotic Sequestration of Selenium in Anoxic Coal Waste Rock. – *Mine Water Environ.*, **37**(4):825-838, doi:10.1007/s10230-018-0546-9.
- DEMIN, O. A. & DUDENEY, A. W. L. (2003): Nitrification in Constructed Wetlands Treating Ochreous Mine Water. – *Mine Water Environ.*, **22**(1):15-21, 8 Fig., 1 Tab.; doi:10.1007/s102300300003.
- DESA, T. C., BROWN, J. F. & BURGOS, W. D. (2010): Laboratory and Field-scale Evaluation of Low-pH Fe(II) Oxidation at Hughes Borehole, Portage, Pennsylvania. – *Mine Water Environ.*, **29**(4):239-247, 7 Fig., 2 Tab.; doi:10.1007/s10230-010-0105-5.
- DETRICK, D., BOURGEOT, N., COSTELLOE, J., YUEN, S. & ARORA, M. (2019): The Effect of Particle Size on Mine Waste Sulfide Oxidation Rates and Conceptual Treatment Costs. – *Mine Water Environ.*, **38**(4):735-745, doi:10.1007/s10230-019-00641-1.
- DEV, S. & BHATTACHARYA, J. (2014): Use of Marine Waste Extract as a Nitrogen Source for Biological Sulfate Reduction: Development of a Suitable Alternative. – *Mine Water Environ.*, **33**(4):362-371, doi:10.1007/s10230-014-0283-7.
- DHAL, B., DAS, N. N., PANDEY, B. D. & THATOI, H. N. (2011): Environmental Quality of the Boulanuashahi Chromite Mine Area in India. – *Mine Water Environ.*, **30**(3):191-196, 1 Fig., 5 Tab.; doi:10.1007/s10230-010-0134-0.
- DIAZ GOEBES, M. & YOUNGER, P. L. (2004): A Simple Analytical Model for Interpretation of Tracer Tests in Two-Domain Subsurface Flow Systems. – *Mine Water Environ.*, **23**(3):138-143, 2 Fig., 3 Tab.
- DIETZ, H. K. O. (1982): Apects of Advanced Grouting during Shaft Sinking in South Africa. – *Int. J. Mine Water*, **1**(2):19-28, 7 Fig., 2 Tab.
- DIETZ, S., LESSMANN, D. & BOEHRER, B. (2012): Contribution of Solutes to Density Stratification in a Meromictic Lake (Waldsee/Germany). – *Mine Water Environ.*, **31**(2):129-137, 6 Fig., 3 Tab.; doi:10.1007/s10230-012-0179-3.
- DIZ, H. R. (1998): The Selective Oxide System™: Acid Drainage Treatment that avoids the Formation of Sludge. – *Mine Water Environ.*, **17**(1):1-7, 3 Abb.
- DIZ, H. R., NOVAK, J. T. & RIMSTIDT, J. D. (1999): Iron Precipitation Kinetics in Synthetic Acid Mine Drainage. – *Mine Water Environ.*, **18**(1):1-14, 6 Fig., 3 Tab.
- DO AMARAL, J., WEILER, J., BROADHURST, J. L. & SCHNEIDER, I. A. H. (2017): The Use of Static and Humidity Cell Tests to Assess the Effectiveness of Coal Waste Desulfurization on Acid Rock Drainage Risk. – *Mine Water Environ.*, **36**(3):429-435, doi:10.1007/s10230-017-0435-7.



- DOEPKER, R. D. (1991): The Interrelation of Factors Influencing the Dissolution Metals in Columns of Mine Tailings. – *Mine Water Environ.*, **10**(1-4):43-56, 1 Fig., 5 Tab.
- DOEPKER, R. D. (1994): Column Leach Study III: Effect Sampling Location, Sampling Methods, and Chemical Abatement Treatments on the Dissolution of Metals in Gold-Copper Mine Tailings. – *Mine Water Environ.*, **13**(1):1-25, 11 Fig., 4 Tab.
- DOEPKER, R. D. & DRAKE, P. L. (1991): Laboratory Study of Submerged Metal-Mine Tailings 1: Effect of Solid-Liquid Contact Time and Aeration on Contaminant Concentrations. – *Mine Water Environ.*, **10**(1-4):29-41, 1 Fig., 6 Tab.
- DOEPKER, R. D. & O'CONNOR, W. K. (1991): Column Leach Study I: Heavy Metal Dissolution Characteristics from Selected Copper mine Tailings. – *Mine Water Environ.*, **10**(1-4):57-71, 9 Tab.
- DOEPKER, R. D. & O'CONNOR, W. K. (1991): Column Leach Study II: Heavy Metal Dissolution Characteristics from Selected Lead-Zinc Mine Tailings. – *Mine Water Environ.*, **10**(1-4):73-92, 9 Tab.
- DOMINGUE, C., LEMIEUX, J. M., GRENON, M., MOLSON, J., THERRIEN, R., LAJOIE, P. L. & BLESSENT, D. (2019): Numerical Evaluation of Grouting Scenarios for Reducing Water Inflows from Major Faults in Underground Excavations. – *Mine Water Environ.*, **38**(3):497-506, doi:10.1007/s10230-019-00589-2.
- DONG, D., LIN, G., LIN, Y.-F. F., ZHAO, M. & LI, K. (2016): Evaluating Induced Fractures Between a Large Artificial Lake and an Aquifer-Coal Seam System: A Case Study in Tangshan Coal Mine, China. – *Mine Water Environ.*, **35**(2):253-260, doi:10.1007/s10230-014-0319-z.
- DONG, D., SUN, W. & XI, S. (2012): Optimization of Mine Drainage Capacity Using FEFLOW for the No. 14 Coal Seam of China's Linnancang Coal Mine. – *Mine Water Environ.*, **31**(4):353-366, 12 Fig., 4 Tab.; doi:10.1007/s10230-012-0210-8.
- DONG, D., ZHAO, M., LIN, G., ZHAO, W., ZHANG, K. & LI, N. (2016): Optimization of Water Pumping and Injection for Underground Coal Gasification in the Meiguiying Mine, China. – *Mine Water Environ.*, **35**(3):398-404, doi:10.1007/s10230-016-0389-1.
- DONG, D. L., CHEN, Z. Y., LIN, G., LI, X., ZHANG, R. M. & JI, Y. (2019): Combining the Fisher Feature Extraction and Support Vector Machine Methods to Identify the Water Inrush Source: A Case Study of the Wuhai Mining Area. – *Mine Water Environ.*, **38**(4):855-862, doi:10.1007/s10230-019-00637-x.
- DONG, S. N., ZHENG, L. W., TANG, S. L. & SHI, P. Z. (2020): A Scientometric Analysis of Trends in Coal Mine Water Inrush Prevention and Control for the Period 2000-2019. – *Mine Water Environ.*, **39**(1):3-12, doi:10.1007/s10230-020-00661-2.
- DONGLIN, D., WENJIE, S. & SHA, X. (2012): Water-inrush Assessment Using a GIS-based Bayesian Network for the 12-2 Coal Seam of the Kailuan Donghuantuo Coal Mine in China. – *Mine Water Environ.*, **31**(2):138-146, 6 Fig., 5 Tab.; doi:10.1007/s10230-012-0178-4.
- DOUGLAS, G. B., WENDLING, L. A., PLEYSIER, R. & TREFRY, M. G. (2010): Hydrotalcite Formation for Contaminant Removal from Ranger Mine Process Water. – *Mine Water Environ.*, **29**(2):108-115, 5 Fig., 2 Tab.; doi:10.1007/s10230-010-0106-4.
- DOULATI ARDEJANI, F., MALAKOOTI, S. J., SHAFAEI, S. Z. & SHAHHOSSEINI, M. (2014): A Numerical Multi-Component Reactive Model for Pyrite Oxidation and Pollutant Transportation



- in a Pyritic, Carbonate-Rich Coal Waste Pile in Northern Iran. – *Mine Water Environ.*, **33**(2):121-132, 10 Fig., 3 Tab.; doi:10.1007/s10230-014-0275-7.
- DOULATI ARDEJANI, F., SADEGHAMIRSHAHIDI, M., SINGH, R. N., KISH, T. E. & REED, S. M. (2013): Prediction of the Groundwater Rebound Process in a Backfilled Open Cut Mine Using an Artificial Neural Network. – *Mine Water Environ.*, **32**(4):251-257, 6 Abb.; doi:10.1007/s10230-013-0243-7.
- DOULATI ARDEJANI, F., SINGH, R. N., BAAFI, E. & PORTER, I. (2003): A Finite Element Model to: 1. Predict Groundwater Inflow to Surface Mining Excavations. – *Mine Water Environ.*, **22**(1):31-38, 7 Fig., 2 Tab.; doi:10.1007/s102300300005.
- DOULATI ARDEJANI, F., SINGH, R. N., BAAFI, E. & PORTER, I. (2003): A Finite Element Model to: 2. Simulate Groundwater Rebound Problems in Backfilled Open Cut Mines. – *Mine Water Environ.*, **22**(1):39-44, 10 Abb.
- DOUPÉ, R. G. & LYMBERY, A. J. (2005): Environmental Risks Associated with Beneficial End Uses of Mine Lakes in Southwestern Australia. – *Mine Water Environ.*, **24**(3):134-138, 1 Tab.; doi:10.1007/s10230-005-0084-0.
- DOWLING, J., ATKIN, S., BEALE, G. & ALEXANDER, G. (2004): Development of the Sleeper Pit Lake. – *Mine Water Environ.*, **23**(1):2-11, 17 Fig., 1 Tab.; doi:10.1007/s10230-004-0038-y.
- DROBNIIEWSKI, M., KARUS, C. & LÖCHTE, J. (2018): Retreat to the Future: Shaping the Post-Mining Era. – *Mine Water Environ.*, **37**(4):866-867, doi:10.1007/s10230-018-0565-6.
- DRURY, W. J. (2000): Modeling of Sulfate Reduction in Anaerobic Solid Substrate Bioreactors for Mine Drainage Treatment. – *Mine Water Environ.*, **19**(1):19-29, 3 Abb.
- DRUZBICKA, J. & CRAW, D. (2015): Metalloid Attenuation from Runoff Waters at an Historic Orogenic Gold Mine, New Zealand. – *Mine Water Environ.*, **34**(4):417-429, doi:10.1007/s10230-014-0316-2.
- DRUZBICKA, J., RUFAUT, C. & CRAW, D. (2015): Evaporative Mine Water Controls on Natural Revegetation of Placer Gold Mines, Southern New Zealand. – *Mine Water Environ.*, **34**(4):375-387, doi:10.1007/s10230-014-0303-7.
- DUARTE, J. C., ESTRADA, P., BEAUMONT, H., SITIMA, M. & PEREIRA, P. (1990): Biotreatment of Tailings for Metal recovery. – *Int. J. Mine Water*, **9**(1-4):193-206, 4 Fig., 3 Tab.; doi:10.1007/BF02503692.
- DUDGEON, B. & YOUNGER, P. (2003): The hydrogeochemical evolution of groundwater inflow to ventilated underground voids. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 391-400, 6 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- EDWARDS, M. G. & LLOYD, J. W. (1992): Pumping test data interpretation and drift inflow assessment by finite-difference radial modelling. – *Mine Water Environ.*, **11**(1):15-34, 9 Abb.
- EKBERG, C. (2002): Uncertainties Connected with Geochemical Modelling of Waste Disposal in Mines. – *Mine Water Environ.*, **21**(1):45-51, 4 Fig., 5 Tab.
- EL ADNANI, M., PLANTE, B., BENZAAZOUA, M., HAKKOU, R. & BOUZAHZAH, H. (2016): Tailings Weathering and Arsenic Mobility at the Abandoned Zgounder Silver Mine, Morocco. – *Mine Water Environ.*, **35**(4):508-524, doi:10.1007/s10230-015-0370-4.



- EL AMARI, K. & HIBTI, M. (2020): A Comparison Between Kinetic Test Results and Natural Weathering: The Abandoned Kettara Mine Tailings Pond. – *Mine Water Environ.*, **39**(1):157-161, doi:10.1007/s10230-019-00642-0.
- ELOFF, E., GREBEN, H. A., MAREE, J. P., RADEBE, B. V. & GOMES, R. E. (2003): Biological sulphate removal using hydrogen as the energy source. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 99-108, 3 Fig., 5 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- ELYAZIJI, A., KHALIL, A., HAKKOU, R., BENZAAZOUA, M. & ALANSARI, A. (2016): Assessment of Trace Elements in Soils and Mine Water Surrounding a Closed Manganese Mine (Anti Atlas, Morocco). – *Mine Water Environ.*, **35**(4):486-496, doi:10.1007/s10230-016-0397-1.
- EMBLE, R., WALDER, I., MADAI, F., MÓRICZ, F., RZEPKA, P. & WALDER, P. (2016): Grain Size Effects on Mine Water Quality and Acid/Neutral Rock Drainage Production in Kinetic Testing Using Recsk Porphyry Skarn Cu–Zn Deposit Rocks. – *Mine Water Environ.*, **35**(4):421-434, doi:10.1007/s10230-015-0369-x.
- ENGSTRÖM, K., OLAUSSON, L. & ESBENSEN, K. H. (2019): Experimental Evaluation of Surface Water Sampling Variability for Environmental Monitoring in Iron Ore Operations. – *Mine Water Environ.*, **38**(2):353-365, doi:10.1007/s10230-019-00598-1.
- ERMITE CONSORTIUM, YOUNGER, P. L. & WOLKERSDORFER, C. (2004): Mining Impacts on the Fresh Water Environment: Technical and Managerial Guidelines for Catchment Scale Management. – *Mine Water Environ.*, **23**(Supplement 1):S2-S80, 28 Fig., 6 Tab.; doi:10.1007/s10230-004-0028-0.
- ETALE, A., TUTU, H. & DRAKE, D. (2015): Mesoporous Silica Nanoparticles for the Adsorptive Removal of Cu(II), Mn(II), and U(VI) from Acid Mine Drainage. – *Mine Water Environ.*, **34**(2):231-240, doi:10.1007/s10230-014-0311-7.
- EZEIGBO, H. I. & EZEANYIM, B. N. (1993): Environmental Pollution from Coal Mining Activities in the Enugu Area Anambka State Nigeria. – *Mine Water Environ.*, **12**(1-4):53-61, 3 Fig., 2 Tab.
- EZEKWE, I. C., EZEKWE, A. S. & CHIMA, G. N. (2013): Metal Loadings and Alkaline Mine Drainage from Active and Abandoned Mines in the Ivo River Basin Area of Southeastern Nigeria. – *Mine Water Environ.*, **32**(2):97-107, 2 Fig., 8 Tab.; doi:10.1007/s10230-013-0220-1.
- FALA, O., MOLSON, J., AUBERTIN, M. & BUSSIÈRE, B. (2005): Numerical Modelling of Flow and Capillary Barrier Effects in Unsaturated Waste Rock Piles. – *Mine Water Environ.*, **24**(4):172-185, 15 Fig., 3 Tab.; doi:10.1007/s10230-005-0093-z.
- FAN, G. & ZHANG, D. (2015): Mechanisms of Aquifer Protection in Underground Coal Mining. – *Mine Water Environ.*, **34**(1):95-104, doi:10.1007/s10230-014-0298-0.
- FAN, G., ZHANG, D., ZHANG, S. & ZHANG, C. (2018): Assessment and Prevention of Water and Sand Inrush Associated with Coal Mining Under a Water-filled Buried Gully: A Case Study. – *Mine Water Environ.*, **37**(3):565-576, doi:10.1007/s10230-017-0487-8.
- FARMER, I. W. & JENNINGS, D. H. (1983): Effect of Strata Permeability on the Radial Hydrostatic Pressures on Mine Shaft Linings. – *Int. J. Mine Water*, **2**(3):17-24, 3 Fig., 2 Tab.
- FAWCETT, R. J., HIBBERD, S. & SINGH, R. N. (1984): An Appraisal of Mathematical Models to predict Water Inflows into underground Coal Workings. – *Int. J. Mine Water*, **3**(2):33-54, 5 Abb.



- FAWCETT, R. J., HIBBERD, S. & SINGH, R. N. (1986): Analytic Calculations of Hydraulic Conductivities above Longwall Coal Faces. – *Int. J. Mine Water*, **5**(1):45-60, 6 Fig., 1 Tab.
- FENG, Q., LI, T., QIAN, B., ZHOU, L., GAO, B. & YUAN, T. (2014): Chemical Characteristics and Utilization of Coal Mine Drainage in China. – *Mine Water Environ.*, **33**(3):276-286, 8 Fig., 4 Tab.; doi:10.1007/s10230-014-0271-y.
- FENG, Q., LI, T., QIAN, B., ZHOU, L., GAO, B. & YUAN, T. (2014): Erratum to: Chemical Characteristics and Utilization of Coal Mine Drainage in China. – *Mine Water Environ.*, **33**(3):287-288, 1 Abb.; doi:10.1007/s10230-014-0280-x.
- FERANCOVA, A., HATTUNIEMI, M. K., SESAY, A. M., RATY, J. P. & VIRTANEN, V. T. (2017): Complexation of Ni(II) by Dimethylglyoxime for Rapid Removal and Monitoring of Ni(II) in Water. – *Mine Water Environ.*, **36**(2):273-282, doi:10.1007/s10230-016-0402-8.
- FERANCOVÁ, A., HATTUNIEMI, M. K., SESAY, A. M., RÄTY, J. P. & VIRTANEN, V. T. (2016): Electrochemical Monitoring of Nickel(II) in Mine Water. – *Mine Water Environ.*, **35**(4):547-552, doi:10.1007/s10230-015-0357-1.
- FERNÁNDEZ-ÁLVAREZ, J. P., ÁLVAREZ-ÁLVAREZ, L. & DÍAZ-NORIEGA, R. (2016): Groundwater Numerical Simulation in an Open Pit Mine in a Limestone Formation Using MODFLOW. – *Mine Water Environ.*, **35**(2):145-155, doi:10.1007/s10230-015-0334-8.
- FERNÁNDEZ-RUBIO, R. (1986): Water Problems in Spanish Coal Mining. – *Int. J. Mine Water*, **5**(3):13-28, 6 Fig., 5 Tab.
- FERNÁNDEZ-RUBIO, R. (2001): Vladimir Straskraba: 1934-2001. – *Mine Water Environ.*, **20**(1):39-40, 1 Abb.; doi:10.1007/s10230-001-8078-z.
- FERNÁNDEZ-RUBIO, R. (2001): Vladimir Straskraba's Contribution to the Mine Water Literature. – *Mine Water Environ.*, **20**(2):52-54, doi:10.1007/s10230-001-8082-3.
- FERNÁNDEZ-RUBIO, R., BOTÍN, J. A. & LAVANDEIRA, A. (1983): Hydrogeological Investigation and Drainage Infrastructure at Underground Zinc and Lead Troya Mine (Gipuzkoa, Spain). – *Int. J. Mine Water*, **2**(3):39-56, 20 Abb.
- FERNÁNDEZ-RUBIO, R. & CARVALHO, P. (1993): Surface Water Inflow Reduction at the Underground Neves-Corvo mine, Portugal. – *Mine Water Environ.*, **12**(1-4):11-20, 8 Abb.
- FERNÁNDEZ-RUBIO, R. & FERNANDEZ LORCA, D. (1993): Mine Water drainage. – *Mine Water Environ.*, **12**(1-4):107-130, 22 Fig., 1 Tab.
- FERNÁNDEZ-RUBIO, R., FERNÁNDEZ-LORCA, S. & ESTEBAN ARLEGUI, J. (1987): Preventive Techniques for Controlling Acid Water in Underground Mines by Flooding. – *Int. J. Mine Water*, **6**(3):39-52, 11 Abb.
- FERNÁNDEZ-RUBIO, R. & SINGH, R. N. (1983): Slope Stabilisation Using Advance Dewatering Techniques in a Large Opencast Mine in North-Western Spain. – *Int. J. Mine Water*, **2**(4):35-51, 12 Fig., 5 Tab.
- FERRARI, C. R., DE AZEVEDO, H., WISNIEWSKI, M. J. S., RODGHER, S., ROQUE, C. V. & NASCIMENTO, M. R. L. (2015): An Overview of an Acidic Uranium Mine Pit Lake (Caldas, Brazil): Composition of the Zooplankton Community and Limnochemical Aspects. – *Mine Water Environ.*, **34**(3):343-351, doi:10.1007/s10230-015-0333-9.
- FLETCHER, T. (1992): Drilling Exploration Boreholes Beyond 4000 m in South Africa. – *Mine Water Environ.*, **11**(4):43-52, 3 Abb.



- FLORES, A. N. & SOLA, F. M. (2010): Evaluation of Metal Attenuation from Mine Tailings in SE Spain (Sierra Almagrera): A Soil-Leaching Column Study. – *Mine Water Environ.*, **29**(1):53-67, 12 Fig., 9 Tab.; doi:10.1007/s10230-010-0099-z.
- FONTAINE, R. C., DAVIS, A. & FENNEMORE, G. G. (2003): The Comprehensive Realistic Yearly Pit Transient Infilling Code (CRYPTIC): A Novel Pit Lake Analytical Solution. – *Mine Water Environ.*, **22**(4):187-193, 8 Fig., 2 Tab.; doi:10.1007/s10230-003-0021-z.
- FORTES, J. C., DAVILA, J. M., SARMIENTO, A. M., LUIS, A. T., SANTISTEBAN, M., DIAZ-CURIE, J., CORDOBA, F. & GRANDE, J. A. (2020): Corrosion of Metallic and Structural Elements Exposed to Acid Mine Drainage (AMD). – *Mine Water Environ.*, **39**(2):195-203, doi:10.1007/s10230-020-00681-y.
- FOURIE, F. D. (2016): Estimating the Decant Rate from a Rehabilitated Opencast Colliery Using a Water Balance Approach. – *Mine Water Environ.*, **35**(2):199-213, doi:10.1007/s10230-015-0362-4.
- FRANKIEWICZ, A. & PUCEK, T. R. (2006): Hydrogeological and Hydrochemical Characteristics of the Partially Flooded Piaseczno Opencast Sulphur Mine in Southeastern Poland. – *Mine Water Environ.*, **25**(3):153-162, 3 Fig., 4 Tab.
- FRAU, I., KOROSTYNSKA, O., MASON, A. & BYRNE, P. (2018): Comparison of Electromagnetic Wave Sensors with Optical and Low-frequency Spectroscopy Methods for Real-time Monitoring of Lead Concentrations in Mine Water. – *Mine Water Environ.*, **37**(3):617-624, doi:10.1007/s10230-018-0511-7.
- FROLIK, A., KUBICA, J. & GZYL, G. (2003): Protection of drinking water supplies during partial closure of the mine. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 493-502, 3 Fig., 3 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- FROMM, V. V. & KALASHNIKOV, G. V. (1982): Effect of mine water on Rock Deformation in Coal Mines. – *Int. J. Mine Water*, **1**(3):43-49, 2 Tab.
- FROSTAD, S., KLEIN, B. & LAWRENCE, R. W. (2002): Evaluation of Laboratory Kinetic Test Methods for Measuring Rates of Weathering. – *Mine Water Environ.*, **21**(4):183-192, 4 Fig., 6 Tab.; doi:10.1007/s102300200042.
- GAJOWIEC, B. & WITKOWSKI, A. J. (1993): Impact of Lead/Zinc Ore Mining on Groundwater Quality in Trzebionka Mine (Southern Poland). – *Mine Water Environ.*, **12**(1-4):1-9, 4 Fig., 1 Tab.
- GAMMONS, C. H. (2006): Geochemistry of Perched Water in an Abandoned Underground Mine, Butte, Montana. – *Mine Water Environ.*, **25**(2):114-123, 4 Fig., 2 Tab.; doi:10.1007/s10230-006-0119-1.
- GAMMONS, C. H. & DUAIME, T. E. (2006): Long Term Changes in the Limnology and Geochemistry of the Berkeley Pit Lake, Butte, Montana. – *Mine Water Environ.*, **25**(2):76-85, 6 Fig., 2 Tab.; doi:10.1007/s10230-006-0114-6.
- GAMMONS, C. H. & MADISON, J. P. (2006): Contaminated Alluvial Ground Water in the Butte Summit Valley. – *Mine Water Environ.*, **25**(2):124-129, 4 Fig., 2 Tab.; doi:10.1007/s10230-006-0120-8.
- GAMMONS, C. H., METESH, J. J. & DUAIME, T. E. (2006): An Overview of the Mining History and Geology of Butte, Montana. – *Mine Water Environ.*, **25**(2):70-75, 2 Abb.; doi:10.1007/s10230-006-0113-7.



- GAMMONS, C. H., METESH, J. J. & SNYDER, D. M. (2006): A Survey of the Geochemistry of Flooded Mine Shaft Water in Butte, Montana. – *Mine Water Environ.*, **25**(2):100-107, 5 Fig., 1 Tab.; doi:10.1007/s10230-006-0117-3.
- GAMMONS, C. H., MULHOLLAND, T. P. & FRANSEN, A. K. (2000): A comparison of filtered vs. unfiltered metal concentrations in treatment wetlands. – *Mine Water Environ.*, **19**(2):111-123, 4 Fig., 3 Tab.; doi:10.1007/BF02687259.
- GAMMONS, C. H., POULSON, S. R., METESH, J. J., DUAIME, T. E. & HENNE, A. R. (2003): Geochemistry and Isotopic Composition of H₂S-rich Water in Flooded Underground Mine Workings, Butte, Montana, USA. – *Mine Water Environ.*, **22**(3):141-148, 3 Fig., 3 Tab.; doi:10.1007/s10230-003-0014-y.
- GANDY, C. J. & JARVIS, A. P. (2012): The Influence of Engineering Scale and Environmental Conditions on the Performance of Compost Bioreactors for the Remediation of Zinc in Mine Water Discharges. – *Mine Water Environ.*, **31**(2):82-91, 6 Fig., 1 Tab.; doi:10.1007/s10230-012-0177-5.
- GANDY, C. J. & YOUNGER, P. L. (2007): Predicting Groundwater Rebound in the South Yorkshire Coalfield, UK. – *Mine Water Environ.*, **26**(2):70-78, 8 Fig., 5 Tab.; doi:10.1007/s10230-007-0153-7.
- GAO, W., SHI, L., HAN, J. & ZHAI, P. (2018): Dynamic Monitoring of Water in a Working Face Floor Using 2D Electrical Resistivity Tomography (ERT). – *Mine Water Environ.*, **37**(3):423-430, doi:10.1007/s10230-017-0483-z.
- GARNER, R., MÜHLBAUER, R. & WOLKERSDORFER, C. (2018): Peter Gunter 1970 – 2018. – *Mine Water Environ.*, **37**(4):864-865, 1 Abb.; doi:10.1007/s10230-018-0562-9.
- GAUTAMA, R. S. & HARTAJI, S. (2004): Improving the Accuracy of Geochemical Rock Modelling for Acid Rock Drainage Prevention in Coal Mine. – *Mine Water Environ.*, **23**(2):100-104, 4 Fig., 1 Tab.; doi:10.1007/s10230-004-0047-x.
- GAZIZOV, M. S. (1983): Water Regime Control in Mines and Quarries in the USSR Coal Industry. – *Int. J. Mine Water*, **2**(1):43-48.
- GELDENHUYS, A. J., MAREE, J. P., FOURIE, W. J., SMIT, J. J., BLADERGROEN, B. J. & TJATI, M. (2003): Acid mine drainage treated electrolytically for recovery of hydrogen, iron (II) oxidation and sulphur production. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 57-71, 9 Fig., 6 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- GENTY, T., BUSSIÈRE, B., BENZAAZOUA, M., NECULITA, C. M. & ZAGURY, G. J. (2018): Changes in Efficiency and Hydraulic Parameters During the Passive Treatment of Ferriferous Acid Mine Drainage in Biochemical Reactors. – *Mine Water Environ.*, **37**(4):686-695, doi:10.1007/s10230-018-0514-4.
- GENTY, T., BUSSIÈRE, B., BENZAAZOUA, M. & ZAGURY, G. J. (2012): Capacity of Wood Ash Filters to Remove Iron from Acid Mine Drainage – Assessment of Retention Mechanism. – *Mine Water Environ.*, **31**(4):273-286, 3 Fig., 6 Tab.; doi:10.1007/s10230-012-0199-z.
- GILBERT, C., AYANDA, O. S., FATOBA, O. O., MADZIVIRE, G. & PETRIK, L. F. (2019): A Novel Method of Using Iron Nanoparticles from Coal Fly Ash or Ferric Chloride for Acid Mine Drainage Remediation. – *Mine Water Environ.*, **38**(3):617-631, doi:10.1007/s10230-019-00605-5.
- GILLESPIE, R. (1992): Gympie Gold Mine dewatering. – *Mine Water Environ.*, **11**(1):1-14, 2 Fig., 4 Tab.



- GIRI, S., SINGH, G., GUPTA, S. K., JHA, V. N. & TRIPATHI, R. M. (2010): An Evaluation of Metal Contamination in Surface and Groundwater around a Proposed Uranium Mining Site, Jharkhand, India. – *Mine Water Environ.*, **29**(3):225-234, 7 Fig., 7 Tab.; doi:10.1007/s10230-010-0107-3.
- GNANDI, K., REZAIIE BOROON, M. H. & EDORH, P. (2009): The Geochemical Characterization of Mine Effluents from the Phosphorite Processing Plant of Kpémé (Southern Togo). – *Mine Water Environ.*, **28**(1):65-73, 4 Fig., 5 Tab.; doi:10.1007/s10230-008-0058-0.
- GNANDI, K., TCHANGBEDJI, G., KILLI, K., BABA, G. & ABBE, K. (2006): The Impact of Phosphate Mine Tailings on the Bioaccumulation of Heavy Metals in Marine Fish and Crustaceans from the Coastal Zone of Togo. – *Mine Water Environ.*, **25**(1):56-62, 2 Fig., 5 Tab.
- GNANDI, K., TCHANGBEDJI, G., KILLI, K., BABA, G. & SALIM, A. I. O. (2005): Processing of Phosphate Mine Tailings by Coagulation Flocculation to Reduce Marine Pollution in Togo: Laboratory Tests. – *Mine Water Environ.*, **24**(4):215-221, 7 Fig., 5 Tab.; doi:10.1007/s10230-005-0102-2.
- GOETZ, E. R. & RIEFLER, R. G. (2015): Geochemistry of CO₂ in Steel Slag Leach Beds. – *Mine Water Environ.*, **34**(1):42-49, doi:10.1007/s10230-014-0290-8.
- GOGOI, H., LEIVISKÄ, T., HEIDERSCHIEDT, E., POSTILA, H. & TANSKANEN, J. (2018): The Effectiveness of Metal and Metalloid Sorption from Mining Influenced Waters by Natural and Modified Peat. – *Mine Water Environ.*, **37**(4):734-743, doi:10.1007/s10230-018-0525-1.
- GOLESTANIFAR, M. & AHANGARI, K. (2012): Choosing an Optimal Groundwater Lowering Technique for Open Pit Mines. – *Mine Water Environ.*, **31**(3):192-198, 2 Fig., 5 Tab.; doi:10.1007/s10230-012-0196-2.
- GOMBERT, P., SRACEK, O., KOUKOUZAS, N., GZYL, G., VALLADARES, S. T., FRĄCZEK, R., KLINGER, C., BAUREK, A., ARECES, J. E. Á., CHAMBERLAIN, S., PAW, K. & PIERZCHAŁA, Ł. (2019): Correction to: An Overview of Priority Pollutants in Selected Coal Mine Discharges in Europe. – *Mine Water Environ.*, **38**(2):463-464, doi:10.1007/s10230-019-00607-3.
- GOMBERT, P., SRACEK, O., KOUKOUZAS, N., GZYL, G., VALLADARES, S. T., FRĄCZEK, R., KLINGER, C., BAUREK, A., ARECES, J. E. Á., CHAMBERLAIN, S., PAW, K. & PIERZCHAŁA, Ł. (2019): An Overview of Priority Pollutants in Selected Coal Mine Discharges in Europe. – *Mine Water Environ.*, **38**(1):16-23, 2 Fig., 2 Tab.; doi:10.1007/s10230-018-0547-8.
- GOMES, C. J. B., MENDES, C. A. B. & COSTA, J. F. C. L. (2011): The Environmental Impact of Coal Mining: A Case Study in Brazil's Sangão Watershed. – *Mine Water Environ.*, **30**(3):159-168, 11 Fig., 2 Tab.; doi:10.1007/s10230-011-0139-3.
- GORSHKOV, V. A. & KHARIONOVSKY, A. A. (1982): Main Methods and Techniques of Mine Water Treatment in USSR. – *Int. J. Mine Water*, **1**(4):27-33, 5 Tab.
- GOUMIH, A., EL ADNANI, M., HAKKOU, R. & BENZAAZOUA, M. (2013): Geochemical Behavior of Mine Tailings and Waste Rock at the Abandoned Cu–Mo–W Azegour Mine (Occidental High Atlas, Morocco). – *Mine Water Environ.*, **32**(2):121-132, 8 Fig., 4 Tab.; doi:10.1007/s10230-013-0221-0.
- GOVENDER, K., CUKROWSKA, E. & MCCARTHY, T. S. (2003): Modeling and chemometric evaluation of acid mine drainage from gold mining in Johannesburg, South Africa. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 277, Johannesburg (Proceedings 8th International Mine Water Association Congress).




- GRANDE, J. A., SANTISTEBAN, M., PÉREZ-OSTALÉ, E., VALENTE, T. M., DE LA TORRE, M. L., GOMES, P. & BARRIOS-PARRA, F. (2018): Dilution Versus Pollution in Watercourses Affected by Acid Mine Drainage: A Graphic Model for the Iberian Pyrite Belt (SW Spain). – *Mine Water Environ.*, **37**(1):211-216, doi:10.1007/s10230-017-0495-8.
- GRANDE, J. A., SANTISTEBAN, M., TORRE, M. L. D. L., VALENTE, T. M. & PÉREZ-OSTALE, E. (2013): Characterisation of AMD Pollution in the Reservoirs of the Iberian Pyrite Belt. – *Mine Water Environ.*, **32**(4):321-330, 6 Fig., 7 Tab.; doi:10.1007/s10230-013-0236-6.
- GRAWUNDER, A., GARTNER, S. & MERTEN, D. (2017): Adaptation of a Rare Earth Element Pre-concentration Method for Water Enriched in Al, Ca, Fe, and Mg. – *Mine Water Environ.*, **36**(3):363-370, doi:10.1007/s10230-016-0418-0.
- GREBEN, H. A. & MAREE, J. P. (2005): Removal of Sulphate, Metals, and Acidity from a Nickel and Copper Mine Effluent in a Laboratory Scale Bioreactor. – *Mine Water Environ.*, **24**(4):194-198, 2 Fig., 3 Tab.
- GU, H., MA, F., GUO, J., LI, K. & LU, R. (2018): Assessment of Water Sources and Mixing of Groundwater in a Coastal Mine: The Sanshandao Gold Mine, China. – *Mine Water Environ.*, **37**(2):351-365, doi:10.1007/s10230-017-0458-0.
- GU, H., MA, F., GUO, J., ZHAO, H., LU, R. & LIU, G. (2018): A Spatial Mixing Model to Assess Groundwater Dynamics Affected by Mining in a Coastal Fractured Aquifer, China. – *Mine Water Environ.*, **37**(2):405-420, doi:10.1007/s10230-017-0505-x.
- GUEDES DE CARVALHO, R. A., GONZÁLES BEÇA, C. G., MARTINS SAMPAIO, M. N., NEVES, O. & SOL PEREIRA, M. C. (1986): A Study of the Drainage of the Pyrite Mines of Aljustrel (Portugal). – *Int. J. Mine Water*, **5**(2):43-55, 5 Fig., 2 Tab.
- GUI, H., LIN, M. & SONG, X. (2018): Identification and Application of Roof Bed Separation (Water) in Coal Mines. – *Mine Water Environ.*, **37**(2):376-384, doi:10.1007/s10230-018-0518-0.
- GÜNTHER, P., MAREE, J. P., STROBOS, G. & MTIMIKULU, J. S. (2003): Neutralisation of acid leachate in a coal processing plant with calcium carbonate. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 367-382, 10 Fig., 5 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- GUO, B., CHENG, T., WANG, L., LUO, T. & YANG, X. (2018): Physical Simulation of Water Inrush through the Mine Floor from a Confined Aquifer. – *Mine Water Environ.*, **37**(3):577-585, doi:10.1007/s10230-017-0488-7.
- GUO, H., JI, M., CHEN, K., ZHANG, Z., ZHANG, Y. & ZHANG, M. (2018): The Feasibility of Mining Under a Water Body Based on a Fuzzy Neural Network. – *Mine Water Environ.*, **37**(4):703-712, doi:10.1007/s10230-018-0521-5.
- GUO, J. S., MA, L. Q. & ZHANG, D. S. (2019): Management and Utilization of High-Pressure Floor-Confined Water in Deep Coal Mines. – *Mine Water Environ.*, **38**(4):780-797, doi:10.1007/s10230-019-00639-9.
- GUPTA, R. N., MUKHERJEE, K. P. & SINGH, B. (1987): Design of Underground Artificial Dams for Mine Water Storage. – *Int. J. Mine Water*, **6**(2):1-14, 4 Abb.
- GWENZI, W., MUSHAIKE, C. C., CHAUKURA, N. & BUNHU, T. (2017): Removal of Trace Metals from Acid Mine Drainage Using a Sequential Combination of Coal Ash-Based Adsorbents and Phytoremediation by Bunchgrass (Vetiver [*Vetiveria zizanioides* L]). – *Mine Water Environ.*, **36**(4):520-531, doi:10.1007/s10230-017-0439-3.



- HAGUE, I. & GERMISHUYS, L. (2003): Practical aspects of watersealing at Konkola copper mine, Zambia. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 301-310, 8 Fig., 2 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- HAKKOU, R., BENZAAZOUA, M. & BUSSIÈRE, B. (2008): Acid Mine Drainage at the Abandoned Kettara Mine (Morocco): 1. Environmental Characterization. – *Mine Water Environ.*, **27**(3):145-159, 5 Fig., 9 Tab.; doi:10.1007/s10230-008-0036-6.
- HAKKOU, R., BENZAAZOUA, M. & BUSSIÈRE, B. (2008): Acid Mine Drainage at the Abandoned Kettara Mine (Morocco): 2. Mine Waste Geochemical Behavior. – *Mine Water Environ.*, **27**(3):160-170, 6 Fig., 4 Tab.; doi:10.1007/s10230-008-0035-7.
- HAKKOU, R., BENZAAZOUA, M. & BUSSIÈRE, B. (2009): Laboratory Evaluation of the Use of Alkaline Phosphate Wastes for the Control of Acidic Mine Drainage. – *Mine Water Environ.*, **28**(3):206-218, 10 Fig., 5 Tab.; doi:10.1007/s10230-009-0081-9.
- HALLBERG, K. B. & JOHNSON, D. B. (2005): *Mine Water Microbiology.* – *Mine Water Environ.*, **24**(1):28-32, 2 Fig., 1 Tab.; doi:10.1007/s10230-005-0068-0.
- HAMMACK, R. W., DE VEGT, A. L. & SCHOENEMAN, A. L. (1998): The Removal of Sulfate and Metals from Mine Waters using Bacterial Sulfate Reduction: Pilot Plant Results. – *Mine Water Environ.*, **17**(1):8-27, 7 Fig., 5 Tab.
- HAMMACK, R. W., LOVE, E. I., VELOSKI, G. A., ACKMAN, T. E. & HARBERT, W. (2003): Using Helicopter Electromagnetic Surveys to Identify Environmental Problems at Coal Mines. – *Mine Water Environ.*, **22**(2):80-84, 7 Abb.
- HAMMACK, R. W., SAMS, J. I., VELOSKI, G. A. & MABIE, J. S. (2003): Geophysical Investigation of the Sulphur Bank Mercury Mine Superfund Site, Lake County, California. – *Mine Water Environ.*, **22**(2):69-79, 15 Abb.
- HANCOCK, S. (1985): Discussion on Aquifer Restoration at Uranium in situ leach Sites by F. S. Anastasi and R. E. Williams. – *Int. J. Mine Water*, **4**(4):55-56.
- HANCOCK, S. (1985): Ventilation Shaft Water Inflow Control – Rossarden Tin Mine, Tasmania, Australia. – *Int. J. Mine Water*, **4**(4):21-35, 4 Fig., 1 Tab.
- HANCOCK, S. & WOLKERSDORFER, C. (2012): Renewed Demands for Mine Water Management. – *Mine Water Environ.*, **31**(2):147-158, 5 Fig., 1 Tab.; doi:10.1007/s10230-012-0176-6.
- HAO, C. M., HUANG, Y., HE, P. Y. & SUN, W. (2019): Isotope Drift Characteristics in Ordovician Limestone Karst Water Caused by Coal Mining in Northern China. – *Mine Water Environ.*, **38**(3):507-516, doi:10.1007/s10230-019-00606-4.
- HARDING, W., CONNELLY, R. J. & CONTRERAS, L. F. (2003): Evaluating the role of groundwater in the stability of slopes in an open pit coal mine with shallow dipping multi-seam stratigraphy. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 249-264, 5 Fig., 2 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- HARFORD, A. J., HOGAN, A. C., JONES, D. R. & VAN DAM, R. A. (2015): Ecotoxicology of Highly Treated Mine Waters: Lessons from an Australian Mine. – *Mine Water Environ.*, **34**(1):75-86, doi:10.1007/s10230-014-0282-8.
- HARTWIG, T., OWOR, M., MUWANGA, A., ZACHMANN, D. & POHL, W. (2005): Lake George as a Sink for Contaminants Derived from the Kilembe Copper Mining Area, Western Uganda. – *Mine Water Environ.*, **24**(3):114-123, 3 Fig., 7 Tab.



- HAWKINS, J. & DUNN, M. (2007): Hydrologic Characteristics of a 35-Year-Old Underground Mine Pool. – *Mine Water Environ.*, **26**(3):150-159, 7 Fig., 1 Tab.; doi:10.1007/s10230-007-0003-7.
- HAWKINS, J. W. & ALJOE, W. W. (1992): Pseudokarst Groundwater Hydrologic Characteristics of a Mine Spoil Aquifer. – *Mine Water Environ.*, **11**(2):37-52, 11 Fig., 1 Tab.
- HAWKINS, J. W. & SMOYER, J. J. (2011): Hydrologic Impacts of Multiple Seam Underground and Surface Mining – A Northern Appalachia Example. – *Mine Water Environ.*, **30**(4):263-273, 6 Fig., 3 Anl.; doi:10.1007/s10230-011-0157-1.
- HAYATY, M., TAVAKOLI MOHAMMADI, M. R., REZAEI, A. & SHAYESTEHFAR, M. R. (2014): Risk Assessment and Ranking of Metals Using FDAHP and TOPSIS. – *Mine Water Environ.*, **33**(2):157-164, 10 Fig., 3 Tab.; doi:10.1007/s10230-014-0263-y.
- HE, K., WANG, R. & JIANG, W. (2012): Groundwater Inrush Channel Detection and Curtain Grouting of the Gaoyang Iron Ore Mine, China. – *Mine Water Environ.*, **31**(4):297-306, 8 Fig., 2 Tab.; doi:10.1007/s10230-012-0207-3.
- HE, Y., LI, Z., ZHANG, K. N., YE, W. M. & CHEN, Y. G. (2020): Effect of CuSO₄ on the Hydromechanical Behavior of Compacted Tailings. – *Mine Water Environ.*, **39**(1):103-111, doi:10.1007/s10230-020-00662-1.
- HEDIN, R., WEAVER, T., WOLFE, N. & WEAVER, K. (2010): Passive Treatment of Acidic Coal Mine Drainage: The Anna S Mine Passive Treatment Complex. – *Mine Water Environ.*, **29**(3):165-175, 6 Fig., 9 Tab.; doi:10.1007/s10230-010-0117-1.
- HEDIN, R. S. (2006): The Use of Measured and Calculated Acidity Values to Improve the Quality of Mine Drainage Datasets. – *Mine Water Environ.*, **25**(3):146-152, 2 Fig., 1 Tab.
- HEDIN, R. S. (2008): Iron Removal by a Passive System Treating Alkaline Coal Mine Drainage. – *Mine Water Environ.*, **27**(4):200-209, 5 Fig., 6 Tab.; doi:10.1007/s10230-008-0041-9.
- HEDIN, R. S. (2020): Long-term Performance and Costs for the Anna S Mine Passive Treatment Systems. – *Mine Water Environ.*, **39**(2):345-355, doi:10.1007/s10230-020-00676-9.
- HEDIN, R. S. & HEDIN, B. C. (2015): Increasing Oceanic Carbon Fixation Through Fe Fertilization: Opportunity for Mine Water? – *Mine Water Environ.*, **34**(1):105-111, doi:10.1007/s10230-014-0305-5.
- HEDIN, R. S., STAFFORD, S. L. & WEAVER, T. J. (2005): Acid Mine Drainage Flowing from Abandoned Gas Wells. – *Mine Water Environ.*, **24**(2):104-106, 1 Fig., 2 Tab.
- HEGEDUS-KONCZ, M., NANDORI, G. & GASPARI, L. (1992): Hydrogeological and geothermal changes in karstic reservoirs due to mine dewatering. – *Mine Water Environ.*, **11**(1):45-54, 6 Abb.
- HEIDARI-NEJAD, H., ZAREI, M. & MERKEL, B. J. (2017): Evaluating the Origin of Seepage Water in the Golgohar Iron Mine, Iran. – *Mine Water Environ.*, **36**(4):583-596, doi:10.1007/s10230-017-0447-3.
- HEIKKINEN, P. M., RÄISÄNEN, M. L. & JOHNSON, R. H. (2009): Geochemical Characterisation of Seepage and Drainage Water Quality from Two Sulphide Mine Tailings Impoundments: Acid Mine Drainage versus Neutral Mine Drainage. – *Mine Water Environ.*, **28**(1):30-49, 12 Fig., 6 Tab.; doi:10.1007/s10230-008-0056-2.



- HEINZ, W. F. (1988): Pre-Cementation of Deep Shaft. – *Int. J. Mine Water*, **7**(4):1-12, 2 Fig., 1 Tab.
- HEINZ, W. F. (2003): Water control and mining grouting a South African historical perspective. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 159-171, 3 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- HELLIER, W. W. (1998): Abatement of Acid Mine Drainage by capping a reclaimed Surface Mine with fluidized Combustion Ash. – *Mine Water Environ.*, **17**(1):28-40, 13 Fig., 3 Tab.; doi:10.1007/BF02687242.
- HELLING, C., NITZSCHE, O., ULLRICH, B. & MERKEL, B. J. (1998): The Influence of municipal Waste on Uranium Mill Tailings: A hydrogeochemical Study on a mixed Tailings Site. – *Mine Water Environ.*, **17**(1):41-51, 3 Fig., 7 Tab.
- HELLMANN, D.-H. & TAMS, D. (1986): Submersible Motor Pumps for Mine Drainage Applications. – *Int. J. Mine Water*, **5**(1):33-44, 16 Fig., 1 Tab.
- HENDERSON, R. M. & NORTON, P. J. (1984): A Method of Predicting the Pollution Potential of Surface Mining Backfill. – *Int. J. Mine Water*, **3**(1):41-55, 7 Fig., 3 Tab.
- HILLER, E., TÓTH, R., KUČEROVÁ, G., JURKOVIČ, Ľ., ŠOTTNÍK, P., LALINSKÁ-VOLEKOVÁ, B. & VOZÁR, J. (2016): Geochemistry of Mine Tailings from Processing of Siderite–Cu Ores and Mobility of Selected Metals and Metalloids Evaluated by a Pot Leaching Experiment at the Slovinky Impoundment, Eastern Slovakia. – *Mine Water Environ.*, **35**(4):447-461, doi:10.1007/s10230-016-0388-2.
- HLABELA, P., MAREE, J. P. & BRUINSMA, D. (2007): Barium Carbonate Process for Sulphate and Metal Removal from Mine Water. – *Mine Water Environ.*, **26**(1):14-22, 11 Fig., 4 Tab.; doi:10.1007/s10230-007-0145-7.
- HOLTON, M. C. & STEPHENSON, D. (1983): A Computer Model of Circulating Service Water in South African Gold Mines. – *Int. J. Mine Water*, **2**(2):33-42, 4 Abb.
- HU, Y., LI, W., WANG, Q., LIU, S. & WANG, Z. (2019): Evolution of Floor Water Inrush from a Structural Fractured Zone with Confined Water. – *Mine Water Environ.*, **38**(2):252-260, doi:10.1007/s10230-019-00599-0.
- HU, Y., SUN, J., LIU, W. & WEI, D. (2019): The Evolution and Prevention of Water Inrush Due to Fault Activation at Working Face No. II 632 in the Hengyuan Coal Mine. – *Mine Water Environ.*, **38**(1):93-103, doi:10.1007/s10230-018-00579-w.
- HUA, P., JI, X. H., ZHU, J., WEI, W., CAI, J. P., BOCHARNIKOVA, E. & MATICHENKOV, V. (2019): Effect of Si on As Speciation and Distribution in Rice near the Shimen Realgar Mine. – *Mine Water Environ.*, **38**(4):808-816, doi:10.1007/s10230-019-00625-1.
- HUANG, X., WANG, G., LIANG, X., CUI, L., MA, L. & XU, Q. (2018): Hydrochemical and Stable Isotope (δD and $\delta 18O$) Characteristics of Groundwater and Hydrogeochemical Processes in the Ningtiaota Coalfield, Northwest China. – *Mine Water Environ.*, **37**(1):119-136, doi:10.1007/s10230-017-0477-x.
- HUGHES, T. A. & GRAY, N. F. (2012): Acute and Chronic Toxicity of Acid Mine Drainage to the Activated Sludge Process. – *Mine Water Environ.*, **31**(1):40-52, 6 Fig., 6 Tab.; doi:10.1007/s10230-011-0168-y.
- HUGHES, T. A. & GRAY, N. F. (2013): Removal of Metals and Acidity from Acid Mine Drainage Using Municipal Wastewater and Activated Sludge. – *Mine Water Environ.*, **32**(3):170-184, 11 Fig., 4 Tab.; doi:10.1007/s10230-013-0218-8.




- HUGHES, T. A., GRAY, N. F. & GUILLAMÓN, O. S. (2013): Removal of Metals and Acidity from Acid Mine Drainage Using Liquid and Dried Digested Sewage Sludge and Cattle Slurry. – *Mine Water Environ.*, **32**(2):108-120, 7 Fig., 2 Tab.; doi:10.1007/s10230-013-0217-9.
- HURST, S., SCHNEIDER, P. & MEINRATH, G. (2002): Remediating 700 years of Mining in Saxony: A Heritage from Ore Mining. – *Mine Water Environ.*, **21**(1):3-6, 1 Abb.
- IDOWU, O., LORENTZ, S. A., ANNANDALE, J. G., McCARTNEY, M. & JOVANOVIC, N. Z. (2008): Assessment of the Impact of Irrigation with Low-quality Mine Water on Virgin and Rehabilitated Soils in the Upper Olifants Basin. – *Mine Water Environ.*, **27**(1):2-11, 10 Fig., 5 Tab.; doi:10.1007/s10230-007-0010-8.
- INDRARATNA, B., SULLIVAN, J. & NETHERY, A. (1995): Effect of Groundwater Table on the Formation of Acid Sulphate Soils. – *Mine Water Environ.*, **14**(1-4):71-83, 6 Fig., 5 Tab.
- INDRATNA, B. & SINGH, R. N. (1994): Distinct Element Analysis of Water Inflow to Underground Excavations. – *Mine Water Environ.*, **13**(3-4):11-24, 6 Fig., 2 Tab.
- INTERNATIONAL MINE WATER, A. (2003): International Mine Water Association (IMWA) – Statutes and By-Laws. – *Mine Water Environ.*, **22**(4):216-220.
- IWANOFF, A. (1998): Environmental Impacts of deep opencast Limestone Mines in Lägerdorf, Northern Germany. – *Mine Water Environ.*, **17**(1):52-61, 2 Fig., 2 Tab.
- JACKSON, E. & WALTON, G. (1983): Note on a Possible Approach to the Assessment of Surface Water in Opencast Mines in the British Isles. – *Int. J. Mine Water*, **2**(1):15-22, 3 Abb.
- JACOB, J. C., SAVE, M. & MENARD, Y. (2018): Treatment of Mine Drainage with Significant Topographical Constraints: Case Study of the Bodennec Site (France). – *Mine Water Environ.*, **37**(4):839-848, doi:10.1007/s10230-018-0522-4.
- JAFARI, M., ABDOLLAHZADEH, A. A. & AGHABABAEI, F. (2017): Copper Ion Recovery from Mine Water by Ion Flotation. – *Mine Water Environ.*, **36**(2):323-327, doi:10.1007/s10230-016-0408-2.
- JAHANSHAHI, R. & ZARE, M. (2017): Delineating the Origin of Groundwater in the Golgohar Mine Area of Iran Using Stable Isotopes of ^2H and ^{18}O and Hydrochemistry. – *Mine Water Environ.*, **36**(4):550-563, doi:10.1007/s10230-017-0444-6.
- JAHANSHAHI, R., ZARE, M. & SCHNEIDER, M. (2014): A Metal Sorption/Desorption Study to Assess the Potential Efficiency of a Tailings Dam at the Golgohar Iron Ore Mine, Iran. – *Mine Water Environ.*, **33**(3):228-240, 10 Fig., 8 Tab.; doi:10.1007/s10230-014-0260-1.
- JAKUBOWSKI, R., HAWS, N., ELLERBROEK, D., MURTAGH, J. & MACFARLANE, D. (2014): Development of a Management Tool to Support the Beneficial Use of Treated Coal Seam Gas Water for Irrigation in Eastern Australia. – *Mine Water Environ.*, **33**(2):133-145, 8 Fig., 3 Tab.; doi:10.1007/s10230-013-0246-4.
- JAMAL, A., DHAR, B. B. & RATAN, S. (1991): Acid Mine Drainage Control in an Opencast Coal Mine. – *Mine Water Environ.*, **10**(1-4):1-16, 7 Fig., 4 Tab.
- JAMBRIK, R. J. (1994): Determination of Consolidation Characteristics of Rockmass on the Basis of Water Level and Surface Subsidence Observations. – *Mine Water Environ.*, **13**(3-4):25-34, 6 Fig., 2 Tab.
- JAMBRIK, R. J. (1995): Analysis of Water Level and Land Subsidence Data from Thorez Open-Pit Mine, Hungary. – *Mine Water Environ.*, **14**(1-4):13-22, 7 Fig., 1 Tab.
- JAMBRIK, R. J. (1995): Environmental Effects of Closing a Hungarian Non-Ferrous Ore Mine. – *Mine Water Environ.*, **14**(1-4):1-12, 9 Fig., 1 Tab.



- JAMBRIK, R. J. & BARTHA, M. (1994): Groundwater Quality Affected by Mining in the East Borsod Brown Coal Basin, Hungary. – *Mine Water Environ.*, **13**(3-4):49-57, 6 Fig., 1 Tab.
- JANIAK, H. (1992): Mine drainage treatment in Polish lignite mining. – *Mine Water Environ.*, **11**(1):35-44, 1 Fig., 3 Tab.
- JANSON, E., GZYL, G. & BANKS, D. (2009): The Occurrence and Quality of Mine Water in the Upper Silesian Coal Basin, Poland. – *Mine Water Environ.*, **28**(3):232-244, 8 Fig., 3 Tab.; doi:10.1007/s10230-009-0079-3.
- JARDÓN, S., ORDÓÑEZ, A., ÁLVAREZ, R., CIENFUEGOS, P. & LOREDO, J. (2013): Mine Water for Energy and Water Supply in the Central Coal Basin of Asturias (Spain). – *Mine Water Environ.*, **32**(2):139-151, 5 Fig., 4 Tab.; doi:10.1007/s10230-013-0224-x.
- JARVIS, A. & BANKS, D. (2018): Paul Lawrence Younger 1962 – 2018. – *Mine Water Environ.*, **37**(4):858-860, doi:10.1007/s10230-018-0558-5.
- JAWECKI, B., DĄBEK, P. B., PAWĘSKA, K. & WEI, X. (2018): Estimating Water Retention in Post-mining Excavations Using LiDAR ALS Data for the Strzelin Quarry, in Lower Silesia. – *Mine Water Environ.*, **37**(4):744-753, doi:10.1007/s10230-018-0526-0.
- JENK, U., ZIMMERMANN, U., UHLIG, U., SCHÖPKE, R. & PAUL, M. (2014): In Situ Mine Water Treatment: Field Experiment at the Flooded Königstein Uranium Mine (Germany). – *Mine Water Environ.*, **33**(1):39-47, 10 Fig., 1 Tab.; doi:10.1007/s10230-013-0241-9.
- JEWISS, C., CRAW, D., POPE, J., CHRISTENSON, H. & TRUMM, D. (2020): Dilution Processes of Rain-fall-Enhanced Acid Mine Drainage Discharges from Historic Underground Coal Mines, New Zealand. – *Mine Water Environ.*, **39**(1):27-41, doi:10.1007/s10230-019-00650-0.
- JI, X. H., LIU, S. H., JUAN, H., JIANG, J., HE, A., BOCHARNIKOVA, E. & MATICHENKOV, V. (2017): Prospect for Treating Antimony-Laden Mine Wastewater Using Local Materials. – *Mine Water Environ.*, **36**(3):379-385, doi:10.1007/s10230-017-0460-6.
- JIA, Y., MAURICE, C. & ÖHLANDER, B. (2015): Metal Mobilization in Tailings Covered with Alkaline Residue Products: Results from a Leaching Test Using Fly Ash, Green Liquor Dregs, and Lime Mud. – *Mine Water Environ.*, **34**(3):270-287, doi:10.1007/s10230-014-0317-1.
- JIANG, X., LEI, M. & GAO, Y. (2018): New Karst Sinkhole Formation Mechanism Discovered in a Mine Dewatering Area in Hunan, China. – *Mine Water Environ.*, **37**(3):625-635, doi:10.1007/s10230-017-0486-9.
- JIN, S., FALLGREN, P., MORRIS, J. & GOSSARD, R. (2008): Biological Source Treatment of Acid Mine Drainage Using Microbial and Substrate Amendments: Microcosm Studies. – *Mine Water Environ.*, **27**(1):20-30, 7 Fig., 3 Tab.; doi:10.1007/s10230-007-0026-0.
- JIRIES, A., EL-HASAN, T., AL-HWEITI, M. & SEILER, K.-P. (2004): Evaluation of the Effluent Water Quality Produced at Phosphate Mines in Central Jordan. – *Mine Water Environ.*, **23**(3):133-137, 4 Fig., 4 Tab.
- JODEIRI SHOKRI, B., RAMAZI, H., DOULATI ARDEJANI, F. & MORADZADEH, A. (2014): Integrated Time-lapse Geoelectrical–Geochemical Investigation at a Reactive Coal Washing Waste Pile in Northeastern Iran. – *Mine Water Environ.*, **33**(3):256-265, 8 Abb.; doi:10.1007/s10230-014-0265-9.
- JOHNSON, K. L. (2003): Oxidative passive treatment to remove Mn²⁺ from mine waters: What is the best substrate? – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 85-97, 7 Fig., 5 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).



- JOHNSON, R. H., TRUAX, R. A., LANKFORD, D. A. & STONE, J. J. (2016): Sorption Testing and Generalized Composite Surface Complexation Models for Determining Uranium Sorption Parameters at a Proposed In-situ Recovery Site. – *Mine Water Environ.*, **35**(4):435-446, doi:10.1007/s10230-016-0384-6.
- JOHNSON, R. H. & TUTU, H. (2016): Predictive Reactive Transport Modeling at a Proposed Uranium In Situ Recovery Site with a General Data Collection Guide. – *Mine Water Environ.*, **35**(3):369-380, doi:10.1007/s10230-015-0376-y.
- JOHNSTON, A., RUNKEL, R. L., NAVARRE-SITCHLER, A. & SINGHA, K. (2017): Exploration of Diffuse and Discrete Sources of Acid Mine Drainage to a Headwater Mountain Stream in Colorado, USA. – *Mine Water Environ.*, **36**(4):463-478, doi:10.1007/s10230-017-0452-6.
- JONES, A., ROGERSON, M., GREENWAY, G. & MAYES, W. M. (2015): Zinc Uptake from Circumneutral Mine Drainage in Freshwater Biofilms: New Insights from In Vitro Experiments. – *Mine Water Environ.*, **34**(3):295-307, doi:10.1007/s10230-015-0325-9.
- JONES, C. I. & SILVA, M. F. (1990): The Treatment and Removal of Mine Water at Neves Corvo Mine. – *Int. J. Mine Water*, **9**(1-4):165-178, 4 Fig., 4 Tab.
- JOSHI, P. K. & PUNIA, A. (2019): Thermal Infrared Imaging to Identify Surface Mines. – *Mine Water Environ.*, **38**(3):700-704, doi:10.1007/s10230-019-00631-3.
- JOVANOVIC, N. Z., ANNANDALE, J. G., CLAASSENS, A. S., LORENTZ, S. A. & TANNER, P. D. (2001): Modeling irrigation with gypsiferous Mine Water – a case study in Botswana. – *Mine Water Environ.*, **20**(2):65-72, 2 Fig., 4 Tab.; doi:10.1007/s10230-001-8084-1.
- JUNCOSA, R., DELGADO, J., CEREIJO, J. L. & MUÑOZ, A. (2019): Hydrochemical Evolution of the filling of the Mining Lake of As Pontes (Spain). – *Mine Water Environ.*, **38**(3):556-565, doi:10.1007/s10230-019-00612-6.
- JUNCOSA, R., DELGADO, J., PADILLA, F., RDGZ-VELLANDO, P. & HERNÁNDEZ, H. (2016): Improvements in Mero River Basin Water Supply Regulation Through Integration of a Mining Pit Lake as a Water Supply Source. – *Mine Water Environ.*, **35**(3):389-397, doi:10.1007/s10230-015-0378-9.
- KAARTINEN, T., LAINE-YLIJOKI, J., AHORANTA, S., KORHONEN, T. & NEITOLA, R. (2017): Arsenic Removal from Mine Waters with Sorption Techniques. – *Mine Water Environ.*, **36**(2):199-208, doi:10.1007/s10230-017-0450-8.
- KADEN, S., LUCKNER, L., PEUKERT, D. & TIEMER, K. (1985): Decision Support Model Systems for Regional Water Policies in Open-Pit Lignite Mining Areas. – *Int. J. Mine Water*, **4**(1):1-16, 4 Abb.
- KANG, C. U., JEON, B. H., KUMAR, R., PARK, S. S., PARK, H. S. & KIM, S. J. (2017): Stability of Coatings on Sulfide Minerals in Acidic and Low-Temperature Environments. – *Mine Water Environ.*, **36**(3):436-442, doi:10.1007/s10230-017-0437-5.
- KARAFISTAN, A. & GEMIKONAKLI, E. (2019): Contaminant Evaluation in Fish from the Mining-Impacted Morphou Bay, Cyprus, Using Statistical and Artificial Neural Network Analysis. – *Mine Water Environ.*, **38**(1):178-186, doi:10.1007/s10230-018-0559-4.
- KARATHANASIS, A. D., EDWARDS, J. D. & BARTON, C. D. (2010): Manganese and Sulfate Removal from a Synthetic Mine Drainage Through Pilot Scale Bioreactor Batch Experiments. – *Mine Water Environ.*, **29**(2):144-153, 5 Fig., 2 Tab.; doi:10.1007/s10230-009-0095-3.



- KARATHANASIS, A. D. & JOHNSON, C. M. (2003): Metal Removal Potential by Three Aquatic Plants in an Acid Mine Drainage Wetland. – *Mine Water Environ.*, **22**(1):22-30, 7 Fig., 1 Tab.
- KECOJEVIĆ, V. J., MRUGALA, M. J., SIMIĆ, R. D. & STANKOVIĆ, R. M. (2003): A Computer-Aided System for Design of Drainage Facilities in Surface Mining. – *Mine Water Environ.*, **22**(3):149-154, 10 Abb.
- KEET, B. (1982): Statistical Hydrogeochemistry as a Tool to Facilitate the Control of Mine Water. – *Int. J. Mine Water*, **1**(3):1-11, 4 Fig., 3 Tab.
- KELLY, J., CHAMPAGNE, P. & MICHEL, F. (2007): Assessment of Metal Attenuation in a Natural Wetland System Impacted by Alkaline Mine Tailings, Cobalt, Ontario, Canada. – *Mine Water Environ.*, **26**(3):181-190, 2 Fig., 5 Tab.; doi:10.1007/s10230-007-0007-3.
- KEQIANG, H., WANCHENG, Y. & WENFU, J. (2011): Analysis of Groundwater Inrush Conditions and Critical Inspection Parameters at the Baixiangshan Iron Mine, China. – *Mine Water Environ.*, **30**(4):274-283, 7 Fig., 2 Tab.; doi:10.1007/s10230-011-0158-0.
- KERR, G., DRUZBICKA, J., LILLY, K. & CRAW, D. (2015): Jarosite Solid Solution Associated with Arsenic-Rich Mine Waters, Macraes Mine, New Zealand. – *Mine Water Environ.*, **34**(4):364-374, doi:10.1007/s10230-014-0285-5.
- KERR, G., POPE, J., TRUMM, D. & CRAW, D. (2015): Experimental Metalloid Mobilisation from a New Zealand Orogenic Gold Deposit. – *Mine Water Environ.*, **34**(4):404-416, doi:10.1007/s10230-015-0332-x.
- KESSERÜ, Z. (1984): Empirical and Theoretical Methods for Designing Soft Semi-impermeable Protective Barriers. – *Int. J. Mine Water*, **3**(2):1-12, 6 Abb.
- KESSERÜ, Z., DUSZA, L., WIDDER, A. & MÁTÉ, C. K. (1987): Simultaneous Modeling of Rock Freezing and Water Seepage and its Practical Applications. – *Int. J. Mine Water*, **6**(1):1-32, 17 Fig., 1 Tab.
- KHAN, R., ISRAILI, S. H., AHMAD, H. & MOHAN, A. (2005): Heavy Metal Pollution Assessment in Surface Water Bodies and its Suitability for Irrigation around the Neyevli Lignite Mines and Associated Industrial Complex, Tamil Nadu, India. – *Mine Water Environ.*, **24**(3):155-161, 5 Fig., 2 Tab.
- KHAYRULINA, E. & MAKSIMOVICH, N. (2018): Influence of Drainage with High Levels of Water-Soluble Salts on the Environment in the Verhnekamskoe Potash Deposit, Russia. – *Mine Water Environ.*, **37**(3):595-603, doi:10.1007/s10230-017-0509-6.
- KHODADAD, A., TEIMOURY, P., ABDOLAHI, M. & SAMIEE, A. (2008): Detoxification of Cyanide in a Gold Processing Plant Tailings Water Using Calcium and Sodium Hypochlorite. – *Mine Water Environ.*, **27**(1):52-55, 8 Abb.; doi:10.1007/s10230-007-0024-2.
- KHOEURN, K., SASAKI, A., TOMIYAMA, S. & IGARASHI, T. (2019): Distribution of Zinc, Copper, and Iron in the Tailings Dam of an Abandoned Mine in Shimokawa, Hokkaido, Japan. – *Mine Water Environ.*, **38**(1):119-129, doi:10.1007/s10230-018-0566-5.
- KHORASANIPOUR, M. & ESLAMI, A. (2014): Hydrogeochemistry and Contamination of Trace Elements in Cu-Porphyry Mine Tailings: A Case Study from the Sarcheshmeh Mine, SE Iran. – *Mine Water Environ.*, **33**(4):335-352, 7 Fig., 4 Tab.; doi:10.1007/s10230-014-0272-x.
- KHORASANIPOUR, M., MOORE, F. & NASEH, R. (2011): Lime Treatment of Mine Drainage at the Sarcheshmeh Porphyry Copper Mine, Iran. – *Mine Water Environ.*, **30**(3):216-230, 7 Fig., 6 Tab.; doi:10.1007/s10230-011-0142-8.



- KHORASANIPOUR, M., TANGESTANI, M. H., NASEH, R. & HAJMOHAMMADI, H. (2012): Chemical Fractionation and Contamination Intensity of Trace Elements in Stream Sediments at the Sarcheshmeh Porphyry Copper Mine, SE Iran. – *Mine Water Environ.*, **31**(3):199-213, 3 Fig., 7 Tab.; doi:10.1007/s10230-012-0198-0.
- KIHLMAN, S. & KAUPPILA, T. (2010): Tracking the Aquatic Impacts of a Historical Metal Mine Using Lacustrine Protists and Diatom Algae. – *Mine Water Environ.*, **29**(2):116-134, 9 Fig., 1 Tab.; doi:10.1007/s10230-009-0096-2.
- KILL EAGLE, J. L., GAMMONS, C. H., WEIGHT, W. D., BABCOCK, J. N., JEPSON, W. & LANGNER, H. W. (2009): Results and Lessons Learned from a Continuous Injection Tracer Test in a Small Mountain Stream Receiving Acid Mine Drainage. – *Mine Water Environ.*, **28**(3):182-193, 10 Fig., 1 Tab., 1 Anh.; doi:10.1007/s10230-009-0082-8.
- KIMBALL, B., BIANCHI, F., WALTON-DAY, K., RUNKEL, R. L., NANNUCCI, M. & SALVADORI, A. (2007): Quantification of Changes in Metal Loading from Storm Runoff, Merse River (Tuscany, Italy). – *Mine Water Environ.*, **26**(4):209-216, 5 Abb.; doi:10.1007/s10230-007-0020-6.
- KIMBALL, B. A. & RUNKEL, R. L. (2009): Spatially Detailed Quantification of Metal Loading for Decision Making: Metal Mass Loading to American Fork and Mary Ellen Gulch, Utah. – *Mine Water Environ.*, **28**(4):274-290, 9 Fig., 4 Tab.; doi:10.1007/s10230-009-0085-5.
- KINNEAR, W. J. (1988): High Reliability Multistage Mine Dewatering Pumpsets. – *Int. J. Mine Water*, **7**(2):7-18, 5 Abb.
- KIPKO, B. J., POLOZOV, J. A. & SPICHAK, J. N. (1984): Hydrosealing and Consolidation of geological Faults during Tunnel Driving. – *Int. J. Mine Water*, **3**(3):35-41, 3 Fig., 1 Tab.
- KIPKO, E. J. (1985): Grouting of Large Karstic Caverns in Dobrogea Coalfield, Bulgaria. – *Int. J. Mine Water*, **4**(2):35-39, 1 Fig., 2 Tab.
- KIPKO, E. J. (1986): Water Control by integrated Grouting Method in Mining. – *Int. J. Mine Water*, **5**(4):41-47, 1 Tab.
- KIPKO, E. Y., POLOZOV, J. A. & LAGUNOV, V. A. (1984): Experience in Sealing Water Bearing Strata During Deep Shaft Sinking. – *Int. J. Mine Water*, **3**(4):55-62, 3 Fig., 2 Tab.
- KIPKO, E. Y., POLOZOV, Y. A., ZABORA, V. V. & SMORONDIN, G. M. (1994): Groundwater Control in a Shaft Boring Operation. – *Mine Water Environ.*, **13**(2):27-31, 2 Fig., 1 Tab.
- KIPKO, E. Y., SPICHAK, Y. N., POLOZOV, Y. A., KIPKO, A. E. & HEPNAR, P. (1993): Grouting of Old Flooded Workings at M. Mayerova Mine in Czechoslovakia. – *Mine Water Environ.*, **12**(1-4):21-26, 1 Fig., 2 Tab.
- KIPKO, O. E., KIPKO, J. V. & WOLKERSDORFER, C. (2018): Ernest Iakovlevich Kipko 1932 – 2016. – *Mine Water Environ.*, **37**(4):861-863, 1 Abb.; doi:10.1007/s10230-018-0555-8.
- KLEIN, D. B. & NEUFELD, R. D. (2005): Use of a Multiple Orifice Spray Reactor to Accelerate Ferrous Iron Oxidation in Acidic Mine Water. – *Mine Water Environ.*, **24**(4):186-193, 4 Fig., 2 Tab.
- KLEINMANN, R. L. P. (1990): Acid Mine Water Treatment using Engineered Wetlands. – *Int. J. Mine Water*, **9**(1-4):269-276, doi:10.1007/BFO2503697.
- KLEINMANN, R. L. P. (1990): At-Source Control of Acid Mine Drainage. – *Int. J. Mine Water*, **9**(1-4):85-96, 1 Abb.; doi:10.1007/BFO2503685.
- KLEINMANN, R. L. P. & WOLKERSDORFER, C. (2005): Mine Water and the Environment – Notes for Contributors. – *Mine Water Environ.*, **24**(3):162-165, 1 Fig., 1 Tab.



- KLOSE, C. (2007): Mine Water Discharge and Flooding: A Cause of Severe Earthquakes. – *Mine Water Environ.*, **26**(3):172-180, 7 Fig., 1 Tab.; doi:10.1007/s10230-007-0006-4.
- KOFFI, K., LEBLANC, M., JOURDE, H., CASIOT, C., PISTRE, S., GOUZE, P. & ELBAZ-POULICHET, F. (2003): Reverse Oxidation Zoning in Mine Tailings Generating Arsenic-rich Acidic Waters (Carnoulès, France). – *Mine Water Environ.*, **22**(1):7-14, 6 Abb.
- KOHFAHL, C. & PEKDEĞER, A. (2004): Modelling the Long-term Release of Sulphate from Dump Sediments of an Abandoned Open Pit Lignite Mine. – *Mine Water Environ.*, **23**(1):12-19, 13 Fig., 1 Tab.
- KOIDE, R., TOKORO, C., MURAKAMI, S., ADACHI, T. & TAKAHASHI, A. (2012): A Model for Prediction of Neutralizer Usage and Sludge Generation in the Treatment of Acid Mine Drainage from Abandoned Mines – Case Studies in Japan. – *Mine Water Environ.*, **31**(4):287-296, 8 Fig., 5 Tab.; doi:10.1007/s10230-012-0200-x.
- KORTAS, L. & YOUNGER, P. L. (2007): Using the GRAM Model to Reconstruct the Important Factors in Historic Groundwater Rebound in Part of the Durham Coalfield, UK. – *Mine Water Environ.*, **26**(2):60-69, 7 Fig., 1 Tab.
- KOSCHORRECK, M., HERZSPRUNG, P., WENDT-POTTHOFF, K., LORKE, A., GELLER, W., LUTHER, G., ELSNER, W. & MÜLLER, M. (2002): An In-lake Reactor to Treat an Acidic Lake: the Effect of Substrate Overdosage. – *Mine Water Environ.*, **21**(3):137-149, 10 Fig., 3 Tab.; doi:10.1007/s102300200034.
- KOSHKOVSKY, G. N. & LEBEDYANSKAYA, Z. P. (1982): The State and Prospects of Hydrological Development of Hard Mineral Deposits in the USSR. – *Int. J. Mine Water*, **1**(4):57-64.
- KRANZ, K. & DILLENARDT, J. (2010): Mine Water Utilization for Geothermal Purposes in Freiberg, Germany: Determination of Hydrogeological and Thermophysical Rock Parameters. – *Mine Water Environ.*, **29**(1):68-76, 5 Fig., 4 Tab.; doi:10.1007/s10230-009-0094-4.
- KRČMÁŘ, D. & SRACEK, O. (2014): MODFLOW-USG: the New Possibilities in Mine Hydrogeology Modelling (or What is Not Written in the Manuals). – *Mine Water Environ.*, **33**(4):376-383, 11 Abb.; doi:10.1007/s10230-014-0273-9.
- KROLL, A., AMEZAGA, J. M., YOUNGER, P. L. & WOLKERSDORFER, C. (2002): Regulation of Mine Waters in the European Union: Contribution of Scientific Research to Policy Development. – *Mine Water Environ.*, **21**(4):193-200, 1 Tab.; doi:10.1007/s102300200043.
- KROMKOV, M. & SEKO, M. (2020): Drainage of the 12th Mining Field in the Handlova Mine (Slovakia). – *Mine Water Environ.*, **39**(2):416-422, doi:10.1007/s10230-020-00672-z.
- KRUSE, N., HAWKINS, C., LOPEZ, D. L. & JOHNSON, K. (2019): Recovery of an Acid Mine Drainage-Impacted Stream Treated by Steel Slag Leach Beds. – *Mine Water Environ.*, **38**(4):718-734, doi:10.1007/s10230-019-00636-y.
- KRUSE, N. A., BOWMAN, J. R., MACKAY, A. L., MCCAMENT, B. & JOHNSON, K. S. (2012): The Lasting Impacts of Offline Periods in Lime Dosed Streams – A Case Study in Raccoon Creek, Ohio. – *Mine Water Environ.*, **31**(4):266-272, 7 Fig., 2 Tab.; doi:10.1007/s10230-012-0194-4.
- KRUSE, N. A., STOERTZ, M. W., GREEN, D. H., BOWMAN, J. R. & LOPEZ, D. L. (2014): Acidity Loading Behavior in Coal-Mined Watersheds. – *Mine Water Environ.*, **33**(2):177-186, 9 Fig., 1 Tab.; doi:10.1007/s10230-014-0269-5.



- KRUSE, N. A. & STROSNIDER, W. H. J. (2015): Carbon Dioxide Dynamics and Sequestration in Mine Water and Waste. – *Mine Water Environ.*, **34**(1):3-9, doi:10.1007/s10230-014-0320-6.
- KRUSE, N. A. S., GOZZARD, E. & JARVIS, A. P. (2009): Determination of Hydraulic Residence Times in Several UK Mine Water Treatment Systems and their Relationship to Iron Removal. – *Mine Water Environ.*, **28**(2):115-123, 2 Fig., 3 Tab.; doi:10.1007/s10230-009-0068-6.
- KUCHOVSKÝ, T., ŘÍČKA, A. & GRYCZ, D. (2017): Using Numerical Modeling to Understand the Discharge from a Flooded Abandoned Underground Mine. – *Mine Water Environ.*, **36**(4):606-616, doi:10.1007/s10230-017-0455-3.
- KUMA, J. S., YOUNGER, P. L. & BUAH, W. K. (2011): Numerical Indices of the Severity of Acidic Mine Drainage: Broadening the Applicability of the Gray Acid Mine Drainage Index. – *Mine Water Environ.*, **30**(1):67-74, 1 Fig., 7 Tab.; doi:10.1007/s10230-010-0133-1.
- KUMAR, R. N., McCULLOUGH, C. D. & LUND, M. A. (2013): Upper and Lower Concentration Thresholds for Bulk Organic Substrates in Bioremediation of Acid Mine Drainage. – *Mine Water Environ.*, **32**(4):285-292, 2 Fig., 4 Tab.; doi:10.1007/s10230-013-0242-8.
- KUMAR, R. N., McCULLOUGH, C. D., LUND, M. A. & NEWPORT, M. (2011): Sourcing Organic Materials for Pit Lake Bioremediation in Remote Mining Regions. – *Mine Water Environ.*, **30**(4):296-301, 1 Tab.; doi:10.1007/s10230-011-0144-6.
- KUMAR, V. R., SAHAY, S. N., PERIASAMY, N., PRASAD, S. S. & KARTHIKEYAN, S. (2010): Ground Water Basin Management at the Neyveli Lignite Mines. – *Mine Water Environ.*, **29**(1):23-28, 1 Fig., 6 Tab.; doi:10.1007/s10230-009-0091-7.
- KUMARI, B., TIWARY, R. K. & SRIVASTAVA, K. K. (2017): Physico-Chemical Analysis and Correlation Study of Water Resources of the Sukinda Chromite Mining Area, Odisha, India. – *Mine Water Environ.*, **36**(3):356-362, doi:10.1007/s10230-016-0409-1.
- KUNZE, C. & KÜCHLER, A. (2003): Passive biological treatment systems of mine waters at WISMUT sites. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 187-199, 10 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- KUŠČER, D. (1991): Hydrological Regime of the Water Inrush into the Kotredéz Coal Mine (Slovenia, Yugoslavia). – *Mine Water Environ.*, **10**(1-4):93-101, 4 Abb.
- KYLLONEN, H., GRONROOS, A., JARVELA, E., HEIKKINEN, J. & TANG, C. Y. (2017): Experimental Aspects of Scaling Control in Membrane Filtration of Mine Water. – *Mine Water Environ.*, **36**(2):193-198, doi:10.1007/s10230-016-0415-3.
- LA TOUCHE, G. D., ALEXANDER, S., BIRCH, J. & GWYNN, X. (2019): Application of Multivariate Statistical Methods To Hydrogeological Property Parameterisation from Geotechnical and Geophysical Data. – *Mine Water Environ.*, **38**(3):695-699, doi:10.1007/s10230-019-00629-x.
- LABAR, J. A. & NAIRN, R. W. (2017): Evaluation of the Impact of Na-SO₄ Dominated Ionic Strength on Effluent Water Quality in Bench-Scale Vertical Flow Bioreactors Using Spent Mushroom Compost. – *Mine Water Environ.*, **36**(4):572-582, doi:10.1007/s10230-017-0446-4.
- LACHMAR, T. E., McDONOUGH, H. L., BURK, N. I., KOLESAR, P. T. & DOUCETTE, W. J. (2019): Effect of Ore Mineralogy and Bedrock Lithology on Metal Loading Rates and Acid-Mine




- Drainage: Bayhorse Creek, Idaho and the North Fork of the American Fork River, Utah. – *Mine Water Environ.*, **38**(1):3-15, doi:10.1007/s10230-018-00574-1.
- LAM, S. M. & SIN, J. C. (2019): Investigation of By-products from Acetylene Manufacturing for Acid Mine Drainage Remediation. – *Mine Water Environ.*, **38**(4):757-766, doi:10.1007/s10230-019-00640-2.
- LAPOINTE, F., FYTAS, K. & MCCONCHIE, D. (2006): Efficiency of Bauxsol™ in Permeable Reactive Barriers to Treat Acid Rock Drainage. – *Mine Water Environ.*, **25**(1):37-44, 7 Fig., 4 Tab.
- LEA, I., WAYGOOD, C. & DUTHIE, A. (2003): Water management strategies to reduce longterm liabilities at Grootvlei gold mine. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 441-449, 7 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- LEE, D.-K. & CHEONG, Y.-W. (2016): The Relationship Between Flow Paths and Water Quality in Mine Water Oxidation Ponds in South Korea. – *Mine Water Environ.*, **35**(4):469-479, doi:10.1007/s10230-016-0383-7.
- LEE, D.-K., SHIN, S.-W. & CHEONG, Y.-W. (2018): Characterization of Iron Precipitates in a SAPS Limestone Layer for Flushing System Design. – *Mine Water Environ.*, **37**(4):796-806, doi:10.1007/s10230-018-0542-0.
- LENGKE, M., DAVIS, A. & BUCKNAM, C. (2010): Improving Management of Potentially Acid Generating Waste Rock. – *Mine Water Environ.*, **29**(1):29-44, 9 Fig., 6 Tab.; doi:10.1007/s10230-009-0097-1.
- LENTER, C. M., McDONALD, L. M., SKOUSEN, J. G., JR. & ZIEMKIEWICZ, P. F. (2002): The Effects of Sulfate on the Physical and Chemical Properties of Actively Treated Acid Mine Drainage Floc. – *Mine Water Environ.*, **21**(3):114-120, 3 Fig., 3 Tab.; doi:10.1007/s10230-002-0003-2.
- LGHOUL, M., TEIXIDÓ, T., PENA, J. A., HAKKOU, R., KCHIKACH, A., GUÉRIN, R., JAFFAL, M. & ZOUHRI, L. (2012): Electrical and Seismic Tomography Used to Image the Structure of a Tailings Pond at the Abandoned Kettara Mine, Morocco. – *Mine Water Environ.*, **31**(1):53-61, 4 Abb.; doi:10.1007/s10230-012-0172-x.
- LI, B. & WU, Q. (2019): Catastrophic Evolution of Water Inrush from A Water-Rich Fault in Front of Roadway Development: A Case Study of The Hongcai Coal Mine. – *Mine Water Environ.*, **38**(2):421-430, doi:10.1007/s10230-018-00584-z.
- LI, G. Q., MENG, Z. P., WANG, X. Q. & YANG, J. (2017): Hydrochemical Prediction of Mine Water Inrush at the Xinli Mine, China. – *Mine Water Environ.*, **36**(1):78-86, doi:10.1007/s10230-016-0405-5.
- LI, H., BAI, H., WU, J., MENG, Q., MA, K., WU, L., MENG, F. & WANG, S. (2019): A Set of Methods to Predict Water Inrush from an Ordovician Karst Aquifer: A Case Study from the Chengzhuang Mine, China. – *Mine Water Environ.*, **38**(1):39-48, doi:10.1007/s10230-018-00572-3.
- LI, L. P., ZHOU, Z. Q., LI, S. C., XUE, Y. G., XU, Z. H. & SHI, S. S. (2015): An Attribute Synthetic Evaluation System for Risk Assessment of Floor Water Inrush in Coal Mines. – *Mine Water Environ.*, **34**(3):288-294, doi:10.1007/s10230-014-0318-0.
- LI, P. (2014): Book Review: An Introduction to Mine Hydrogeology by Pradipta Kumar Deb. – *Mine Water Environ.*, **33**(2):191-192, doi:10.1007/s10230-014-0267-7.



- LI, P. (2018): Mine Water Problems and Solutions in China. – *Mine Water Environ.*, **37**(2):217-221, doi:10.1007/s10230-018-0543-z.
- LI, P., MA, L., WU, Y., ZHANG, L. & HAO, Y. (2018): Concurrent Mining During Construction and Water-Filling of a Goaf Groundwater Reservoir in a Coal Mine. – *Mine Water Environ.*, **37**(4):763-773, doi:10.1007/s10230-018-0537-x.
- LI, P., QIAN, H., WU, J., ZHANG, Y. & ZHANG, H. (2013): Major Ion Chemistry of Shallow Groundwater in the Dongsheng Coalfield, Ordos Basin, China. – *Mine Water Environ.*, **32**(3):195-206, 6 Fig., 5 Tab.; doi:10.1007/s10230-013-0234-8.
- LI, P., WU, J., TIAN, R., HE, S., HE, X., XUE, C. & ZHANG, K. (2018): Geochemistry, Hydraulic Connectivity and Quality Appraisal of Multilayered Groundwater in the Hongdunzi Coal Mine, Northwest China. – *Mine Water Environ.*, **37**(2):222-237, doi:10.1007/s10230-017-0507-8.
- LI, R. Z., WANG, Q., WANG, X. Y., LIU, X. M., LI, J. L. & ZHANG, Y. X. (2017): Relationship Analysis of the Degree of Fault Complexity and the Water Irruption Rate, Based on Fractal Theory. – *Mine Water Environ.*, **36**(1):18-23, doi:10.1007/s10230-015-0348-2.
- LI, S.-C., XU, F., ZHANG, Q.-Q., LI, L.-P., WANG, W.-M. & LIU, H.-L. (2016): Analysis and Construction Techniques for a Water Seal for Underground Mines Subjected to Water Inrush. – *Mine Water Environ.*, **35**(2):168-179, doi:10.1007/s10230-015-0359-z.
- LI, W., LIU, Y., QIAO, W., ZHAO, C., YANG, D. & GUO, Q. (2018): An Improved Vulnerability Assessment Model for Floor Water Bursting from a Confined Aquifer Based on the Water Inrush Coefficient Method. – *Mine Water Environ.*, **37**(1):196-204, doi:10.1007/s10230-017-0463-3.
- LI, X., FEI, B., FENG, Q., ZHOU, L. & SUN, Y. (2018): Effects of Coalbed Methane Co-produced Water for Irrigation in China's Qinshui Basin: An Experimental Field Study. – *Mine Water Environ.*, **37**(2):263-271, doi:10.1007/s10230-018-0536-y.
- LIANG, D.-X., JIANG, Z.-Q. & GUAN, Y.-Z. (2015): Field Research: Measuring Water Pressure Resistance in a Fault-Induced Fracture Zone. – *Mine Water Environ.*, **34**(3):320-328, doi:10.1007/s10230-014-0323-3.
- LIANG, J., WU, K., LI, Y., WEI, Z., ZHUO, P., YAN, Q. & LUO, X. (2019): Impacts of Large-Scale Rare Earth Mining on Surface Runoff, Groundwater, and Evapotranspiration: A Case Study Using SWAT for the Taojiang River Basin in Southern China. – *Mine Water Environ.*, **38**(2):268-280, doi:10.1007/s10230-018-00587-w.
- LIBICKI, J. (1982): Changes in the Groundwater due to Surface Mining. – *Int. J. Mine Water*, **1**(1):25-30.
- LIN, G., DONG, D. L., LI, X. & FAN, P. W. (2020): Accounting for Mine Water in Coal Mining Activities and its Spatial Characteristics in China. – *Mine Water Environ.*, **39**(1):150-156, doi:10.1007/s10230-020-00657-y.
- LIN, G., JIANG, D., FU, J. Y., DONG, D. L., SUN, W. J. & LI, X. (2020): Spatial Relationships of Water Resources with Energy Consumption at Coal Mining Operations in China. – *Mine Water Environ.*, **39**(2):407-415, doi:10.1007/s10230-020-00663-0.
- LIN, M., SEED, L., CHESWORTH, W., FYFE, J., BROUSSEAU, R. & SHELPS, G. (2001): Electrochemical Treatment of Pyrrhotite-rich Tailings – a Laboratory Study. – *Mine Water Environ.*, **20**(1):8-16, 6 Fig., 1 Tab.



- LINDOW, N. L. & BORDEN, R. C. (2005): Anaerobic Bioremediation of Acid Mine Drainage using Emulsified Soybean Oil. – *Mine Water Environ.*, **24**(4):199-208, 6 Fig., 3 Tab.
- LIPANSKÝ, T. (2017): Regional Impact of Uranium Mining on Piezometric Surfaces in a Multi-layered Water-bearing System, Bohemian Cretaceous Basin, Czech Republic. – *Mine Water Environ.*, **36**(1):4-17, doi:10.1007/s10230-016-0420-6.
- LIU, C., PENG, B. & QIN, J. (2007): Geological Analysis and Numerical Modeling of Mine Discharges for the Sanshandao Gold Mine in Shandong, China: 1. Geological Analysis. – *Mine Water Environ.*, **26**(3):160-165, 4 Fig., 1 Tab.; doi:10.1007/s10230-007-0004-6.
- LIU, C., PENG, B. & QIN, J. (2007): Geological Analysis and Numerical Modeling of Mine Discharges for the Sanshandao Gold Mine: 2. Simulation and Prediction of Mine Discharges. – *Mine Water Environ.*, **26**(3):166-171, 5 Fig., 5 Tab.; doi:10.1007/s10230-007-0005-5.
- LIU, C. Y., YANG, J. X. & WU, F. F. (2015): A Proposed Method of Coal Pillar Design, Goaf Filling, and Grouting of Steeply Inclined Coal Seams Under Water-Filled Strata. – *Mine Water Environ.*, **34**(1):87-94, doi:10.1007/s10230-014-0314-4.
- LIU, H., LI, L., LI, Z. & YU, G. (2018): Numerical Modelling of Mining-induced Inrushes from Subjacent Water Conducting Karst Collapse Columns in Northern China. – *Mine Water Environ.*, **37**(4):652-662, doi:10.1007/s10230-017-0503-z.
- LIU, H., WU, Q., WANG, M. & ZHANG, M. (2018): Multivariate Analysis of Water Quality of the Chenqi Basin, Inner Mongolia, China. – *Mine Water Environ.*, **37**(2):249-262, doi:10.1007/s10230-018-0533-1.
- LIU, Q., SUN, Y., XU, Z., JIANG, S., ZHANG, P. & YANG, B. (2019): Assessment of Abandoned Coal Mines as Urban Reservoirs. – *Mine Water Environ.*, **38**(2):215-225, doi:10.1007/s10230-019-00588-3.
- LIU, S., LI, W. & WANG, Q. (2018): Height of the Water-Flowing Fractured Zone of the Jurassic Coal Seam in Northwestern China. – *Mine Water Environ.*, **37**(2):312-321, doi:10.1007/s10230-017-0501-1.
- LIU, S. Q., FEI, Y., XU, Y. C., HUANG, L. & GUO, W. Y. (2020): Full-floor Grouting Reinforcement for Working Faces with Large Mining Heights and High Water Pressure: a Case Study in China. – *Mine Water Environ.*, **39**(2):268-279, doi:10.1007/s10230-020-00683-w.
- LIU, Y., WANG, T. & YANG, J. (2019): Evaluating the Quality of Mine Water Using Hierarchical Fuzzy Theory and Fluorescence Regional Integration. – *Mine Water Environ.*, **38**(2):243-251, doi:10.1007/s10230-018-0567-4.
- LIU, Z., FAN, Z. & ZHANG, Y. (2019): Fracture Characteristics of Overlying Bedrock and Clay Aquiclude Subjected to Shallow Coal Seam Mining. – *Mine Water Environ.*, **38**(1):136-147, doi:10.1007/s10230-018-0549-6.
- LLOYD, J. W. & EDWARDS, M. G. (1988): Estimation of Groundwater Inflow to an Underground Mining Operation. – *Int. J. Mine Water*, **7**(1):25-47, 11 Abb.
- LLOYD, J. W., RUSHTON, K. R. & JONES, P. A. (1983): An Assessment of Groundwater Inflow into Proposed Shaft and Drift in the Warwickshire Coalfield Using Packer Test data in an Electrical Analogue Model. – *Int. J. Mine Water*, **2**(4):1-18, 7 Fig., 7 Tab.
- LOOP, C. M., SCHEITZ, B. E. & WHITE, W. B. (2003): Geochemical Evolution of a Surface Mine Lake with Alkaline Ash Addition: Field Observations vs. Laboratory Predictions. – *Mine Water Environ.*, **22**(4):206-213, 5 Fig., 3 Tab.; doi:10.1007/s10230-003-0023-x.



- LOPES, D. V., SILLANPAA, M. & WOLKERSDORFER, C. (2020): Nitrate Reduction of the Siilinjärvi/Finland Mine Water with Zero-valent Iron and Iron Waste as Alternative Iron Sources. – *Mine Water Environ.*, **39**(2):280-290, doi:10.1007/s10230-020-00668-9.
- LOVEDAY, P. F., ATKINS, A. S. & AZIZ, N. I. (1983): The Problem of Australian Underground Coal Mining Operations in Water Catchment Areas. – *Int. J. Mine Water*, **2**(3):1-15, 5 Fig., 1 Tab.
- LOVEDAY, P. F., ATKINS, A. S. & AZIZ, N. I. (1984): Reticulation of mine Service Water in two Australian Coal Mines. – *Int. J. Mine Water*, **3**(2):13-25, 6 Fig., 5 Tab.
- LU, Q., LI, X., LI, W., CHEN, W., LI, L. & LIU, S. (2018): Risk Evaluation of Bed-Separation Water Inrush: A Case Study in the Yangliu Coal Mine, China. – *Mine Water Environ.*, **37**(2):288-299, doi:10.1007/s10230-018-0535-z.
- LU, T., LIU, S. D., WANG, B., WU, R. X. & HU, X. W. (2017): A Review of Geophysical Exploration Technology for Mine Water Disaster in China: Applications and Trends. – *Mine Water Environ.*, **36**(3):331-340, doi:10.1007/s10230-017-0467-z.
- LUAN, F. & BURGOS, W. D. (2019): Effects of Solid-Phase Organic Carbon and Hydraulic Residence Time on Manganese(II) Removal in a Passive Coal Mine Drainage Treatment System. – *Mine Water Environ.*, **38**(1):130-135, doi:10.1007/s10230-018-0548-7.
- LUCKNER, L. (1983): Ground water and geotechnical problems. – *Int. J. Mine Water*, **2**(1):31-41, 10 Abb.
- LUEK, A., BROCK, C., ROWAN, D. & RASMUSSEN, J. (2014): A Simplified Anaerobic Bioreactor for the Treatment of Selenium-Laden Discharges from Non-acidic, End-Pit Lakes. – *Mine Water Environ.*, **33**(4):295-306, doi:10.1007/s10230-014-0296-2.
- LUO, J., DIERSCH, H.-J. G. & MONNINKHOFF, L. M. M. (2012): 3D Modeling of Saline Groundwater Flow and Transport in a Flooded Salt Mine in Stassfurt, Germany. – *Mine Water Environ.*, **31**(2):104-111, 7 Fig., 1 Tab.; doi:10.1007/s10230-012-0181-9.
- LUO, Q., TSUKAMOTO, T. K., ZAMZOW, K. L. & MILLER, G. (2008): Arsenic, Selenium, and Sulfate Removal using an Ethanol-Enhanced Sulfate-Reducing Bioreactor. – *Mine Water Environ.*, **27**(2):100-108, 5 Fig., 3 Tab.; doi:10.1007/s10230-008-0032-x.
- LUSHNIKOVA, O. J. (1984): Estimation of Geometrical Parameters and the Quality of impermeous Grout during Grouting operations. – *Int. J. Mine Water*, **3**(2):27-32, 5 Abb.
- MA, C.-A., CAI, Q.-X., WANG, H., SHAO, M. A., FAN, J., SHI, Z. & WANG, F. (2015): Modeling of Water Flow in Reclaimed Mine Spoil with Embedded Lignitic Fragments Using Hydrus-1D. – *Mine Water Environ.*, **34**(2):197-203, doi:10.1007/s10230-014-0299-z.
- MA, D., DUAN, H. Y., LIU, W. T., MA, X. T. & TAO, M. (2020): Water-Sediment Two-Phase Flow Inrush Hazard in Rock Fractures of Overburden Strata During Coal Mining. – *Mine Water Environ.*, **39**(2):308-319, doi:10.1007/s10230-020-00687-6.
- MA, L. J., ZHAO, B. F., WANG, H. & GAO, Y. (2020): Analysis of Spatial Differences in Permeability Based on Sedimentary and Structural Features of the Sandstone Aquifer Overlying Coal Seams in Western China. – *Mine Water Environ.*, **39**(2):229-241, doi:10.1007/s10230-020-00682-x.
- MA, L. Q., GUO, J. S., LIU, W. P., ZHANG, D. S. & YU, Y. H. (2019): Water Conservation when Mining Multiple, Thick, Closely-Spaced Coal Seams: A Case Study of Mining Under Weishan Lake. – *Mine Water Environ.*, **38**(3):643-657, doi:10.1007/s10230-019-00610-8.




- MACK, B., SKOUSEN, J. G. & McDONALD, L. M. (2015): Effect of Flow Rate on Acidity Concentration from Above-Drainage Underground Mines. – *Mine Water Environ.*, **34**(1):50-58, doi:10.1007/s10230-014-0278-4.
- MACY, T. R., KRUSE, N. A. & STUART, B. J. (2015): Carbon Footprint Analysis of Source Water for Hydraulic Fracturing: A Case Study of Mine Water Versus Freshwater. – *Mine Water Environ.*, **34**(1):20-30, doi:10.1007/s10230-014-0291-7.
- MAGHSOUDY, S., DOULATI ARDEJANI, F., MOLSON, J., AMINI, M. & EBRAHIMI, L. (2019): Application of Geo-electrical Tomography in Coupled Hydro-mechanical–Chemical Investigations in Heap Leaching. – *Mine Water Environ.*, **38**(1):197-212, doi:10.1007/s10230-018-0557-6.
- MAHATO, M. K., SINGH, P. K., SINGH, A. K. & TIWARI, A. K. (2018): Assessment of Hydrogeochemical Processes and Mine Water Suitability for Domestic, Irrigation, and Industrial Purposes in East Bokaro Coalfield, India. – *Mine Water Environ.*, **37**(3):493-504, doi:10.1007/s10230-017-0508-7.
- MAKHATHINI, T. P., MULOPO, J. & BAKARE, B. F. (2020): Possibilities for Acid Mine Drainage Co-treatment with Other Waste Streams: A Review. – *Mine Water Environ.*, **39**(1):13-26, doi:10.1007/s10230-020-00659-w.
- MÄKINEN, J. & LERSSI, J. (2007): Characteristics and Seasonal Variation of Sediments in Lake Junttiselkä, Pyhäsalmi, Finland. – *Mine Water Environ.*, **26**(4):217-228, 10 Fig., 5 Tab.; doi:10.1007/s10230-007-0015-3.
- MÄKITALO, M., STENMAN, D., IKUMAPAYI, F., MAURICE, C. & ÖHLANDER, B. (2016): An Evaluation of Using Various Admixtures of Green Liquor Dregs, a Residual Product, as a Sealing Layer on Reactive Mine Tailings. – *Mine Water Environ.*, **35**(3):283-293, doi:10.1007/s10230-015-0340-x.
- MAKNOUNI GILANI, S., ZARE, M. & RAEISI, E. (2019): Locating a New Drainage Well by Optimization of a Back Propagation Model. – *Mine Water Environ.*, **38**(2):342-352, doi:10.1007/s10230-019-00593-6.
- MALIVA, R. G., COULIBALY, K., GUO, W. & MISSIMER, T. M. (2010): Simulations of Impacts of Sand and Rock Mining on Florida Coastal Plain Water Resources. – *Mine Water Environ.*, **29**(4):294-300, 6 Abb.; doi:10.1007/s10230-010-0119-z.
- MALLO, J. C., MARCO, S. G. D., BAZZINI, S. M. & RÍO, J. L. D. (2010): Aquaculture: an Alternative Option for the Rehabilitation of Old Mine Pits in the Pampasian Region, Southeast of Buenos Aires, Argentina. – *Mine Water Environ.*, **29**(4):285-293, 2 Fig., 3 Tab.; doi:10.1007/s10230-010-0120-6.
- MANDZIC, E. H. (1992): Mine Water Risk in Open Pit Slope Stability. – *Mine Water Environ.*, **11**(4):35-42, 10 Fig., 1 Tab.
- MANNA, A. & MAITI, R. (2016): Alteration of Surface Water Hydrology by Opencast Mining in the Raniganj Coalfield Area, India. – *Mine Water Environ.*, **35**(2):156-167, doi:10.1007/s10230-015-0342-8.
- MARA, S., TANASESCU, M., OZUNU, A. & VLAD, S. (2007): Criteria for Identifying the Major Risks Associated with Tailings Ponds in Romania. – *Mine Water Environ.*, **26**(4):256-263, 6 Fig., 3 Tab.; doi:10.1007/s10230-007-0018-0.
- MAREE, J. P., BEER, M. D., STRYDOM, W. F., CHRISTIE, A. D. M. & WAANDERS, F. B. (2004): Neutralizing Coal Mine Effluent with Limestone to Decrease Metals and Sulphate Concentrations. – *Mine Water Environ.*, **23**(2):81-86, 3 Fig., 6 Tab.



- MAREE, J. P., GÜNTHER, P., STROBOS, G. & WAANDERS, F. B. (2004): Optimizing the Effluent Treatment at a Coal Mine by Process Modelling. – *Mine Water Environ.*, **23**(2):87-90, 6 Tab.
- MAREE, J. P., HAGGER, M. J., STROBOS, G., HLABELA, P., CRONJÉ, H., VAN NIEKERK, A. M., WURSTER, A., NENGOVHELA, R. & WAANDERS, F. B. (2004): Design Criteria for Limestone Neutralization at a Nickel Mine. – *Mine Water Environ.*, **23**(3):152-156, 2 Fig., 5 Tab.
- MAREE, J. P., HLABELA, P., NENGOVHELA, R., GELDENHUYS, A. J., MBHELE, N., NEVHULAUDI, T. & WAANDERS, F. B. (2004): Treatment of Mine Water for Sulphate and Metal Removal Using Barium Sulphide. – *Mine Water Environ.*, **23**(4):196-204, 7 Fig., 10 Tab.
- MAREE, J. P., STROBOS, G., GREBEN, H. A., NETSHIDAUU, E., STEYN, E., CHRISTIE, A., GÜNTHER, P. & WAANDERS, F. B. (2004): Treatment of Acid Leachate from Coal Discard using Calcium Carbonate and Biological Sulphate Removal. – *Mine Water Environ.*, **23**(3):144-151, 6 Fig., 8 Tab.
- MARR, C. E. (1988): Pumps and Pumping, remote Operation and Monitoring. – *Int. J. Mine Water*, **7**(2):33-46, 3 Abb.
- MARSZELEWSKI, W., DEMBOWSKA, E. A., NAPIORKOWSKI, P. & SOLARCZYK, A. (2017): Understanding Abiotic and Biotic Conditions in Post-Mining Pit Lakes for Efficient Management: A Case Study (Poland). – *Mine Water Environ.*, **36**(3):418-428, doi:10.1007/s10230-017-0434-8.
- MASFERRER, J. A. R. (2002): Passive Treatment of Acid Mine Drainage at the La Extranjera Mine (Puertollano, Spain). – *Mine Water Environ.*, **21**(3):111-113, 3 Abb.; doi:10.1007/s102300200031.
- MATHUTHU, M., DLAMINI, S. G. & NJINGA, R. L. (2018): Exposure Risks Assessment Due to Gamma Emitting Radionuclides in Soils and Consumable Waters Around Princess Gold Mine Dump in Roodepoort, South Africa. – *Mine Water Environ.*, **37**(1):98-105, doi:10.1007/s10230-017-0474-0.
- MATICHENKOV, V. V., BOCHARNIKOVA, E. A., PAHNENKO, E. P., KHOMIAKOV, D. M., MATICHENKOV, I. V., QIANG, Z. & XIAO, W. (2016): Reduction of Cd, Cu, Ni, and Pb Mobility by Active Si in a Laboratory Study. – *Mine Water Environ.*, **35**(3):302-309, doi:10.1007/s10230-015-0353-5.
- MCCULLOUGH, C. D. (2016): Mine Water Research: Enhancing Mining Industry and Academic Collaboration. – *Mine Water Environ.*, **35**(1):113-118, doi:10.1007/s10230-015-0375-z.
- MCCULLOUGH, C. D. & ETEN, E. J. B. v. (2011): Ecological Restoration of Novel Lake Districts: New Approaches for New Landscapes. – *Mine Water Environ.*, **30**(4):312-319, 3 Fig., 1 Tab.; doi:10.1007/s10230-011-0161-5.
- MCCULLOUGH, C. D. & LUND, M. A. (2006): Opportunities for Sustainable Mining Pit Lakes in Australia. – *Mine Water Environ.*, **25**(4):220-226, 2 Fig., 1 Tab.; doi:10.1007/s10230-006-0136-0.
- MCCULLOUGH, C. D., LUND, M. A. & MAY, J. (2008): Field-scale demonstration of the potential for sewage to remediate acidic mine waters. – *Mine Water Environ.*, **27**(1):31-39, 3 Fig., 5 Tab.; doi:10.1007/s10230-007-0028-y.
- MCCULLOUGH, C. D., MARCHAND, G. & UNSELD, J. (2013): Mine Closure of Pit Lakes as Terminal Sinks: Best Available Practice When Options are Limited? – *Mine Water Environ.*, **32**(4):302-313, 7 Fig., 1 Tab.; doi:10.1007/s10230-013-0235-7.



- MCCULLOUGH, C. D. & VANDENBERG, J. (2020): Studying Mine Pit Lake Systems Across Multiple Scales. – *Mine Water Environ.*, **39**(2):173-194, doi:10.1007/s10230-020-00678-7.
- MCKEE, D. M. & HANNON, P. J. (1985): The Hydrological Environment at the Gays River Mine. – *Int. J. Mine Water*, **4**(2):13-33, 8 Abb.
- MCKENZIE, R. (2005): Software Update to Better Predict Costs of Treating Mine Drainage. – *Mine Water Environ.*, **24**(4):213-215, doi:10.1007/s10230-005-0098-7.
- MEANS, B., BEAM, P. G. R. & MERCER, J. (2015): Analysis of Hydrated Lime Consumption in Circumneutral Underground Coal Mine Drainage Treatment. – *Mine Water Environ.*, **34**(1):10-19, doi:10.1007/s10230-014-0308-2.
- MEINRATH, G. & MAY, P. M. (2002): Thermodynamic Prediction in the Mine Water Environment. – *Mine Water Environ.*, **21**(1):24-35, 4 Fig., 3 Tab.
- MEKKI, A., AWALI, A., ALOUI, F., LOUKIL, S. & SAYADI, S. (2017): Characterization and Toxicity Assessment of Wastewater from Rock Phosphate Processing in Tunisia. – *Mine Water Environ.*, **36**(4):502-507, doi:10.1007/s10230-016-0424-2.
- MELBYE, T., HOGNESTAD, H.-O. & DIMMOCK, R. (2003): Pre-Injection technology for mines. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 351-365, 8 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- MELCHIORRE, E. (2011): Microbiological Evidence for the Origin of Acid Mine Drainage at the Green Valley Site, Vigo County, and Friar Tuck Site, Greene County, Indiana, USA. – *Mine Water Environ.*, **30**(3):175-184, 8 Fig., 2 Tab.; doi:10.1007/s10230-011-0141-9.
- MELCHIORRE, E., DALE, D., MILLS JR, J. & CHAPMAN, B. (2005): Geochemical and Stable Isotope Evidence for Precipitation and Groundwater Sourcing of Recharge at the Green Valley Site, Vigo County, Indiana. – *Mine Water Environ.*, **24**(2):88-100, 13 Fig., 5 Tab.
- MELE, L. M., PRODAN, P. F. & SCHUBERT, J. P. (1982): Characterisation of Runoff Water from Coalwaste Disposal Sites in South Western Illinois. – *Int. J. Mine Water*, **1**(2):1-14, 4 Fig., 2 Tab.
- MENEZES, J. C. C. C., COLLING, A. V., SILVA, R. A. S., DOS SANTOS, R. H. & SCHNEIDER, I. A. H. (2017): Ferric Sulphate Coagulant Obtained by Leaching from Coal Tailings. – *Mine Water Environ.*, **36**(3):457-460, doi:10.1007/s10230-017-0453-5.
- MENEZES, J. C. S. S., SILVA, R. A., ARCE, I. S. & SCHNEIDER, I. A. H. (2009): Production of a Polyferric Sulphate Chemical Coagulant by Selective Precipitation of Iron from Acidic Coal Mine Drainage. – *Mine Water Environ.*, **28**(4):311-314, 1 Fig., 4 Tab.; doi:10.1007/s10230-009-0084-6.
- MENG, X., LIU, W. & MU, D. (2018): Influence Analysis of Mining's Effect on Failure Characteristics of a Coal Seam Floor with Faults: A Numerical Simulation Case Study in the Zhaolou Coal Mine. – *Mine Water Environ.*, **37**(4):754-762, doi:10.1007/s10230-018-0532-2.
- MENG, X. X., LIU, W. T., ZHAO, J. Y. & DING, X. Y. (2019): In Situ Investigation and Numerical Simulation of the Failure Depth of an Inclined Coal Seam Floor: A Case Study. – *Mine Water Environ.*, **38**(3):686-694, doi:10.1007/s10230-019-00596-3.
- MERTEN, D., KOTHE, E. & BÜCHEL, G. (2004): Studies on Microbial Heavy Metal Retention from Uranium Mine Drainage Water with Special Emphasis on Rare Earth Elements. – *Mine Water Environ.*, **23**(1):34-43, 5 Fig., 5 Tab.; doi:10.1007/s10230-004-0034-2.



- VAN DER MERWE, W. & LEA, I. (2003): Towards sustainable mine water treatment at Grootvlei mine. – In: Nel, P. J. L. (ed) Mine Water Environ. – p. 25-36, 4 Fig., 9 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- METCALFE, B. (1990): Establishing Long-Term Vegetational Cover on Acidic Mining Waste Tips by Utilising Consolidated Sewage Sludges. – Int. J. Mine Water, **9**(1-4):255-267, 4 Fig., 2 Tab.
- METESH, J. J. (2006): Using a Water Balance to Determine the Source of Water in the Flooding Underground Mine Workings of Butte. – Mine Water Environ., **25**(2):108-113, 6 Fig., 2 Tab.
- METZLER, D. R., MARUTZKY, S. & JUHLIN, R. (2001): Concepts and Results in the Uranium Mill Tailings Remedial Action Ground Water Project. – Mine Water Environ., **20**(4):168-177, 8 Abb.; doi:10.1007/s10230-001-8102-3.
- MIELCAREK, W. (1988): Application of Deep Diaphragm Walls for Groundwater Control in Open cast Lignite Mining in the German Democratic Republic. – Int. J. Mine Water, **7**(3):35-47, 9 Abb.
- MILHAM, L. & CRAW, D. (2009): Antimony Mobilization through Two Contrasting Gold Ore Processing Systems, New Zealand. – Mine Water Environ., **28**(2):136-145, 8 Fig., 1 Tab.; doi:10.1007/s10230-009-0071-y.
- MILLER, D. & D'SOUZA, G. (2008): Using Aquaculture as a Post-mining Land Use in West Virginia. – Mine Water Environ., **27**(2):122-126, 3 Abb.; doi:10.1007/s10230-008-0038-4.
- MILLER, S. D., JEFFERY, J. J. & MURRAY, G. S. C. (1990): Identification and Management of Acid Generating Mine Wastes – Procedures and Practices in South-East Asia and the Pacific Regions. – Int. J. Mine Water, **9**(1-4):57-67, 5 Abb.; doi:10.1007/BF02503683.
- MIRONENKO, V. A. & STRELSKY, F. (1993): Hydrogeomechanical Problems in Mining. – Mine Water Environ., **12**(1-4):35-40.
- MLAYAH, A., LACHAAL, F., CHEKIRBANE, A., KHADAR, S. & DA SILVA, E. F. (2017): The Fate of Base Metals in the Environment and Water Quality in the Mellegue Watershed, Northwest Tunisia. – Mine Water Environ., **36**(2):163-179, doi:10.1007/s10230-017-0430-z.
- MODIS, K. & KOMNITSAS, K. (2007): Optimum Sampling Density for the Prediction of Acid Mine Drainage in an Underground Sulphide Mine. – Mine Water Environ., **26**(4):237-242, 5 Abb.; doi:10.1007/s10230-007-0014-4.
- MOHAMAD, O. A., HATAB, S. R., LIU, Z., LI, Z., KONG, Z. & WEI, G. (2012): Biosorption and Bioaccumulation of Cu²⁺ from Aqueous Solution Using Living *M. amorphae* Isolated from Mine Tailings. – Mine Water Environ., **31**(4):312-319, 8 Fig., 1 Tab.; doi:10.1007/s10230-012-0187-3.
- MOLEND, T. (2014): Impact of Saline Mine Water: Development of a Meromictic Reservoir in Poland. – Mine Water Environ., **33**(4):327-334, 15 Fig., 2 Tab.; doi:10.1007/s10230-014-0262-z.
- MOLEND, T. (2018): Impact of a Saline Mine Water Discharge on the Development of a Meromictic Pond, the Rontok Wielki Reservoir, Poland. – Mine Water Environ., **37**(4):807-814, doi:10.1007/s10230-018-0544-y.
- MOORE, F. & AGHAZADEH, A. A. (2012): Trace Metal Occurrence and Mobility Assessment in Stream Sediments near the Sungun Porphyry Copper Deposit in Northwest Iran. – Mine Water Environ., **31**(1):29-39, 5 Fig., 4 Tab.; doi:10.1007/s10230-012-0171-y.



- MOORE, L. R., DURAND, J. R. & STRICKLAND, F. (2013): Copper Removal from Mine Effluents: From Lab to Field Evaluations. – *Mine Water Environ.*, **32**(3):239-246, 11 Fig., 2 Tab.; doi:10.1007/s10230-013-0227-7.
- MORET, G. J. M. & ROSE, A. W. (2007): Resistivity Level Runs to Detect Water-filled Mine Voids between Drill Holes. – *Mine Water Environ.*, **26**(1):23-28, 6 Abb.
- MORGENSTERN, P., FRIESE, K., WENDT-POTTHOFF, K. & WENNRICH, R. (2001): Bulk Chemistry Analysis of Sediments from Acid Mine Lakes by Means of Wavelength Dispersive X-ray Fluorescence. – *Mine Water Environ.*, **20**(3):105-113, 6 Fig., 2 Tab.; doi:10.1007/s10230-001-8091-2.
- MORTON, K. L. & MEKERK, F. A. v. (1993): A Phased Approach to Mine Dewatering. – *Mine Water Environ.*, **12**(1-4):27-33.
- MORTON, K. L. & VAN NIEKERK, F. A. (1994): Mine Drainage Control and Environment Protection by using Grouting Technology and the Hydrogeological Approach. – *Mine Water Environ.*, **13**(2):41-43.
- MOTYKA, J. & PULIDO-BOSCH, A. (1985): Karstic Phenomena in Calcareous-Dolomitic Rocks and their Influence over the Inrushes of Water in Lead-Zinc Mines in Olkusz Region (South of Poand). – *Int. J. Mine Water*, **4**(2):1-11, 10 Abb.
- MOU, L., DONG, S. N., ZHOU, W. F., WANG, W., LI, A. & SHI, Z. Y. (2020): Data Analysis and Key Parameters of Typical Water Hazard Control Engineering in Coal Mines of China. – *Mine Water Environ.*, **39**(2):331-344, doi:10.1007/s10230-020-00684-9.
- MU, W. P., WU, X., DENG, R. C., HAO, Q. & QIAN, C. (2020): Mechanism of Water Inrush Through Fault Zones Using a Coupled Fluid-solid Numerical Model: A Case Study in the Beiyangzhuang Coal Mine, Northern China. – *Mine Water Environ.*, **39**(2):380-396, doi:10.1007/s10230-020-00689-4.
- MUDD, G. M. (2008): Sustainability Reporting and Water Resources: a Preliminary Assessment of Embodied Water and Sustainable Mining. – *Mine Water Environ.*, **27**(3):136-144, 2 Fig., 3 Tab.; doi:10.1007/s10230-008-0037-5.
- MUELLER, R. F. (2001): Microbially Mediated Thallium Immobilization in Bench Scale Systems. – *Mine Water Environ.*, **20**(1):17-29, 5 Fig., 8 Tab.; doi:10.1007/s10230-001-8076-1.
- MUKHOPADHYAY, B., BASTIAS, L. & MUKHOPADHYAY, A. (2007): Limestone Drain Design Parameters for Acid Rock Drainage Mitigation. – *Mine Water Environ.*, **26**(1):29-45, 8 Fig., 7 Tab.
- MULENGA, S. C., FERNÁNDEZ-RUBIO, R., LEON, A. & BAQUERO, J. C. (1992): Estimation of Quantitative Water Inflow from Different Sources in Konkola Mine, Zambia. – *Mine Water Environ.*, **11**(4):1-22, 16 Abb.
- MULOPO, J. & MOTAUNG, S. (2014): Carbothermal Reduction of Barium Sulfate-Rich Sludge from Acid Mine Drainage Treatment. – *Mine Water Environ.*, **33**(1):48-53, 6 Fig., 3 Tab.; doi:10.1007/s10230-013-0240-x.
- MUNGAZI, A. A. & GWENZI, W. (2019): Cross-Layer Leaching of Coal Fly Ash and Mine Tailings to Control Acid Generation from Mine Wastes. – *Mine Water Environ.*, **38**(3):602-616, doi:10.1007/s10230-019-00618-0.
- MUNRO, L. D., CLARK, M. W. & McCONCHIE, D. (2004): A Bauxsol™-based Permeable Reactive Barrier for the Treatment of Acid Rock Drainage. – *Mine Water Environ.*, **23**(4):183-194, 6 Fig., 4 Tab.; doi:10.1007/s10230-004-0061-z.



- MUYUNDA, C. & MWALE, F. (1994): Electrical energy Usage at Konkola Division, Zambian Copper Belt. – *Mine Water Environ.*, **13**(2):33-39, 7 Abb.
- NAGARE, R. M., PARK, Y.-J. & BARBOUR, S. L. (2018): Analytical Approach to Estimate Salt Release from Tailings Sand Hummocks in Oil Sands Mine Closure. – *Mine Water Environ.*, **37**(4):673-685, doi:10.1007/s10230-018-0513-5.
- NAGORSKI, S. A., MOORE, J. N. & SMITH, D. B. (2002): Distribution of Metals in Water and Bed Sediment in a Mineral-Rich Watershed, Montana, USA. – *Mine Water Environ.*, **21**(3):121-136, 5 Fig., 2 Tab.; doi:10.1007/s102300200033.
- NAIRN, R. W. & MERCER, M. N. (2000): Alkalinity generation and metals retention in a successive alkalinity producing system. – *Mine Water Environ.*, **19**(2):124-135, 3 Fig., 2 Tab.
- NAISH, E. J. (1992): Dewatering Concepts at Zambian Copperbelt Mines. – *Mine Water Environ.*, **11**(3):35-45, 2 Fig., 1 Tab.
- NASAB, S. K., HOJAT, A., KAMKAR-ROUHANI, A., JAVAR, H. A. & MAKNOONI, S. (2011): Successful Use of Geoelectrical Surveys in Area 3 of the Gol-e-Gohar Iron Ore Mine, Iran. – *Mine Water Environ.*, **30**(3):208-215, 8 Fig., 1 Tab.; doi:10.1007/s10230-011-0135-7.
- NASON, P., ALAKANGAS, L. & ÖHLANDER, B. (2014): Impact of Sewage Sludge on Groundwater Quality at a Formerly Remediated Tailings Impoundment. – *Mine Water Environ.*, **33**(1):66-78, 6 Fig., 2 Tab.; doi:10.1007/s10230-013-0244-6.
- NASON, P., JIA, Y., MAURICE, C., ALAKANGAS, L. & ÖHLANDER, B. (2016): Biodegradation of Biosolids Under Aerobic Conditions: Implications for Cover Materials for Sulfide Mine Tailings Remediation. – *Mine Water Environ.*, **35**(3):273-282, doi:10.1007/s10230-015-0339-3.
- NASSERY, H. R. & ALIJANI, F. (2014): The Effects of an Abandoned Coal Mine on Groundwater Quality in the Science and Research Park (SRP) of Shahid Beheshti University, Zirab (Northern Iran). – *Mine Water Environ.*, **33**(3):266-275, 10 Fig., 1 Tab.; doi:10.1007/s10230-014-0266-8.
- NAURATH, L., WEIDNER, C., RÜDE, T. R. & BANNING, A. (2011): A New Approach to Quantify N-Fluorescein (Uranine) in Acid Mine Waters. – *Mine Water Environ.*, **30**(3):231-236, 5 Fig., 1 Tab.; doi:10.1007/s10230-011-0138-4.
- NAVARRO, A. & CARULLA, N. (2018): Evaluation of Geothermal Potential in the Vicinity of the Flooded Sierra Almagrera Mines (Almeria, SE Spain). – *Mine Water Environ.*, **37**(1):137-150, doi:10.1007/s10230-017-0478-9.
- NAVARRO, A., FONT, X. & VILADEVALL, M. (2015): Metal Mobilization and Zinc-Rich Circum-neutral Mine Drainage from the Abandoned Mining Area of Osor (Girona, NE Spain). – *Mine Water Environ.*, **34**(3):329-342, doi:10.1007/s10230-015-0344-6.
- NENGOVHELA, N. R., STRYDOM, C. A., MAREE, J. P. & GREBEN, H. A. (2004): Chemical and Biological Oxidation of Iron in Acid Mine Water. – *Mine Water Environ.*, **23**(2):76-80, 4 Fig., 6 Tab.
- NGAH, S. A., REED, S. M. & SINGH, R. N. (1984): Ground Water Problems in Surface Mining in the United Kingdom. – *Int. J. Mine Water*, **3**(1):1-12, 5 Fig., 1 Tab.
- NHANTUMBO, C., LARSSON, R., LARSON, M., JUÍZO, D. & PERSSON, K. M. (2018): A Simplified Model to Simulate pH and Alkalinity in the Mixing Zone Downstream of an Acidic Discharge. – *Mine Water Environ.*, **37**(3):552-564, doi:10.1007/s10230-018-0515-3.
- NIELSEN, G., COUDERT, L., JANIN, A., BLAIS, J. F. & MERCIER, G. (2019): Influence of Organic Carbon Sources on Metal Removal from Mine Impacted Water Using Sulfate-Reducing



- Bacteria Bioreactors in Cold Climates. – *Mine Water Environ.*, **38**(1):104-118, doi:10.1007/s10230-018-00580-3.
- NIELSEN, G., JANIN, A., COUDERT, L., BLAIS, J. F. & MERCIER, G. (2018): Performance of Sulfate-reducing Passive Bioreactors for the Removal of Cd and Zn from Mine Drainage in a Cold Climate. – *Mine Water Environ.*, **37**(1):42-55, doi:10.1007/s10230-017-0465-1.
- NITZSCHE, O. & VEREECKEN, H. (2002): Modeling Sorption and Exchange Processes in Column Experiments and Large Scale Field Studies. – *Mine Water Environ.*, **21**(1):15-23, 5 Fig., 1 Tab.; doi:10.1007/s102300200003.
- NJINGA, R. L. & TSHIVHASE, V. M. (2017): The Impact of Mine Tailings on the Witwatersrand and the Surrounding Water Bodies in Gauteng Province, South Africa. – *Mine Water Environ.*, **36**(4):638-645, doi:10.1007/s10230-017-0469-x.
- NOBLE, T. L., LOTTERMOSER, B. G. & PARBHAKAR-FOX, A. (2016): Evaluation of pH Testing Methods for Sulfidic Mine Waste. – *Mine Water Environ.*, **35**(3):318-331, doi:10.1007/s10230-015-0356-2.
- NORTON, P. J. (1982): Groundwater Problems in Surface Coal Mining in Scotland. – *Int. J. Mine Water*, **1**(1):17-24, 1 Abb.
- NORTON, P. J. (1992): The Control of Acid Mine Drainage with Wetlands. – *Mine Water Environ.*, **11**(3):27-34, 1 Abb.; doi:10.1007/BF02914814.
- NOVÁK, J. (2001): Groundwater Remediation in the Stráz Leaching Operation. – *Mine Water Environ.*, **20**(4):158-167, 10 Fig., 1 Tab.; doi:10.1007/s10230-001-8101-4.
- NUNES, J. F., RICHARDS, D. G. & GAMA, H. A. (1990): Mine Water and Environmental Protection – The Somincor Case. – *Int. J. Mine Water*, **9**(1-4):237-253, 5 Fig., 2 Tab.
- NYIRENDA, T. M., ZHOU, J., MAPOMA, H. W. T., XIE, L. & LI, Y. (2016): Hydrogeochemical Characteristics of Groundwater at the Xikuangshan Antimony Mine in South China. – *Mine Water Environ.*, **35**(1):86-93, doi:10.1007/s10230-015-0341-9.
- O'HARA, G. (2007): Water Management Aspects of the Britannia Mine Remediation Project, British Columbia, Canada. – *Mine Water Environ.*, **26**(1):46-54, 13 Abb.
- O'SULLIVAN, A. D., MURRAY, D. A. & OTTE, M. L. (2004): Removal of Sulfate, Zinc, and Lead from Alkaline Mine Wastewater Using Pilot-scale Surface-Flow Wetlands at Tara Mines, Ireland. – *Mine Water Environ.*, **23**(2):58-65, 3 Fig., 1 Tab.
- OBIORA, S. C., CHUKWU, A. & DAVIES, T. C. (2019): Contamination of the Potable Water Supply in the Lead-Zinc Mining Communities of Enyigba, Southeastern Nigeria. – *Mine Water Environ.*, **38**(1):148-157, doi:10.1007/s10230-018-0550-0.
- OHIMAIN, E. I. (2003): Environmental Impacts of oil mining activities in the Niger Delta Mangrove Ecosystem. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 503-517, 3 Fig., 3 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- OLDHAM, C. (2013): Acidic Pit Lakes – The Legacy of Coal and Metal Surface Mines (Book Review). – *Mine Water Environ.*, **32**(3):247-248, doi:10.1007/s10230-013-0231-y.
- ONDREJKOVÁ, I., ŽENIŠOVÁ, Z., FLAKOVA, R., KRĚMÁŘ, D. & SRACEK, O. (2013): The Distribution of Antimony and Arsenic in Waters of the Dúbrava Abandoned Mine Site, Slovak Republic. – *Mine Water Environ.*, **32**(3):207-221, 7 Fig., 3 Tab.; doi:10.1007/s10230-013-0229-5.
- ONEN, V., BEYAZYUZ, P. & YEL, E. (2018): Removal of Turbidity from Travertine Processing Wastewaters by Coagulants, Flocculants and Natural Materials. – *Mine Water Environ.*, **37**(3):482-492, doi:10.1007/s10230-017-0499-4.



- ORUC, E., JAHIC, I. & BALTA, K. (1993): Construction and Production Features of Dewatering Wells in the “Kreka” Lignite Basin. – *Mine Water Environ.*, **12**(1-4):41-51, 6 Fig., 1 Tab.
- OSIENSKY, J. L. & WILLIAMS, R. E. (1995): Finite Difference Simulation of the Application of electrical Flow through conductive Contaminant Plumes. – *Mine Water Environ.*, **14**(1-4):39-56, 9 Fig., 1 Tab.
- OSIENSKY, J. L., WILLIAMS, R. E., RALSTON, D. R., JOHNSON, G. S. & MINK, L. L. (1998): Simulation of electrical Potential Differences near a contaminant Plume excited by a Point Source of Current. – *Mine Water Environ.*, **17**(1):62-71.
- OSIENSKY, J. L., WILLIAMS, R. E., RALSTON, D. R., JOHNSON, G. S. & MINK, L. L. (1999): Simulation of Electrical Potential Differences near a Contaminat Plume Excited by a Point Source of Current. – *Mine Water Environ.*, **18**(1):29-44, 11 Abb.
- OSIENSKY, J. L., WILLIAMS, R. E., WILLIAMS, B. & JOHNSON, G. S. (2000): Evaluation of Drawdown Curves Derived from Multiple Well Aquifer Tests in Heterogenous Environments. – *Mine Water Environ.*, **19**(1):30-55, 14 Abb.
- OTHMANI, M. A., SOUISSI, F., BENZAAZOUA, M., BOUZAHZAH, H., BUSSIÈRE, B. & MANSOURI, A. (2013): The Geochemical Behaviour of Mine Tailings from the Touiref Pb–Zn District in Tunisia in Weathering Cells Leaching Test. – *Mine Water Environ.*, **32**(1):28-41, 12 Fig., 4 Tab.; doi:10.1007/s10230-012-0210-8.
- OUAKIBI, O., LOQMAN, S., HAKKOU, R. & BENZAAZOUA, M. (2013): The Potential Use of Phosphatic Limestone Wastes in the Passive Treatment of AMD: A Laboratory Study. – *Mine Water Environ.*, **32**(4):266-277, 6 Fig., 3 Tab.; doi:10.1007/s10230-013-0226-8.
- OYARZÚN, J., MATURANA, H., PAULO, A. & PASIECZNA, A. (2003): Heavy Metals in Stream Sediments from the Coquimbo Region (Chile): Effects of Sustained Mining and Natural Processes in a Semi-arid Andean Basin. – *Mine Water Environ.*, **22**(3):155-161, 3 Fig., 2 Tab.
- OYARZÚN, J., NÚÑEZ, J., FAIRLEY, J. P., TAPIA, S., ALVAREZ, D., MATURANA, H., ARUMÍ, J. L., AGUIRRE, E., CARVAJAL, A. & OYARZÚN, R. (2019): Groundwater Recharge Assessment in an Arid, Coastal, Middle Mountain Copper Mining District, Coquimbo Region, North-central Chile. – *Mine Water Environ.*, **38**(2):226-242, doi:10.1007/s10230-019-00603-7.
- OZHAN, H. O. & GULER, E. (2018): Design of a Geomembrane-Laminated Geosynthetic Clay Liner on the Slopes of a Mine Tailings Dam in Emet, Turkey. – *Mine Water Environ.*, **37**(3):541-551, doi:10.1007/s10230-018-0538-9.
- PAIKARAY, S. (2015): Arsenic Geochemistry of Acid Mine Drainage. – *Mine Water Environ.*, **34**(2):181-196, doi:10.1007/s10230-014-0286-4.
- PAIKARAY, S. & PEIFFER, S. (2010): Dissolution Kinetics of Sulfate from Schwertmannite Under Variable pH Conditions. – *Mine Water Environ.*, **29**(4):263-269, 7 Fig., 2 Tab.; doi:10.1007/s10230-010-0118-0.
- PAIKARAY, S. & PEIFFER, S. (2015): Lepidocrocite Formation Kinetics from Schwertmannite in Fe(II)-Rich Anoxic Alkaline Medium. – *Mine Water Environ.*, **34**(2):213-222, doi:10.1007/s10230-014-0309-1.
- PAK, A. & NABIPOUR, M. (2017): Numerical Study of the Effects of Drainage Systems on Saturated/Unsaturated Seepage and Stability of Tailings Dams. – *Mine Water Environ.*, **36**(3):341-355, doi:10.1007/s10230-017-0468-y.



- PAK, G., JUNG, M., KIM, H., MALLARI, K. J. B., CHUNG, G., KIM, S., KIM, Y., OA, S. & YOON, J. (2016): Assessment of Metals Loading in an Acid Mine Drainage Watershed. – *Mine Water Environ.*, **35**(1):44-54, doi:10.1007/s10230-015-0336-6.
- PALIEWICZ, C. C., SIRBESCU, M.-L. C., SULATYCKY, T. & VAN HEES, E. H. (2015): Environmentally Hazardous Boron in Gold Mine Tailings, Timmins, Ontario, Canada. – *Mine Water Environ.*, **34**(2):162-180, doi:10.1007/s10230-014-0284-6.
- PALMER, J. P. (1990): Reclamation and Decontamination of Metalliferous Mining Tailings. – *Int. J. Mine Water*, **9**(1-4):223-235, 2 Fig., 3 Tab.
- PARSHLEY, J. V. & BOWELL, R. J. (2003): The Limnology of Summer Camp Pit Lake: A Case Study. – *Mine Water Environ.*, **22**(4):170-186, 15 Fig., 2 Tab.; doi:10.1007/s10230-003-0020-0.
- PARVIAINEN, A. (2009): Tailings Mineralogy and Geochemistry at the Abandoned Haveri Au–Cu Mine, SW Finland. – *Mine Water Environ.*, **28**(4):291-304, 6 Fig., 3 Tab.; doi:10.1007/s10230-009-0088-2.
- PATHAK, V. & BANERJEE, A. K. (1992): Mine Water Pollution Studies in Chapha Incline, Umaria Coalfield, Eastern Madhya Pradesh, India. – *Mine Water Environ.*, **11**(2):27-35, 3 Fig., 4 Tab.
- PATTERSON, B. M., ROBERTSON, B. S., WOODBURY, R. J., TALBOT, B. & DAVIS, G. B. (2006): Long-term Evaluation of a Composite Cover Overlaying a Sulfidic Tailings Facility. – *Mine Water Environ.*, **25**(3):137-145, 9 Fig., 1 Tab.
- PEARSON, M. A., BIAGIONI, R. N. & GUTIÉRREZ, M. (2019): Geochemical Fractionation of Stream Sediments Impacted by Pb-Zn Mining Wastes: Missouri, USA. – *Mine Water Environ.*, **38**(2):378-384, doi:10.1007/s10230-018-0568-3.
- PEIKAM, E. N. & JALALI, M. (2017): Potential Release of Metals from Tailings and Soil at the Hamekasi Iron Mine, Hamadan, Iran. – *Mine Water Environ.*, **36**(2):180-192, doi:10.1007/s10230-016-0425-1.
- PEKSEZER-SAYIT, A., CANKARA-KADIOGLU, C. & YAZICIGIL, H. (2015): Assessment of Dewatering Requirements and their Anticipated Effects on Groundwater Resources: A Case Study from the Caldag Nickel Mine, Western Turkey. – *Mine Water Environ.*, **34**(2):122-135, doi:10.1007/s10230-014-0306-4.
- PEPLOW, D. (2003): Distinguishing natural from man-caused trace element contamination using causal inferential methods for Ecoepidemiologists. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 331-349, 9 Fig., 3 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- PEPLOW, D. & EDMONDS, R. (2006): Cell Pathology and Developmental Effects of Mine Waste Contamination on Invertebrates and Fish in the Methow River, Okanogan County, Washington (USA). – *Mine Water Environ.*, **25**(4):190-203, 6 Fig., 2 Tab.
- PEROTTI, M., PETRINI, R., D’ORAZIO, M., GHEZZI, L., GIANNACCHINI, R. & VEZZONI, S. (2018): Thallium and Other Potentially Toxic Elements in the Baccatoio Stream Catchment (Northern Tuscany, Italy) Receiving Drainages from Abandoned Mines. – *Mine Water Environ.*, **37**(3):431-441, doi:10.1007/s10230-017-0485-x.
- PETRINI, R., CIDU, R. & SLEJKO, F. F. (2016): Thallium Contamination in the Raibl Mine Site Stream Drainage System (Eastern Alps, Italy). – *Mine Water Environ.*, **35**(1):55-63, doi:10.1007/s10230-015-0346-4.



- PETRITZ, K. M., GAMMONS, C. H. & NORDWICK, S. (2009): Evaluation of the Potential for Beneficial Use of Contaminated Water in a Flooded Mine Shaft in Butte, Montana. – *Mine Water Environ.*, **28**(4):264-273, 7 Fig., 3 Tab.; doi:10.1007/s10230-009-0083-7.
- PIGATI, E. & LÓPEZ, D. L. (1999): Effect of Subsidence on Recharge at Abandoned Coal Mines Generating Acid Drainage: the Majestic Mine, Athens County, Ohio. – *Mine Water Environ.*, **18**(1):45-66, 13 Fig., 1 Tab.
- PINTO, M. M. S. C., SILVA, M. M. V. G. & NEIVA, A. M. R. (2004): Pollution of Water and Stream Sediments Associated with the Vale De Abrutiga Uranium Mine, Central Portugal. – *Mine Water Environ.*, **23**(2):66-75, 3 Fig., 5 Tab.
- PINTO, P. X., AL-ABED, S. R., BALZ, D. A., BUTLER, B. A., LANDY, R. B. & SMITH, S. J. (2016): Bench-Scale and Pilot-Scale Treatment Technologies for the Removal of Total Dissolved Solids from Coal Mine Water: A Review. – *Mine Water Environ.*, **35**(1):94-112, doi:10.1007/s10230-015-0351-7.
- PINTO, P. X., AL-ABED, S. R., HOLDER, C. D., WARNER, R., MCKERNAN, J., FULTON, S. & SOMERVILLE, E. (2018): Assessing the Impact of Removing Select Materials from Coal Mine Overburden, Central Appalachia Region, USA. – *Mine Water Environ.*, **37**(1):31-41, doi:10.1007/s10230-017-0462-4.
- PLANTE, B., BENZAAZOUA, M. & BUSSIÈRE, B. (2011): Kinetic Testing and Sorption Studies by Modified Weathering Cells to Characterize the Potential to Generate Contaminated Neutral Drainage. – *Mine Water Environ.*, **30**(1):22-37, 9 Fig., 4 Tab.; doi:10.1007/s10230-010-0131-3.
- PLANTE, B., BENZAAZOUA, M. & BUSSIÈRE, B. (2011): Predicting Geochemical Behaviour of Waste Rock with Low Acid Generating Potential Using Laboratory Kinetic Tests. – *Mine Water Environ.*, **30**(1):2-21, 9 Fig., 5 Tab.; doi:10.1007/s10230-010-0127-z.
- PLINKE, M. & WILDHAGEN, E. (2003): Mining and water in Germany – Legal framework and technical aspects. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 279-286, Johannesburg (Proceedings 8th International Mine Water Association Congress).
- PLUTA, I. & JACKOWICZ-KORCZYNSKI, J. (2003): Acid mine process in Polish coal mines, the Niwka-Modrzejów coal mine example. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 37-41, 2 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- POCIECHA, A., BIELAŃSKA-GRAJNER, I., SZAREK-GWIAZDA, E., WILK-WOŹNIAK, E., KUCIEL, H. & WALUSIAK, E. (2018): Rotifer Diversity in the Acidic Pyrite Mine Pit Lakes in the Sudety Mountains (Poland). – *Mine Water Environ.*, **37**(3):518-527, doi:10.1007/s10230-017-0492-y.
- POLAK, K., KAZNOWSKA-OPALA, K. & PAWLECKA, K. (2016): Causes of Decreased Discharge and Damage to a Dewatering Well's Gravel Coat. – *Mine Water Environ.*, **35**(2):120-127, doi:10.1007/s10230-015-0361-5.
- POLAK, K., RÓZKOWSKI, K. & CZAJA, P. (2016): Causes and Effects of Uncontrolled Water Inrush into a Decommissioned Mine Shaft. – *Mine Water Environ.*, **35**(2):128-135, doi:10.1007/s10230-015-0360-6.
- POLOZOV, J. A. & POPOV, I. V. (1985): Grouting of Porous Aquifers During Shaft Sinking. – *Int. J. Mine Water*, **4**(1):25-31, 3 Fig., 1 Tab.
- POLOZOV, J. A., SPICHAK, J. N. & LAGUNOV, V. A. (1985): Advanced Grouting of 960-m-Level Shaft Station in Nagolchanskaya Mine. – *Int. J. Mine Water*, **4**(1):33-42, 5 Abb.



- POPE, J. & CRAW, D. (2015): Current Research on Mine Water and the Environment in New Zealand. – *Mine Water Environ.*, **34**(4):363-363, doi:10.1007/s10230-015-0374-0.
- POPE, J. & TRUMM, D. (2015): Controls on Zn Concentrations in Acidic and Neutral Mine Drainage from New Zealand's Bituminous Coal and Epithermal Mineral Deposits. – *Mine Water Environ.*, **34**(4):455-463, doi:10.1007/s10230-015-0372-2.
- PRASAD, B. & KUMAR, H. (2016): Treatment of Acid Mine Drainage Using a Fly Ash Zeolite Column. – *Mine Water Environ.*, **35**(4):553-557, doi:10.1007/s10230-015-0373-1.
- PRASAD, B. & KUMAR, H. (2019): Treatment of Lignite Mine Water with Lignite Fly Ash and Its Zeolite. – *Mine Water Environ.*, **38**(1):24-29, doi:10.1007/s10230-018-00570-5.
- PRASAD, B., MAHATO, A. K., MONDAL, H. K. & TEWARY, B. K. (2013): Removal of Ions and Acidity from Acid Mine Water Using Transformed Fly Ash. – *Mine Water Environ.*, **32**(2):133-138, 4 Fig., 4 Tab.; doi:10.1007/s10230-013-0222-z.
- PRASAD, B., MAITI, D. & SINGH, K. K. K. (2019): Impact of Fly Ash Placement in an Abandoned Opencast Mine on Surface and Ground Water Quality: A Case Study. – *Mine Water Environ.*, **38**(1):72-80, doi:10.1007/s10230-018-00577-y.
- PRASAD, B. & MONDAL, K. (2008): The Impact of Filling an Abandoned Open Cast Mine with Fly Ash on Ground Water Quality: A Case Study. – *Mine Water Environ.*, **27**(1):40-45, 1 Fig., 4 Tab.; doi:10.1007/s10230-007-0021-5.
- PRASAD, B. & SANGITA, K. (2008): Heavy Metal Pollution Index of Ground Water of an Abandoned Open Cast Mine Filled with Fly Ash: a Case Study. – *Mine Water Environ.*, **27**(4):265-267, 2 Tab.; doi:10.1007/s10230-008-0050-8.
- PRASAD, B., SANGITA, K. & TEWARY, B. K. (2011): Reducing the Hardness of Mine Water Using Transformed Fly Ash. – *Mine Water Environ.*, **30**(1):61-66, 3 Fig., 5 Tab.; doi:10.1007/s10230-010-0130-4.
- PUNIA, A. & SIDDAIAH, N. S. (2019): Mobility and Behaviour of Metals in Copper Mine Tailings and Soil at Khetri, India. – *Mine Water Environ.*, **38**(2):385-390, doi:10.1007/s10230-018-00582-1.
- PUURA, E. & D'ALESSANDRO, M. (2005): A Classification System for Environmental Pressures Related to Mine Water Discharges. – *Mine Water Environ.*, **24**(1):43-52, 6 Fig., 2 Tab.; doi:10.1007/s10230-005-0070-6.
- PYRBOT, W., SHABONG, L. & SINGH, O. P. (2019): Neutralization of Acid Mine Drainage Contaminated Water and Ecorestoration of Stream in a Coal Mining Area of East Jaintia Hills, Meghalaya. – *Mine Water Environ.*, **38**(3):551-555, doi:10.1007/s10230-019-00601-9.
- QI, W., HUANG, Y., HE, H., ZHANG, J., LI, J. & QIAO, M. (2019): Potential Pollution of Groundwater by Dissolution and Release of Contaminants due to Using Gangue for Backfilling. – *Mine Water Environ.*, **38**(2):281-293, doi:10.1007/s10230-018-00585-y.
- QIAN, J., TONG, Y., MA, L., ZHAO, W., ZHANG, R. & HE, X. (2018): Hydrochemical Characteristics and Groundwater Source Identification of a Multiple Aquifer System in a Coal Mine. – *Mine Water Environ.*, **37**(3):528-540, doi:10.1007/s10230-017-0493-x.
- QIAN, Z.-W., JIANG, Z.-Q., GUAN, Y.-Z. & YUE, N. (2018): Mechanism and Remediation of Water and Sand Inrush Induced in an Inclined Shaft by Large-Tonnage Vehicles. – *Mine Water Environ.*, **37**(4):849-855, doi:10.1007/s10230-018-0531-3.



- QIAN, Z.-W. & YANG, W.-H. (2018): Corrosion Mechanism of the Main Shaft Wall in the Liuyuanzi Coal Mine and Appropriate Countermeasures. – *Mine Water Environ.*, **37**(4):696-702, doi:10.1007/s10230-018-0520-6.
- QIANG, W., YUANZHANG, L. & LIU, Y. (2011): Using the Vulnerable Index Method to Assess the Likelihood of a Water Inrush through the Floor of a Multi-seam Coal Mine in China. – *Mine Water Environ.*, **30**(1):54-60, 8 Fig., 3 Tab.; doi:10.1007/s10230-010-0125-1.
- QIAO, W., LI, W., LI, T., ZHANG, X., WANG, Y. & CHEN, Y. (2018): Relevance Between Hydrochemical and Hydrodynamic Data in a Deep Karstified Limestone Aquifer: a Mining Area Case Study. – *Mine Water Environ.*, **37**(2):393-404, doi:10.1007/s10230-017-0506-9.
- QIAO, W., LI, W. P., LI, T., CHANG, J. Y. & WANG, Q. Q. (2017): Effects of Coal Mining on Shallow Water Resources in Semiarid Regions: A Case Study in the Shennan Mining Area, Shaanxi, China. – *Mine Water Environ.*, **36**(1):104-113, doi:10.1007/s10230-016-0414-4.
- QIU, M., HAN, J., ZHOU, Y. & SHI, L. Q. (2017): Prediction Reliability of Water Inrush Through the Coal Mine Floor. – *Mine Water Environ.*, **36**(2):217-225, doi:10.1007/s10230-017-0431-y.
- QIU, M., SHI, L. Q., TENG, C. & ZHOU, Y. (2017): Assessment of Water Inrush Risk Using the Fuzzy Delphi Analytic Hierarchy Process and Grey Relational Analysis in the Liangzhuang Coal Mine, China. – *Mine Water Environ.*, **36**(1):39-50, doi:10.1007/s10230-016-0391-7.
- QUARANTA, J. D., MACK, B., VAN AKEN, B., DUCATMAN, A. & ZIEMKIEWICZ, P. F. (2014): Practical Application of Dilution Analysis for Estimating Groundwater Quality Effects Due to Coal Slurry Injection into Underground Mine Voids. – *Mine Water Environ.*, **33**(4):353-361, 1 Fig., 10 Tab.; doi:10.1007/s10230-014-0274-8.
- RAFAEL FERNÁNDEZ, R. (2012): Mining: The Challenge Knocks on our Door. – *Mine Water Environ.*, **31**(1):69-73, 3 Abb.; doi:10.1007/s10230-012-0169-5.
- RAHIMI, E. & MOHAGHEGH, N. (2016): Removal of Toxic Metal Ions from Sungun Acid Rock Drainage Using Mordenite Zeolite, Graphene Nanosheets, and a Novel Metal–Organic Framework. – *Mine Water Environ.*, **35**(1):18-28, doi:10.1007/s10230-015-0327-7.
- RAMAQELE, M., BILLING, C., CUKROWSKA, E. M. & RICHARDS, H. L. (2019): In Search of a Speciation Method for Arsenic in Mine-Influenced Waters: Is Differential Pulse Anodic Stripping Voltammetry the Answer? – *Mine Water Environ.*, **38**(4):837-846, doi:10.1007/s10230-019-00630-4.
- RAPANTOVÁ, N., GRMELA, A., VOJTEK, D., HALIR, J. & MICHALEK, B. (2007): Ground Water Flow Modelling Applications in Mining Hydrogeology. – *Mine Water Environ.*, **26**(4):264-270, 5 Fig., 1 Tab.; doi:10.1007/s10230-007-0017-1.
- RAPANTOVÁ, N., KRZESZOWSKI, Ś., GRMELA, A. & WOLKERSDORFER, C. (2012): Quantitative Assessment of Mine Water Sources Based on the General Mixing Equation and Multivariate Statistics. – *Mine Water Environ.*, **31**(4):252-265, 6 Fig., 6 Tab.; doi:10.1007/s10230-012-0192-6.
- RAWAT, N. S. & SINGH, G. (1982): The role of Micro-Organisms in the Formation of Acid Mine Drainage in the North Eastern Coal Field of India. – *Int. J. Mine Water*, **1**(2):29-36, 4 Fig., 3 Tab.



- RAY, D., CLARK, M. & PITMAN, T. (2009): Treatment of an Iron-rich ARD Using Waste Carbonate Rock: Bench-Scale Reactor Test Results. – *Mine Water Environ.*, **28**(4):253-263, 3 Fig., 5 Tab.; doi:10.1007/s10230-009-0080-x.
- RAYNE, S., FOREST, K. & FRIESEN, K. J. (2009): Analytical Framework for a Risk-based Estimation of Climate Change Effects on Mine Site Runoff Water Quality. – *Mine Water Environ.*, **28**(2):124-135, 2 Fig., 4 Tab.; doi:10.1007/s10230-009-0070-z.
- REAL, F. & FRANCO, A. (1990): Tailings Disposal at Neves-Corvo Mine, Portugal. – *Int. J. Mine Water*, **9**(1-4):209-221, 4 Fig., 4 Tab.
- REDDISH, D. J. & SMITH, S. F. (1982): Underground Measurement of Fracture Permeability of Coal within a Shaft Pillar. – *Int. J. Mine Water*, **1**(3):13-22, 9 Fig., 1 Tab.
- REED, S. M. & SINGH, R. N. (1986): Groundwater Recovery Problems Associated with Open-cast Mine Backfills in the United Kingdom. – *Int. J. Mine Water*, **5**(3):47-73, 5 Fig., 2 Tab.
- REICHEL, F., LUCKNER, L. & KADEN, S. (1985): Estimation of the required Amount of Hydrological Exploration in Lignite Mining Areas on the Basis of Hypothetical Models. – *Int. J. Mine Water*, **4**(4):1-20, 7 Fig., 7 Tab.
- RENZ, A., RÜHAAK, W., SCHÄTZL, P. & DIERSCH, H. J. G. (2009): Numerical Modeling of Geothermal Use of Mine Water: Challenges and Examples. – *Mine Water Environ.*, **28**(1):2-14, 15 Fig., 2 Tab.; doi:10.1007/s10230-008-0063-3.
- RETA, G. L., DONG, X., SU, B., HU, X., BO, H., WAN, H., LIU, J., LI, Y., PENG, T., MA, H., WANG, K. & XU, S. (2019): The Influence of Large Scale Phosphate Mining on the Water Quality of the Huangbaihe River Basin in China: Dominant Pollutants and Spatial Distributions. – *Mine Water Environ.*, **38**(2):366-377, doi:10.1007/s10230-019-00604-6.
- REZAEI, Z. & ATAEE-POUR, M. (2019): Assessment of Mine Water Environmental Impact: A Fuzzy Reliability Approach. – *Mine Water Environ.*, **38**(1):30-38, doi:10.1007/s10230-018-00571-4.
- REŽUN, B. & DIZDAREVIĆ, T. (2003): Recent findings on the influence of pit waters on the shutdown of the Idrija mercury mine. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 129-135, 4 Fig., 3 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- RIAZ, A., KHAN, S., MUHAMMAD, S. & SHAH, M. T. (2019): Mercury Contamination in Water and Sediments and the Associated Health Risk: A Case Study of Artisanal Gold-mining. – *Mine Water Environ.*, **38**(4):847-854, doi:10.1007/s10230-019-00613-5.
- RIBEIRO, L., KRETSCHMER, N., NASCIMENTO, J., BUXO, A., RÖTTING, T. S., SOTO, G., SOTO, M., OYARZÚN, J., MATURANA, H. & OYARZÚN, R. (2014): Water Quality Assessment of the Mining-Impacted Elqui River Basin, Chile. – *Mine Water Environ.*, **33**(4):165-176, 5 Fig., 4 Tab.; doi:10.1007/s10230-014-0276-6.
- RILEY, J. A., ERIKSON, D. L., RALSTON, D. R. & WILLIAMS, R. E. (1984): The Hydrogeology of an Underground Lead-Zinc Mine – Water Flow and Quality Characteristics. – *Int. J. Mine Water*, **3**(4):39-53, 9 Abb.
- RODRIGUES, G. G. & SCHARF, B. W. (2001): Review of Benthic Invertebrate Fauna in Extremely Acidic Environments (pH ≤ 3). – *Mine Water Environ.*, **20**(3):114-121, 1 Fig., 2 Tab.
- ROISENBERG, C., LOUBET, M., FORMOSO, M. L., BERGER, G., MUNOZ, M. & DANI, N. (2016): Tracing the Origin and Evolution of Geochemical Characteristics of Waters from the Candiota



- Coal Mine Area (Southern Brazil): Part I. – *Mine Water Environ.*, **35**(1):29-43, doi:10.1007/s10230-015-0330-z.
- RONCHI, B., STASSEN, F., DREVET, J. P., FRIPPIAT, C. C., BERGER, J. L., DINGELSTADT, C. & VESCHKENS, M. (2018): Long-Term Time-Series Analysis to Understand Groundwater Flow in Abandoned Subsurface Mines with Application to a Coalfield in Liège, Belgium. – *Mine Water Environ.*, **37**(3):470-481, doi:10.1007/s10230-018-0528-y.
- ROY, A., DAS, B. K. & BHATTACHARYA, J. (2011): Development and Validation of a Spectrophotometric Method to Measure Sulfate Concentrations in Mine Water without Interference. – *Mine Water Environ.*, **30**(3):169-174, 3 Fig., 4 Tab.; doi:10.1007/s10230-011-0140-x.
- ROY, V., DEMERS, I., PLANTE, B. & THERIAULT, M. (2020): Kinetic Testing for Oxidation Acceleration and Passivation of Sulfides in Waste Rock Piles to Reduce Contaminated Neutral Drainage Generation Potential. – *Mine Water Environ.*, **39**(2):242-255, doi:10.1007/s10230-020-00680-z.
- ROYCHOWDHURY, A., SARKAR, D., DENG, Y. & DATTA, R. (2017): Assessment of Soil and Water Contamination at the Tab-Simco Coal Mine: A Case Study. – *Mine Water Environ.*, **36**(2):248-254, doi:10.1007/s10230-016-0401-9.
- ROYER, R. A. & UNZ, R. F. (1999): Manganese Oxide Reduction in Laboratory Microcosms. – *Mine Water Environ.*, **18**(1):15-28, 6 Fig., 1 Tab.
- ROYLE, M. (2007): Giant Mine: Identification of Inflow Water Types and Preliminary Geochemical Monitoring during Reflooding. – *Mine Water Environ.*, **26**(2):102-109, 3 Fig., 4 Tab.
- RÓZKOWSKI, A., CHMURA, A., GAJOWIEC, B. & WAGNER, J. (1993): Impact of Mining on the Groundwater Chemistry on the Upper Silesian Coal Basin (Poland). – *Mine Water Environ.*, **12**(1-4):95-105, 4 Fig., 1 Tab.
- RUAN, Z. E., LI, C. P., WU, A. X. & WANG, Y. (2019): A New Risk Assessment Model for Underground Mine Water Inrush Based on AHP and D-S Evidence Theory. – *Mine Water Environ.*, **38**(3):488-496, doi:10.1007/s10230-018-00575-0.
- RUCKER, D. F., GLASER, D. R., OSBORNE, T. & MAEHL, W. C. (2009): Electrical Resistivity Characterization of a Reclaimed Gold Mine to Delineate Acid Rock Drainage Pathways. – *Mine Water Environ.*, **28**(2):146-157, 8 Abb.; doi:10.1007/s10230-009-0072-x.
- RUFAUT, C. G., CRAW, D. & FOLEY, A. (2015): Mitigation of Acid Mine Drainage via a Revegetation Programme in a Closed Coal Mine in Southern New Zealand. – *Mine Water Environ.*, **34**(4):464-477, doi:10.1007/s10230-014-0295-3.
- RUSDINAR, Y., EDRAKI, M., BAUMGARTL, T., MULLIGAN, D. & MILLER, S. (2013): Long Term Performance of Hydrogeochemical Riverine Mine Tailings Deposition at Freeport Indonesia. – *Mine Water Environ.*, **32**(1):56-70, 13 Fig., 1 Tab.; doi:10.1007/s10230-012-0212-6.
- SADEGHALVAD, B., ARMAGHAN, M. & AZADMEHR, A. (2014): Using Iranian Bentonite (Birjand Area) to Remove Cadmium from Aqueous Solutions. – *Mine Water Environ.*, **33**(1):79-88, 5 Fig., 4 Tab.; doi:10.1007/s10230-013-0253-5.
- SAHA, S., SARKAR, S. & SINHA, A. (2019): Use of Basic Oxygen Furnace (BOF) Steel Slag for Acid Mine Drainage Treatment: A Laboratory Study. – *Mine Water Environ.*, **38**(3):517-527, doi:10.1007/s10230-019-00615-3.




- SAHARAN, M. R., GUPTA, K. K., JAMAL, A. & SHEORAN, A. S. (1995): Management of Acidic Effluents from Tailing Dams in Metalliferous Mines. – *Mine Water Environ.*, **14**(1-4):85-93, 2 Fig., 1 Tab.
- SAHOO, P. K., TRIPATHY, S., PANIGRAHI, M. K. & EQUENNUDDIN, S. M. (2012): Mineralogy of Fe-Precipitates and Their Role in Metal Retention from an Acid Mine Drainage Site in India. – *Mine Water Environ.*, **31**(4):344-352, 6 Fig., 3 Tab.; doi:10.1007/s10230-012-0203-7.
- SAHRAEI PARIZI, H. & SAMANI, N. (2014): Environmental Isotope Investigation of Groundwater in the Sarcheshmeh Copper Mine Area, Iran. – *Mine Water Environ.*, **33**(2):97-109, 11 Fig., 6 Tab.; doi:10.1007/s10230-014-0277-5.
- SAHU, P., LÓPEZ, D. L. & STOERTZ, M. W. (2009): Using Time Series Analysis of Coal Mine Hydrographs to Estimate Mine Storage, Retention Time, and Minepool Interconnection. – *Mine Water Environ.*, **28**(3):194-205, 10 Fig., 2 Tab.; doi:10.1007/s10230-009-0076-6.
- SALMON, D. A. (2003): Water management at a large opencast strip coal mine in South Africa. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 235-248, 4 Fig., 2 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- SAMBORSKA, K., SITEK, S., BOTTRELL, S. H. & SRACEK, O. (2013): Modified Multi-phase Stability Diagrams: An AMD Case Study at a Site in Northumberland, UK. – *Mine Water Environ.*, **32**(3):185-194, 5 Fig., 1 Tab.; doi:10.1007/s10230-013-0223-y.
- SAMMARCO, O. (1982): Flood detection in mines using gas concentration anomalies in the air ventilation system. – *Int. J. Mine Water*, **1**(2):15-18, 2 Abb.
- SAMMARCO, O. (1986): Spontaneous Inrushes of Water in Underground Mines. – *Int. J. Mine Water*, **5**(2):29-41, 6 Abb.
- SAMMARCO, O. (1988): Inrush Prevention in an Underground Mine. – *Int. J. Mine Water*, **7**(4):43-52, 3 Fig., 3 Tab.
- SAMMARCO, O. (1990): Abandoning Mines: Hydrodynamic Evolution Controlled in Order to avoid Surface Damage. – *Int. J. Mine Water*, **9**(1-4):277-289, 4 Abb.
- SAMMARCO, O. (1995): Storage of Water in the Void of abandoned Mines and in fractured Rocks. – *Mine Water Environ.*, **14**(1-4):57-70, 4 Fig., 1 Tab.
- SAMMARCO, O. (1999): Impacts of Tailings Flow Slides. – *Mine Water Environ.*, **18**(1):75-80, 2 Fig., 1 Tab.
- SAMMARCO, O. (2004): A Tragic Disaster Caused by the Failure of Tailings Dams Leads to the Formation of the Stava 1985 Foundation. – *Mine Water Environ.*, **23**(2):91-95, 5 Abb.
- SAMMARCO, O., OVI, M. & COSTABILE, M. (2003): Forecast of emergency situations owing to excessive water inflows into tailings ponds. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 109-127, 8 Fig., 4 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- SAMS, J. I., III & VELOSKI, G. A. (2003): Evaluation of Airborne Thermal Infrared Imagery for Locating Mine Drainage Sites in the Lower Kettle Creek and Cooks Run Basins, Pennsylvania, USA. – *Mine Water Environ.*, **22**(2):85-93, 7 Fig., 2 Tab.
- SAMS, J. I., III, VELOSKI, G. A. & ACKMAN, T. E. (2003): Evaluation of Airborne Thermal Infrared Imagery for Locating Mine Drainage Sites in the Lower Youghiogheny River Basin, Pennsylvania, USA. – *Mine Water Environ.*, **22**(2):94-103, 10 Fig., 2 Tab.
- SÁNCHEZ-ESPAÑA, J., LÓPEZ-PAMO, E., DIEZ, M. & SANTOFIMIA, E. (2009): Physico-chemical gradients and meromictic stratification in Cueva de la Mora and other acidic pit lakes of the



- Iberian Pyrite Belt. – *Mine Water Environ.*, **28**(1):15-29, 12 Fig., 1 Tab.; doi:10.1007/s10230-008-0059-z.
- SANTISTEBAN, M., GRANDE, J. A., DE LA TORRE, M. L., VALENTE, T. M., PEREZ-OSTALÉ, E., CERÓN, J. C. & AROBA, J. (2015): Fuzzy Intelligence Approach for Modeling the Migration of Contaminants in a Reservoir Affected by AMD Pollution. – *Mine Water Environ.*, **34**(3):352-360, doi:10.1007/s10230-014-0321-5.
- SAPSFORD, D. J., BARNES, A., DEY, M., WILLIAMS, K., JARVIS, A. & YOUNGER, P. (2007): Low Footprint Passive Mine Water Treatment: Field Demonstration and Application. – *Mine Water Environ.*, **26**(4):243-250, 4 Fig., 3 Tab.; doi:10.1007/s10230-007-0012-6.
- SARTZ, L. & BÄCKSTRÖM, M. (2013): Treatment of Acidic and Neutral Metal-Laden Mine Waters with Bone Meal Filters. – *Mine Water Environ.*, **32**(4):293-301, 5 Fig., 6 Tab.; doi:10.1007/s10230-013-0248-2.
- SARTZ, L., BÄCKSTRÖM, M., KARLSSON, S. & ALLARD, B. (2016): Mixing of Acid Rock Drainage with Alkaline Ash Leachates: Formation of Solid Precipitates and pH-Buffering. – *Mine Water Environ.*, **35**(1):64-76, doi:10.1007/s10230-015-0347-3.
- SATO, Y., HAMAI, T., HORI, T., HABE, H., KOBAYASHI, M. & SAKATA, T. (2018): Year-Round Performance of a Passive Sulfate-Reducing Bioreactor that Uses Rice Bran as an Organic Carbon Source to Treat Acid Mine Drainage. – *Mine Water Environ.*, **37**(3):586-594, doi:10.1007/s10230-017-0489-6.
- SAVOLAINEN, J., PEDRETTI, D. & COLLAN, M. (2019): Incorporating Hydrologic Uncertainty in Industrial Economic Models: Implications of Extreme Rainfall Variability on Metal Mining Investments. – *Mine Water Environ.*, **38**(2):447-462, doi:10.1007/s10230-019-00600-w.
- SCHMID, S. & WIEGAND, J. (2003): Radionuclide Contamination of Surface Waters, Sediments, and Soil Caused by Coal Mining Activities in the Ruhr District (Germany). – *Mine Water Environ.*, **22**(3):130-140, 10 Fig., 5 Tab.
- SCHMIEDER, A., ZÖLDFÖLDI, J., WOLKERSDORFER, C., KLEINMANN, R. L. P. & BALÁZS, K. (2002): Dr. Zsolt Kesserű (1934–2001). – *Mine Water Environ.*, **21**(1):52-53, 1 Abb.
- SCHNEIDER, P., OSENBRÜCK, K., NEITZEL, P. L. & NINDEL, K. (2002): In-Situ Mitigation of Effluents from Acid Waste Rock Dumps Using Reactive Surface Barriers – a Feasibility Study. – *Mine Water Environ.*, **21**(1):36-44, 4 Fig., 3 Tab.
- SCHNEIDER, P., VOERKELIUS, S., NINDEL, K., FORSTER, M. & SCHREYER, J. (2001): Release of Contaminants from Uranium Mine Waste – Laboratory and Field Experiments. – *Mine Water Environ.*, **20**(1):30-38, 5 Fig., 4 Tab.; doi:10.1007/s10230-001-8077-0.
- SCHUBERT, M., MORGENSTERN, P., WENNRICH, R., FREYER, K. & WEISS, H. (2003): The Weathering Behavior of Heavy Metals in Ore Processing Residues (Mansfeld Region, Germany). – *Mine Water Environ.*, **22**(1):2-6, 3 Fig., 4 Tab.
- SCHULTZE, M. (2016): Book Review: Environmental Sampling and Modelling for the Prediction of Long-Term Water Quality of Mine Pit Lakes. – *Mine Water Environ.*, **35**(2):261-262, doi:10.1007/s10230-015-0366-0.
- SEEDSMAN, R. (2019): Interpretations of Mine Water Pump-Out Data and Revisions to Caving and Fracturing Models for Longwalls. – *Mine Water Environ.*, **38**(3):676-685, doi:10.1007/s10230-019-00627-z.




- SEIFI, A., HOSSEINJANIZADEH, M., RANJBAR, H. & HONARMAND, M. (2019): Identification of Acid Mine Drainage Potential Using Sentinel 2a Imagery and Field Data. – *Mine Water Environ.*, **38**(4):707-717, doi:10.1007/s10230-019-00632-2.
- SENA, C. & MOLINERO, J. (2009): Water Resources Assessment and Hydrogeological Modelling as a Tool for the Feasibility Study of a Closure Plan for an Open Pit Mine (La Respina Mine, Spain). – *Mine Water Environ.*, **28**(2):94-101, 8 Fig., 2 Tab.; doi:10.1007/s10230-009-0067-7.
- SENKO, J. M., BERTEL, D., QUICK, T. J. & BURGOS, W. D. (2011): The Influence of Phototrophic Biomass on Fe and S Redox Cycling in an Acid Mine Drainage-Impacted System. – *Mine Water Environ.*, **30**(1):38-46, 6 Fig., 2 Tab.; doi:10.1007/s10230-010-0123-3.
- ŠERBULA, S., STANKOVIĆ, V., ŽIVKOVIĆ, D., KAMBEROVIĆ, Ž., GORGIEVSKI, M. & KALINOVIĆ, T. (2016): Characteristics of Wastewater Streams Within the Bor Copper Mine and Their Influence on Pollution of the Timok River, Serbia. – *Mine Water Environ.*, **35**(4):480-485, doi:10.1007/s10230-016-0392-6.
- SHABALALA, A. N. & EKOLU, S. O. (2019): Assessment of the Suitability of Mine Water Treated with Pervious Concrete for Irrigation Use. – *Mine Water Environ.*, **38**(4):798-807, doi:10.1007/s10230-019-00633-1.
- SHADRUNOVA, I. V. & OREKHOVA, N. N. (2015): A Process for Advanced Recycling of Water Originating from Mining Operations, with Metal Recovery. – *Mine Water Environ.*, **34**(4):478-484, doi:10.1007/s10230-015-0338-4.
- SHAFAEI, F., RAMAZI, H., JODEIRI SHOKRI, B. & DOULATI ARDEJANI, F. (2016): Detecting the Source of Contaminant Zones Down-Gradient of the Alborz Sharghi Coal Washing Plant Using Geo-electrical Methods, Northeastern Iran. – *Mine Water Environ.*, **35**(3):381-388, doi:10.1007/s10230-015-0371-3.
- SHAHHOSEINY, M., ARDEJANI, F. D., SHAFAEI, S. Z., NOAPARAST, M. & HAMIDI, D. (2013): Geochemical and Mineralogical Characterization of a Pyritic Waste Pile at the Anjir Tangeh Coal Washing Plant, Zirab, Northern Iran. – *Mine Water Environ.*, **32**(2):84-96, 11 Fig., 4 Tab.; doi:10.1007/s10230-013-0219-7.
- SHARMA, D. & MARAIS, P. (1986): A Comprehensive Mathematical Model to Predict Hydrodynamics and Mass Transport at a Complex Mine Tailings Disposal Facility. – *Int. J. Mine Water*, **5**(1):1-19, 5 Abb.
- SHEIBACH, R. B., WILLIAMS, R. E. & GENES, B. R. (1982): Controlling Acid Mine Drainage from the Picher Mining District, Oklahoma, United States. – *Int. J. Mine Water*, **1**(1):45-52, 3 Abb.
- SHELP, M. L., ZHAN, G. & UPTON, B. (2011): The Applications of Satellite Based Remote Sensing Techniques in the Hydrological Assessment of Mine Water Supply and Management Systems. – *Mine Water Environ.*, **30**(4):242-251, 10 Abb.; doi:10.1007/s10230-011-0153-5.
- SHEORAN, A. S. (2005): Performance of a Natural Wetland Treating Acid Mine Drainage in Arid Conditions. – *Mine Water Environ.*, **24**(3):150-154, 2 Fig., 5 Tab.
- SHEORAN, A. S. (2006): Performance of Three Aquatic Plant Species in Bench-scale Acid Mine Drainage Wetland Test Cells. – *Mine Water Environ.*, **25**(1):23-36, 12 Fig., 4 Tab.
- SHEORAN, A. S. & BHANDARI, S. (2005): Treatment of Mine Water by a Microbial Mat: Bench-scale Experiments. – *Mine Water Environ.*, **24**(1):38-42, 6 Tab.



- SHEPHERD, N. L., DENHOLM, C. F., DUNN, M. H., NEELY, C. A., DANEHY, T. P. & NAIRN, R. W. (2020): Biogeochemical Analysis of Spent Media from a 15-Year Old Passive Treatment System Vertical Flow Bioreactor. – *Mine Water Environ.*, **39**(1):68-74, doi:10.1007/s10230-020-00652-3.
- SHI, L., GAO, W., HAN, J. & TAN, X. (2017): A Nonlinear Risk Evaluation Method for Water Inrush Through the Seam Floor. – *Mine Water Environ.*, **36**(4):597-605, doi:10.1007/s10230-017-0449-1.
- SHI, L. & SINGH, R. N. (2001): Study of Mine Water Inrush from Floor Strata through Faults. – *Mine Water Environ.*, **20**(3):140-147, 8 Abb.; doi:10.1007/s10230-001-8095-y.
- SHI, W. H., YANG, T. H., YU, Q. L., LI, Y., LIU, H. L. & ZHAO, Y. C. (2017): A Study of Water-Inrush Mechanisms Based on Geo-Mechanical Analysis and an In-situ Groundwater Investigation in the Zhongguan Iron Mine, China. – *Mine Water Environ.*, **36**(3):409-417, doi:10.1007/s10230-017-0429-5.
- SHOKRI, B. J., RAMAZI, H. & ARDEJANI, F. D. (2014): Prediction of Pyrite Oxidation in a Coal Washing Waste Pile Applying Artificial Neural Networks (ANNs) and Adaptive Neuro-fuzzy Inference Systems (ANFIS). – *Mine Water Environ.*, **33**(2):146-156, 6 Fig., 2 Tab.; doi:10.1007/s10230-013-0247-3.
- SHUXUN, H., LING, W. & QINSHU, C. (1986): Application of Grouting Techique to Restore submerged Shafts in China. – *Int. J. Mine Water*, **5**(2):57-66, 1 Fig., 2 Tab.
- SIDDHARTH, S., JAMAL, A., DHAR, B. B. & SHUKLA, R. (2002): Acid-Base Accounting: A Geochemical Tool for Management of Acid Drainage in Coal Mines. – *Mine Water Environ.*, **21**(3):106-110, 1 Fig., 5 Tab.; doi:10.1007/s102300200030.
- SILVA, R. D., MENEZES, J. C. S. D., LOPES, F. A., KIRCHHEIM, A. P. & SCHNEIDER, I. A. H. (2017): Synthesis of a Goethite Pigment by Selective Precipitation of Iron from Acidic Coal Mine Drainage. – *Mine Water Environ.*, **36**(3):386-392, doi:10.1007/s10230-017-0448-2.
- SIMMONS, J., ZIEMKIEWICZ, P. F. & BLACK, D. C. (2002): Use of Steel Slag Leach Beds for the Treatment of Acid Mine Drainage. – *Mine Water Environ.*, **21**(2):91-99, 20 Fig., 4 Tab.
- SIMMONS, J. A., ANDREW, T., ARNOLD, A., BEE, N., BENNETT, J., GRUNDMAN, M., JOHNSON, K. & SHEPHERD, R. (2006): Small-Scale Chemical Changes Caused by In-stream Limestone Sand Additions to Streams. – *Mine Water Environ.*, **25**(4):241-245, 4 Fig., 2 Tab.
- SIMMONS, J. A., LONG, J. M. & RAY, J. W. (2004): What Limits the Productivity of Acid Mine Drainage Treatment Ponds? – *Mine Water Environ.*, **23**(1):44-53, 2 Fig., 4 Tab.
- SIMON, F.-G., BIERMANN, V. & CSICSÁK, J. (2003): Uranium removal using elemental iron and hydroxyapatite in permeable reactive barriers. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 43-55, 8 Fig., 5 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- SIMS, D. B., HUDSON, A. C., KELLER, J. E., KONSTANTINOS, V. I. & KONSTANTINOS, M. P. (2017): Trace Element Scavenging in Dry Wash Surficial Sediments in an Arid Region of Southern Nevada, USA. – *Mine Water Environ.*, **36**(1):124-132, doi:10.1007/s10230-015-0379-8.
- SIMS, D. B. & KELLER, J. E. (2014): Risk of Metal Mobilization from Redevelopment Activities in Hyperarid Climates: A Laboratory Experiment and Discussion. – *Mine Water Environ.*, **33**(4):307-316, doi:10.1007/s10230-014-0297-1.
- SINGH, A. K., MAHATO, M. K., NEOGI, B., MONDAL, G. C. & SINGH, T. B. (2011): Hydrogeochemistry, Elemental Flux, and Quality Assessment of Mine Water in the Pootkee-Balihari



- Mining Area, Jharia Coalfield, India. – *Mine Water Environ.*, **30**(3):197-207, 6 Fig., 3 Tab.; doi:10.1007/s10230-011-0143-7.
- SINGH, A. K., MAHATO, M. K., NEOGI, B. & SINGH, K. K. (2010): Quality Assessment of Mine Water in the Raniganj Coalfield Area, India. – *Mine Water Environ.*, **29**(4):248-262, 8 Fig., 6 Tab.; doi:10.1007/s10230-010-0108-2.
- SINGH, G. (1986): A Survey of Corrosivity of Underground Mine Waters from Indian Coal Mines. – *Int. J. Mine Water*, **5**(1):21-32, 3 Fig., 3 Tab.
- SINGH, G. (1987): Mine Water Quality Deterioration due to Acid Mine Drainage. – *Int. J. Mine Water*, **6**(1):49-61, 1 Fig., 4 Tab.
- SINGH, G. (1988): Impact of coal mining on mine water quality. – *Int. J. Mine Water*, **7**(3):49-59, 7 Tab.
- SINGH, G. & BHATNAGAR, M. (1988): Inhibition of Bacterial Activity in Acid Mine drainage. – *Int. J. Mine Water*, **7**(4):13-25, 10 Fig., 1 Tab.
- SINGH, G., BHATNAGAR, M. & SINHA, D. K. (1990): Environmental Management of Acid Water Problems in Mining Areas. – *Int. J. Mine Water*, **9**(1-4):113-131, 8 Abb.
- SINGH, G. & RAWAT, N. S. (1985): Removal of Trace Elements from Acid Mine Drainage. – *Int. J. Mine Water*, **4**(1):17-23, 2 Fig., 4 Tab.; doi:10.1007/BF02505377.
- SINGH, R. N. (1983): Conference Review – Hydrogeological Aspects of Mining. – *Int. J. Mine Water*, **2**(2):31-32.
- SINGH, R. N. (1983): Mine Water Abstracts. – *Int. J. Mine Water*, **2**(2):43-61.
- SINGH, R. N. (1986): Mine Inundations. – *Int. J. Mine Water*, **5**(2):1-27, 13 Fig., 3 Tab.; doi:10.1007/BF02498098.
- SINGH, R. N. & ATKINS, A. S. (1982): Design Considerations for Mine Workings Under Accumulation of Water. – *Int. J. Mine Water*, **1**(4):35-56, 13 Fig., 1 Tab.
- SINGH, R. N. & ATKINS, A. S. (1984): Application of Analytical Solution to Simulate some Mine Inflow Problems in Underground Coal Mining. – *Int. J. Mine Water*, **3**(4):1-27, 8 Fig., 15 Tab., 1 Anh.
- SINGH, R. N. & DOULATI ARDEJANI, F. (2003): Evaluation of factors affecting pyrite oxidation and subsequent pollutant generation in backfilled open cut coal mines. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 173-186, 17 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- SINGH, R. N., HIBBERD, S. & FAWCETT, R. J. (1986): Studies in the Prediction of Water Inflows to Longwall Mine Workings. – *Int. J. Mine Water*, **5**(3):29-45, 7 Fig., 3 Tab.
- SINGH, R. N. & JAKEMAN, M. (2001): Strata Monitoring Investigations Around Longwall Panels Beneath the Cataract Reservoir. – *Mine Water Environ.*, **20**(2):55-64, 5 Abb.; doi:10.1007/s10230-001-8083-2.
- SINGH, R. N. & REED, S. M. (1988): Mathematical Modelling for Estimation of Minewater Inflow to a Surface Mining Operation. – *Int. J. Mine Water*, **7**(3):1-33, 10 Fig., 3 Tab.
- SINGH, R. N., SIVAKUMAR, M. & ATKINS, A. S. (1995): Application of executive Information System to Mine Site Water Pollution Control. – *Mine Water Environ.*, **14**(1-4):95-105, 1 Fig., 1 Tab.
- SINGH, T. N. & SINGH, B. (1985): Model Simulation Study of Coal Mining Under River Beds in India. – *Int. J. Mine Water*, **4**(3):1-9, 5 Fig., 3 Tab.



- SINGH, T. N., SINGH, V. K. & SINHA, S. (2006): Prediction of Cadmium Removal Using an Artificial Neural Network and a Neuro-Fuzzy Technique. – *Mine Water Environ.*, **25**(4):214-219, 6 Fig., 1 Tab.
- SIVAKUMAR, M., SINGH, R. N. & MORTON, S. G. S. (1992): Mine Water Effluent Quality in the Illawarra Region. – *Mine Water Environ.*, **11**(2):1-10, 5 Fig., 2 Tab.
- SIVAKUMAR, M., SINGH, R. N. & MORTON, S. G. S. (1994): Mine Water Management and Controls in an Environmentally Sensitive Region. – *Mine Water Environ.*, **13**(1):27-39, 4 Fig., 2 Tab.
- SKORONSKI, E., OHRT, A. C., DE OLIVEIRA CORDELLA, R., TREVISAN, V., FERNANDES, M., MIGUEL, T. F., MENEGARO, D. A., DOMINGUINI, L. & MARTINS, P. R. (2017): Using Acid Mine Drainage to Recover a Coagulant from Water Treatment Residuals. – *Mine Water Environ.*, **36**(4):495-501, doi:10.1007/s10230-016-0423-3.
- SKOUSEN, J., ZIPPER, C. E., ROSE, A., ZIEMKIEWICZ, P. F., NAIRN, R., McDONALD, L. M. & KLEINMANN, R. L. (2017): Review of Passive Systems for Acid Mine Drainage Treatment. – *Mine Water Environ.*, **36**(1):133-153, doi:10.1007/s10230-016-0417-1.
- SOARES, A. B., POSSA, M. V., SOUZA, V. P. D., SOARES, P. S. M., BARBOSA, M. C., UBALDO, M. D. O., BERTOLINO, A. V. F. A. & BORMA, L. S. (2010): Design of a Dry Cover Pilot Test for Acid Mine Drainage Abatement in Southern Brazil, Part II: Pilot Unit Construction and Initial Monitoring. – *Mine Water Environ.*, **29**(4):277-284, 9 Fig., 2 Tab.; doi:10.1007/s10230-010-0126-0.
- SOBEK, A. A., RASTOGI, V. & BENEDETTI, D. A. (1990): Prevention of Water Pollution Problems in Mining: The Bactericide Technology. – *Int. J. Mine Water*, **9**(1-4):133-148, 9 Fig., 6 Tab.
- SONI, A. K. (2007): Evaluation of Hydrogeological Parameters Associated with Limestone Mining: A Case Study from Chandrapur, India. – *Mine Water Environ.*, **26**(2):110-118, 3 Fig., 4 Tab.; doi:10.1007/s10230-007-0157-3.
- SONI, A. K. (2020): Estimation of Mine Water Quantity: Development of Guidelines for Indian Mines. – *Mine Water Environ.*, **39**(2):397-406, doi:10.1007/s10230-020-00685-8.
- SOUISSI, R., SOUISSI, F., CHAKROUN, H. K. & BOUCHARDON, J. L. (2013): Mineralogical and Geochemical Characterization of Mine Tailings and Pb, Zn, and Cd Mobility in a Carbonate Setting (Northern Tunisia). – *Mine Water Environ.*, **32**(1):16-27, 5 Fig., 6 Tab.; doi:10.1007/s10230-012-0208-2.
- STEPHENSON, D. (1983): Distribution of Water in Gold Mines in South Africa. – *Int. J. Mine Water*, **2**(2):21-30, 2 Abb.
- STOERTZ, M. W., BOURNE, H., KNOTTS, C. & WHITE, M. M. (2002): The Effects of Isolation and Acid Mine Drainage on Fish and Macroinvertebrate Communities of Monday Creek, Ohio, USA. – *Mine Water Environ.*, **21**(2):60-72, 2 Fig., 5 Tab.
- STRASKRABA, V. (1984): Ground Water as a Nuisance. – *Int. J. Mine Water*, **3**(1):25-40, 7 Abb.
- STRASKRABA, V. (1986): Ground Water Recovery Problems Associated with Open Pit reclamation on the Western U.S.A. – *Int. J. Mine Water*, **5**(4):49-56.
- STRASKRABA, V. & ABEL, J. F., JR. (1994): The Differences in Underground Mines Dewatering with the Application of Caving or Backfilling Mining Methods. – *Mine Water Environ.*, **13**(2):1-19, 3 Fig., 3 Tab.



- STRASKRABA, V. & MORAN, R. E. (1990): Environmental Occurrence and Impacts of Arsenic at Gold Mining Sites in the Western United States. – *Int. J. Mine Water*, **9**(1-4):181-191, 2 Fig., 1 Tab.
- STROSNIDER, W. H. J., HUGO, J., SHEPHERD, N. L., HOLZBAUER-SCHWEITZER, B. K., HERNANDEZ, P., WOLKERSDORFER, C. & NAIRN, R. W. (2020): A Snapshot of Coal Mine Drainage Discharge Limits for Conductivity, Sulfate, and Manganese across the Developed World. – *Mine Water Environ.*, **39**(2):165-172, doi:10.1007/s10230-020-00669-8.
- STROSNIDER, W. H. J., WINFREY, B. K. & NAIRN, R. W. (2011): Alkalinity Generation in a Novel Multi-stage High-strength Acid Mine Drainage and Municipal Wastewater Passive Co-treatment System. – *Mine Water Environ.*, **30**(1):47-53, 2 Fig., 2 Tab.; doi:10.1007/s10230-010-0124-2.
- STRUGALA-WILCZEK, A., STANCZYK, K. & BEBEK, K. (2020): Comparison of Metal Adsorption from Aqueous Solutions on Coal and Char Remaining After In-situ Underground Coal Gasification (UCG). – *Mine Water Environ.*, **39**(2):369-379, doi:10.1007/s10230-020-00677-8.
- STRUZINA, M., MÜLLER, M., DREBENSTEDT, C., MANSSEL, H. & JOLAS, P. (2011): Dewatering of Multi-aquifer Unconsolidated Rock Opencast Mines: Alternative Solutions with Horizontal Wells. – *Mine Water Environ.*, **30**(2):90-104, 16 Fig., 2 Tab.; doi:10.1007/s10230-011-0149-1.
- SULAYMON, A. H., FAISAL, A. A. H. & KHALIEFA, Q. M. (2017): Dominant Mechanisms for Metal Removal from Acidic Aqueous Solutions by Cement Kiln Dust. – *Mine Water Environ.*, **36**(2):209-216, doi:10.1007/s10230-016-0416-2.
- SUN, J. & MIAO, X. X. (2017): Water-Isolating Capacity of an Inclined Coal Seam Floor Based on the Theory of Water-Resistant Key Strata. – *Mine Water Environ.*, **36**(2):310-322, doi:10.1007/s10230-017-0428-6.
- SUN, Q., ZHANG, J., ZHOU, N. & QI, W. (2018): Roadway Backfill Coal Mining to Preserve Surface Water in Western China. – *Mine Water Environ.*, **37**(2):366-375, doi:10.1007/s10230-017-0466-0.
- SUN, W., WU, Q., DONG, D. & JIAO, J. (2012): Avoiding Coal-Water Conflicts During the Development of China's Large Coal-Producing Regions. – *Mine Water Environ.*, **31**(1):74-78, 2 Fig., 1 Tab.; doi:10.1007/s10230-012-0173-9.
- SUN, W., ZHANG, S., GUO, W. & LIU, W. (2017): Physical Simulation of High-Pressure Water Inrush Through the Floor of a Deep Mine. – *Mine Water Environ.*, **36**(4):542-549, doi:10.1007/s10230-017-0443-7.
- SUN, W., ZHOU, W. & JIAO, J. (2016): Hydrogeological Classification and Water Inrush Accidents in China's Coal Mines. – *Mine Water Environ.*, **35**(2):214-220, doi:10.1007/s10230-015-0363-3.
- SUN, W. B., XUE, Y. C., LI, T. T. & LIU, W. T. (2019): Multi-field Coupling of Water Inrush Channel Formation in a Deep Mine with a Buried Fault. – *Mine Water Environ.*, **38**(3):528-535, doi:10.1007/s10230-019-00616-2.
- SURESH, S., DINAKAR, N., PRASAD, T. N. V. K. V., NAGAJYOTHI, P. C., DAMODHARAM, T. & NAGARAJU, A. (2007): Effects of a Barite Mine on Ground Water Quality in Andhra Pradesh, India. – *Mine Water Environ.*, **26**(2):119-123, 2 Tab.



- SUZUKI, Y., TAKENAKA, C., TOMIOKA, R., TSUBOTA, H., TAKASAKI, Y. & UMEMURA, T. (2016): Accumulation of Arsenic and Copper by Bryophytes Growing in an Aquatic Environment near Copper Mine Tailings. – *Mine Water Environ.*, **35**(3):265-272, doi:10.1007/s10230-015-0335-7.
- TA, D., CAO, S., STEYL, G., YANG, H. & LI, Y. (2019): Prediction of Groundwater Inflow into an Iron Mine: A Case Study of the Thach Khe Iron Mine, Vietnam. – *Mine Water Environ.*, **38**(2):310-324, doi:10.1007/s10230-019-00595-4.
- TAVCAR, P., GANTAR, I., REPINC, U., JACOPIC, R. & BENEDIK, L. (2003): Determination of long-lived radionuclides in underground water. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 383-389, 3 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- TAYLOR, J. & WARING, C. (2001): The Passive Prevention of ARD in Underground Mines by Displacement of Air with a Reducing Gas Mixture: GaRDS. – *Mine Water Environ.*, **20**(1):2-7, 1 Abb.; doi:10.1007/s10230-001-8074-3.
- TEIXEIRA, L. A. C., QUEIROZ, J. P. L. & MARQUEZ-SARMIENTO, C. (2017): Oxidative Precipitation of Manganese from Dilute Waters. – *Mine Water Environ.*, **36**(3):452-456, doi:10.1007/s10230-016-0411-7.
- TEREZOPOULOS, N. G. & SINGH, R. N. (1987): Ground Water Control by Grouting in Tunnels for a Pumped Storage Scheme. – *Int. J. Mine Water*, **6**(1):33-48, 10 Fig., 2 Tab.
- TESARIK, D. R. & KEALY, C. D. (1984): Estimating Horizontal Drain Design by the Finite-Element and Finite-Difference Methods. – *Int. J. Mine Water*, **3**(3):1-18, 20 Fig., 2 Tab.
- THOMPSON, K., CADLE, S. & ROEMER, G. (2015): Integrating Less Common Data Sources to Improve Groundwater Model Calibration. – *Mine Water Environ.*, **34**(2):153-161, doi:10.1007/s10230-014-0294-4.
- TISCHLER, J. S., WIACEK, C., JANNECK, E. & SCHLÖMANN, M. (2013): Microbial Abundance in the Schwertmannite Formed in a Mine Water Treatment Plant. – *Mine Water Environ.*, **32**(4):258-265, 5 Fig., 2 Tab.; doi:10.1007/s10230-013-0250-8.
- TIWARI, A. K., SINGH, P. K. & MAHATO, M. K. (2016): Environmental Geochemistry and a Quality Assessment of Mine Water of the West Bokaro Coalfield, India. – *Mine Water Environ.*, **35**(4):525-535, doi:10.1007/s10230-015-0382-0.
- TIWARI, A. K., SINGH, P. K. & MAHATO, M. K. (2017): Assessment of Metal Contamination in the Mine Water of the West Bokaro Coalfield, India. – *Mine Water Environ.*, **36**(4):532-541, doi:10.1007/s10230-017-0440-x.
- TIWARY, R. K. & DHAR, B. B. (1994): Environmental Pollution from Coal Mining Activities in Damodar River Basin, India. – *Mine Water Environ.*, **13**(3-4):1-9, 2 Fig., 2 Tab.
- TORRE, M. L. D. L., GRANDE, J. A., SANTISTEBAN, M., VALENTE, T. M., BORREGO, J. & SALGUERO, F. (2014): Statistical Contrast Analysis of Hydrochemical Parameters Upstream of the Tidal Influence in two AMD-Affected Rivers. – *Mine Water Environ.*, **33**(3):217-227, 6 Fig., 3 Tab.; doi:10.1007/s10230-013-0258-0.
- TOTSCHKE, O., FYSON, A. & STEINBERG, C. E. W. (2006): Microbial Alkalinity Production to Prevent Reacidification of Neutralized Mining Lakes. – *Mine Water Environ.*, **25**(4):204-213, 4 Fig., 3 Tab.



- TOUGHZAOU, S., AMARI, K. E., BENKADDOUR, A., HIBTI, M. & ESSARRAJ, S. (2015): Hydrogeochemical and Isotopic Studies of the Kettara Mine Watershed, Morocco. – *Mine Water Environ.*, **34**(3):308-319, doi:10.1007/s10230-015-0326-8.
- TRISASONGKO, B., LEES, B. & PAULL, D. (2006): Polarimetric Classification in a Tailings Deposition Area at the Timika Mine Site, Indonesia. – *Mine Water Environ.*, **25**(4):246-250, 2 Fig., 1 Tab.
- TRUMM, D. & POPE, J. (2015): Passive Treatment of Neutral Mine Drainage at a Metal Mine in New Zealand Using an Oxidizing System and Slag Leaching Bed. – *Mine Water Environ.*, **34**(4):430-441, doi:10.1007/s10230-015-0355-3.
- TURK, T. (2017): Removal of Dissolved Arsenic by Pyrite Ash Waste. – *Mine Water Environ.*, **36**(2):255-263, doi:10.1007/s10230-016-0406-4.
- TURUNEN, K., BACKNÄS, S., NEITOLA, R. & PASANEN, A. (2016): Factors Controlling the Migration of Tailings-Derived Arsenic: A Case Study at the Yara Siilinjärvi Site. – *Mine Water Environ.*, **35**(4):407-420, doi:10.1007/s10230-016-0393-5.
- TUTU, H., CUKROWSKA, E., MCCARTHY, T. S., MPHEPHU, N. F. & HART, R. (2003): Determination and modelling of geochemical speciation of uranium in gold mine polluted land in South Africa. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 137-155, 10 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- TWIDWELL, L. G., GAMMONS, C. H., YOUNG, C. A. & BERG, R. B. (2006): Summary of Deepwater Sediment/Pore Water Characterization for the Metal-laden Berkeley Pit Lake in Butte, Montana. – *Mine Water Environ.*, **25**(2):86-92, 3 Fig., 4 Tab.
- UHLÍK, J. & BAIER, J. (2012): Model Evaluation of Thermal Energy Potential of Hydrogeological Structures with Flooded Mines. – *Mine Water Environ.*, **31**(3):179-191, 14 Fig., 3 Tab.; doi:10.1007/s10230-012-0186-4.
- UHLMANN, W., BÜTTCHER, H., TOTSCHKE, O. & STEINBERG, C. E. W. (2004): Buffering of Acidic Mine Lakes: The Relevance of Surface Exchange and Solid-Bound Sulphate. – *Mine Water Environ.*, **23**(1):20-27, 7 Fig., 4 Tab.
- ULRICH, K.-U., BETHGE, C., GUDERITZ, I., HEINRICH, B., NEUMANN, V., NITSCHKE, C. & BENTHAUS, F.-C. (2012): In-Lake Neutralization: Quantification and Prognoses of the Acid Load into a Conditioned Pit Lake (Lake Bockwitz, Central Germany). – *Mine Water Environ.*, **31**(4):320-338, 7 Fig., 6 Tab.; doi:10.1007/s10230-012-0206-4.
- UNSAI, B. & YAZICIGIL, H. (2016): Assessment of Open Pit Dewatering Requirements and Pit Lake Formation for the Kışladağ Gold Mine, Uşak, Turkey. – *Mine Water Environ.*, **35**(2):180-198, doi:10.1007/s10230-015-0345-5.
- USTER, B., O’SULLIVAN, A. D., KO, S. Y., EVANS, A., POPE, J., TRUMM, D. & CARUSO, B. (2015): The Use of Mussel Shells in Upward-Flow Sulfate-Reducing Bioreactors Treating Acid Mine Drainage. – *Mine Water Environ.*, **34**(4):442-454, doi:10.1007/s10230-014-0289-1.
- VAHT, R., MAYES, W. & LUUD, A. (2011): Impact of Oil Shale Mining on Flow Regimes in Northeast Estonia. – *Mine Water Environ.*, **30**(4):284-295, 8 Fig., 3 Tab.; doi:10.1007/s10230-011-0162-4.
- VALIENTE, M., DIEZ, S., MASANTA, A., FRIAS, C. & MUHAMMED, M. (1991): Separation of Copper and Zinc from Waste Acid Mine Effluents of Rio Tinto Area. – *Mine Water Environ.*, **10**(1-4):17-27, 13 Fig., 1 Tab.



- VAN DER SLOOT, H. A. & VAN ZOMEREN, A. (2012): Characterisation Leaching Tests and Associated Geochemical Speciation Modelling to Assess Long Term Release Behaviour from Extractive Wastes. – *Mine Water Environ.*, **31**(2):92-103, 7 Fig., 3 Tab.; doi:10.1007/s10230-012-0182-8.
- VAN TONDER, G. J., USHER, B. H., DENNIS, I. & VERMEULEN, P. D. (2007): Predicting Rebound in a Deep Colliery in South Africa. – *Mine Water Environ.*, **26**(2):79-87, 12 Fig., 3 Tab.; doi:10.1007/s10230-007-0154-6.
- VANDENBERG, J. & LITKE, S. (2018): Beneficial Use of Springer Pit Lake at Mount Polley Mine. – *Mine Water Environ.*, **37**(4):663-672, doi:10.1007/s10230-017-0504-y.
- VANDENBERG, J. A., HERRELL, M., FAITHFUL, J. W., SNOW, A. M., LACRAMPE, J., BIEBER, C., DAYYANI, S. & CHISHOLM, V. (2016): Multiple Modeling Approach for the Aquatic Effects Assessment of a Proposed Northern Diamond Mine Development. – *Mine Water Environ.*, **35**(3):350-368, doi:10.1007/s10230-015-0337-5.
- VARNELL, C. J., BRAHANA, J. V. & STEELE, K. (2004): The Influence of Coal Quality Variation on Utilization of Water from Abandoned Coal Mines as a Municipal Water Source. – *Mine Water Environ.*, **23**(4):205-209, 3 Abb.
- VAZQUEZ, O., PU, X., MONNELL, J. D. & NEUFELD, R. D. (2010): Release of Aluminum from Clays in an Acid Rock Drainage Environment. – *Mine Water Environ.*, **29**(4):270-276, 2 Fig., 4 Tab.; doi:10.1007/s10230-010-0114-4.
- VELLEMU, E. C., MENSAH, P. K., GRIFFIN, N. J., ODUME, O. N., PALMER, C. G. & DOWSE, R. (2018): Using a Risk-based Approach for Derivation of Water Quality Guidelines for Sulphate. – *Mine Water Environ.*, **37**(1):166-173, doi:10.1007/s10230-017-0480-2.
- VERBURG, R., BEZUIDENHOUT, N., CHATWIN, T. & FERGUSON, K. (2009): The Global Acid Rock Drainage Guide (GARD Guide). – *Mine Water Environ.*, **28**(4):305-310, 1 Abb.; doi:10.1007/s10230-009-0078-4.
- VERMEULEN, P. D., BURGER, M. & VAN WYK, A. (2014): Potential Hydrological Interaction of a Gold Mine and a Coal Mine in South Africa. – *Mine Water Environ.*, **33**(1):3-14, 10 Fig., 2 Tab.; doi:10.1007/s10230-013-0237-5.
- VERMEULEN, P. D., BURGER, M., VAN WYK, A. & LUKAS, E. (2014): Using Environmental Isotopes in a Coal Mine and a Gold Mine to Determine Groundwater Interaction. – *Mine Water Environ.*, **33**(1):15-23, 8 Fig., 1 Tab.; doi:10.1007/s10230-013-0245-5.
- VONG, C. Q., GOURDIER, S. & BAZARGAN-SABET, B. (2019): A Robust Model Coupling Subsidence with Salt Dissolution. – *Mine Water Environ.*, **38**(1):166-177, doi:10.1007/s10230-018-0552-y.
- VOZNJUK, G. G. & GORSHKOV, V. A. (1983): Mine Water Utilization in the USSR National Economy. – *Int. J. Mine Water*, **2**(1):23-30, 1 Abb.; doi:10.1007/BFO2504618.
- VREČEK, P. & BENEDIK, L. (2002): Determination of ²¹⁰Pb and ²¹⁰Po in Sediments, Water, and Plants in an Area Contaminated with Mine Waste. – *Mine Water Environ.*, **21**(4):156-159, 2 Fig., 3 Tab.
- VUTUKURI, V. S. & SINGH, R. N. (1993): Recent Developments in Pumping Systems in Underground Metalliferous Mining. – *Mine Water Environ.*, **12**(1-4):71-94, 18 Abb.
- VUTUKURI, V. S. & SINGH, R. N. (1995): Mine Inundation – Case Histories. – *Mine Water Environ.*, **14**(1-4):107-130, 12 Fig., 2 Tab.; doi:10.1007/BFO2914857.



- WAGGITT, P. (2001): Environmental Compliance Requirements to be Observed by Active and Closed-out Uranium Mines in Northern Australia – an Update. – *Mine Water Environ.*, **20**(4):178-189, 4 Abb.; doi:10.1007/s10230-001-8103-2.
- WALDER, I. F., NILSSEN, S., RÄISÄNEN, M. L., HEIKKINEN, P. M., PULKKINEN, K., KOROKKA-NIEMI, K., SALONEN, V.-P., DESTOUNI, G., HASCHE, A., WOLKERSDORFER, C., WITKOWSKI, A. J., BLACHÈRE, A., MOREL, S., LEFORT, D., MIDŽIĆ, S., SILAJDŽIĆ, I., COULTON, R. H., WILLIAMS, K. P., REES, B., HALLBERG, K. B. & JOHNSON, D. B. (2005): Contemporary Reviews of Mine Water Studies in Europe, Part 2. – *Mine Water Environ.*, **24**(1):2-37, 10 Fig., 13 Tab.; doi:10.1007/s10230-005-0068-0.
- WALKER, S. C. (1988): An Introduction to Screw-Type Pumps within the Mining Industry. – *Int. J. Mine Water*, **7**(2):19-32, 5 Abb.
- WANDINGER, M. (1999): Water-related Issues in Permafrost Mining, with Special Emphasis on the Coal Mining of Spitsbergen (Norway). – *Mine Water Environ.*, **18**(1):67-74, 2 Abb.
- WANG, B., DONG, X. L., CHEN, B. & DOU, T. T. (2019): Hydraulic Conductivity of Geosynthetic Clay Liners Permeated with Acid Mine Drainage. – *Mine Water Environ.*, **38**(3):658-666, doi:10.1007/s10230-019-00611-7.
- WANG, F., XU, J. L., CHEN, S. J. & REN, M. Z. (2019): Method to Predict the Height of the Water Conducting Fractured Zone Based on Bearing Structures in the Overlying Strata. – *Mine Water Environ.*, **38**(4):767-779, doi:10.1007/s10230-019-00638-w.
- WANG, M. & LI, J. (1987): Technology of Mine Water Control in China. – *Int. J. Mine Water*, **6**(3):25-38, 7 Abb.
- WANG, Q., WANG, X. & HOU, Q. (2016): Geothermal Water at a Coal Mine: From Risk to Resource. – *Mine Water Environ.*, **35**(3):294-301, doi:10.1007/s10230-015-0352-6.
- WANG, Q., WANG, X., LIU, X., ZHEN, X., GUO, J., CHEN, G. & ZHANG, B. (2018): Prevention of Groundwater Disasters in Coal Seam Floors Based on TEM of Cambrian Limestone. – *Mine Water Environ.*, **37**(2):300-311, doi:10.1007/s10230-017-0500-2.
- WANG, X., LI, S., XU, Z., LIN, P., HU, J. & WANG, W. (2019): Analysis of Factors Influencing Floor Water Inrush in Coal Mines: A Nonlinear Fuzzy Interval Assessment Method. – *Mine Water Environ.*, **38**(1):81-92, doi:10.1007/s10230-018-00578-x.
- WANG, X. Y., WANG, T. T., WANG, Q., LIU, X. M., LI, R. Z. & LIU, B. J. (2017): Evaluation of Floor Water Inrush based on Fractal Theory and an Improved Analytic Hierarchy Process. – *Mine Water Environ.*, **36**(1):87-95, doi:10.1007/s10230-016-0407-3.
- WANNER, P., AL-SULAIMANI, M. Y. N., WABER, N. & WANNER, C. (2015): Assessing the Environmental Hazard of Using Seawater for Ore Processing at the Lasail Mine Site in the Sultanate of Oman. – *Mine Water Environ.*, **34**(1):59-74, doi:10.1007/s10230-014-0281-9.
- WARJRI, S. M. & SYIEM, M. B. (2018): Analysis of Biosorption Parameters, Equilibrium Isotherms and Thermodynamic Studies of Chromium (VI) Uptake by a Nostoc sp. Isolated from a Coal Mining Site in Meghalaya, India. – *Mine Water Environ.*, **37**(4):713-723, doi:10.1007/s10230-018-0523-3.
- WARRENDER, R., PEARCE, N. J. G., PERKINS, W. T., FLORENCE, K. M., BROWN, A. R., SAPSFORD, D. J., BOWELL, R. J. & DEY, M. (2011): Field Trials of Low-Cost Permeable Reactive Media for the Passive Treatment of Circum-Neutral Metal Mine Drainage in mid-Wales, UK. – *Mine Water Environ.*, **30**(2):82-89, 4 Fig., 3 Tab.; doi:10.1007/s10230-011-0150-8.



- WATERHOUSE, J., MURIE, A. & THOMSON, D. (2003): Groundwater inflows and management at Emily Ann and Maggie Hays underground Nickel mines, Western Australia. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 73-81, 5 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- WATERS, A. S. & WEBSTER-BROWN, J. G. (2016): Is Dilution a Solution to Aluminium Toxicity in an Acid Mine Drainage Affected Stream on the Stockton Plateau, New Zealand? – *Mine Water Environ.*, **35**(2):235-242, doi:10.1007/s10230-016-0387-3.
- WATZLAF, G. R. & ACKMAN, T. E. (2006): Underground Mine Water for Heating and Cooling using Geothermal Heat Pump Systems. – *Mine Water Environ.*, **25**(1):1-14, 9 Fig., 2 Tab.
- WATZLAF, G. R., SCHROEDER, K. T. & KAIRIES, C. L. (2000): Long-term performance of anoxic limestone drains. – *Mine Water Environ.*, **19**(2):98-110, 3 Fig., 5 Tab.
- WAUGH, W. J., SMITH, G. M., BERGMAN-TABBERT, D. & METZLER, D. R. (2001): Evolution of Cover Systems for the Uranium Mill Tailings Remedial Action Project, USA. – *Mine Water Environ.*, **20**(4):190-197, 3 Abb.; doi:10.1007/s10230-001-8104-1.
- WEI, J. C., WU, F. Z., YIN, H. Y., GUO, J. B., XIE, D. L., XIAO, L. L., ZHI, H. F. & LEFTICARIU, L. (2017): Formation and Height of the Interconnected Fractures Zone after Extraction of Thick Coal Seams with Weak Overburden in Western China. – *Mine Water Environ.*, **36**(1):59-66, doi:10.1007/s10230-016-0396-2.
- WEI, L., CAI, M., DU, Y., TANG, J., WU, Q., XIAO, T., LUO, D., HUANG, X., LIU, Y., FEI, Y. & CHEN, Y. (2019): Spatial Attenuation of Mining/Smelting-Derived Metal Pollution in Sediments From Tributaries of the Upper Han River, China. – *Mine Water Environ.*, **38**(2):410-420, doi:10.1007/s10230-018-00583-0.
- WEIDNER, C., HENKEL, S., LORKE, S., RÜDE, T. R., SCHÜTTRUMPF, H. & KLAUDER, W. (2012): Experimental Modelling of Chemical Clogging Processes in Dewatering Wells. – *Mine Water Environ.*, **31**(4):242-251, 9 Fig., 4 Tab.; doi:10.1007/s10230-012-0188-2.
- WEIERSBYE, I. M. & WITKOWSKI, E. T. F. (2003): Acid rock drainage (ARD) from gold tailings dams on the Witwatersrand basin impacts on tree seed fate, viability, inorganic content and seedling morphology. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 311-328, 4 Fig., 3 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- WENDLAND, E. & HIMMELSBACH, T. (2002): Underground Waste Repositories in Exhausted Coal Mines – Recent Developments. – *Mine Water Environ.*, **21**(4):160-167, 11 Abb.
- WERNER, E., DONOVAN, J. J. & BARKER, E. (2008): Alkaline Injection of Concentrated Sodium Hydroxide Solution into an Acidic Surface Mine Spoil Aquifer. – *Mine Water Environ.*, **27**(2):109-121, 9 Fig., 3 Tab.; doi:10.1007/s10230-008-0040-x.
- WERNER, F., BILEK, F. & LUCKNER, L. (2001): Implications of Predicted Hydrologic Changes on Lake Senftenberg as Calculated Using Water and Reactive Mass Budgets. – *Mine Water Environ.*, **20**(3):129-139, 8 Fig., 4 Tab.; doi:10.1007/s10230-001-8094-z.
- WESTERSTRAND, M. & ÖHLANDER, B. (2011): Geochemical Effects of Increased Production on Recirculated Process Water at the Kiirunavaara Iron Mine, Northern Swede. – *Mine Water Environ.*, **30**(4):252-262, 8 Fig., 7 Tab.; doi:10.1007/s10230-011-0156-2.
- WEYER, J. (2003): Collapse of the adit “Rothschoenberger Stollen” as a result of the flood on 12/13 August 2002. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 477-492, 24 Fig., 1 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).



- WHALEY-MARTIN, K., MARSHALL, S., NELSON, T. E. C., TWIBLE, L., JAROLIMEK, C. V., KING, J. J., APTE, S. C. & WARREN, L. A. (2020): A Mass-Balance Tool for Monitoring Potential Dissolved Sulfur Oxidation Risks in Mining Impacted Waters. – *Mine Water Environ.*, **39**(2):291-307, doi:10.1007/s10230-020-00671-0.
- WHEELER, A. (1988): Pumps and Pumping – What the Industry wants from Pump Manufacturers. – *Int. J. Mine Water*, **7**(2):1-6.
- WHITBREAD, J. J., WILLIAMS, R. E. & MILLER, S. M. (1992): A Statistical Method to evaluate potentially similar Zones of Groundwater Discharge at the Bunker Hill Mine near Kellog, Idaho. – *Mine Water Environ.*, **11**(3):17-25, 4 Fig., 2 Tab.
- WHITMAN, S. K. & BREITMEYER, R. J. (2019): Sensitivity of Percolation Estimates to Modeling Methodology: A Case Study at an Unlined Tailings Facility with Limited Monitoring Data. – *Mine Water Environ.*, **38**(2):294-309, doi:10.1007/s10230-019-00591-8.
- WIEBER, G. (2002): Ground Water in Abandoned Mercury Mines: A Study from the Saar-Nahe Basin in Southwestern Germany. – *Mine Water Environ.*, **21**(2):73-80, 5 Fig., 4 Tab.
- WIEBER, G., STEMKE, M., WONIK, T., ENZMANN, F. & KERSTEN, M. (2019): Stratification Dynamics and Geothermal Potential of a Deep Shaft in the Flooded Wolf Mine, Siegerland/Germany. – *Mine Water Environ.*, **38**(2):325-334, doi:10.1007/s10230-019-00602-8.
- WILKIN, R. T. (2008): Contaminant Attenuation Processes at Mine Sites. – *Mine Water Environ.*, **27**(4):251-258, 2 Tab.; doi:10.1007/s10230-008-0049-1.
- WILLIAMS, R. E. & KIRSCHNER, F. E., JR. (1992): Hydrogeological Evaluation of a Prototype In-situ Leach Cell in Unsaturated Lead-Zinc Mine and Mill Wastes. – *Mine Water Environ.*, **11**(4):23-33, 7 Abb.
- WINFREY, B. K., NAIRN, R. W., TILLEY, D. R. & STROSNIER, W. H. J. (2015): Emergy and Carbon Footprint Analysis of the Construction of Passive and Active Treatment Systems for Net Alkaline Mine Drainage. – *Mine Water Environ.*, **34**(1):31-41, doi:10.1007/s10230-014-0304-6.
- WISOTZKY, F. (2001): Prevention of Acidic Groundwater in Lignite Overburden Dumps by the Addition of Alkaline Substances: Pilot-scale Field Experiments. – *Mine Water Environ.*, **20**(3):122-128, 6 Fig., 2 Tab.; doi:10.1007/s10230-001-8093-0.
- WITKOWSKI, A. J., MOTYKA, J. & WRÓBEL, J. (2003): Assessment of potential risk of groundwater contamination in areas subjected to the intensive mining drainage – Case study from Poland – Olkusz Zn-Pb ore mining region. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 221-234, 9 Fig., 4 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- WOLKERSDORFER, C. (2002): Twenty years of the International Mine Water Association Journal – the First Issue. – *Mine Water Environ.*, **21**(2):100-101, 3 Abb.; doi:10.1007/s102300200025.
- WOLKERSDORFER, C. (2004): Mine Water Literature in ISI's Science Citation Index Expanded™. – *Mine Water Environ.*, **23**(2):96-99, 3 Fig., 3 Tab.; doi:10.1007/s10230-004-0046-y.
- WOLKERSDORFER, C. (2011): Tracer Test in a Settling Pond – The Passive Mine Water Treatment Plant of the 1 B Mine Pool, Nova Scotia, Canada. – *Mine Water Environ.*, **30**(2):105-112, 6 Fig., 1 Tab.; doi:10.1007/s10230-011-0147-3.



- WOLKERSDORFER, C. (2012): Wood: Disasters and Minewater (Book Review). – *Mine Water Environ.*, **31**(3):233-235, doi:10.1007/s10230-012-0195-3.
- WOLKERSDORFER, C. & BAIERER, C. (2013): Improving Mine Water Quality by Low Density Sludge Storage in Flooded Underground Workings. – *Mine Water Environ.*, **32**(1):3-15, 10 Fig., 4 Tab.; doi:10.1007/s10230-012-0204-6.
- WOLKERSDORFER, C. & BOWELL, R. J. (2004): Contemporary Reviews of Mine Water Studies in Europe. – *Mine Water Environ.*, **23**(4):161, doi:10.1007/s10230-004-0059-6.
- WOLKERSDORFER, C. & BOWELL, R. J. (2005): Contemporary Reviews of Mine Water Studies in Europe. – *Mine Water Environ.*, **24**(3):1-76, 33 Fig., 21 Tab.; doi:10.1007/s10230-005-0081-3.
- WOLKERSDORFER, C., BOWELL, R. J., O'SULLIVAN, A. D., DIELS, L., GRMELA, A., RAPANTOVÁ, N., PFEIFER, H.-R., DOLD, B., MIDŽIĆ, S., SILAJDŽIĆ, I., CABRAL PINTO, M. M. S. & SILVA, M. M. V. G. (2005): Contemporary Reviews of Mine Water Studies in Europe, Part 3. – *Mine Water Environ.*, **24**(2):58-76, doi:10.1007/s10230-005-0074-2.
- WOLKERSDORFER, C., FELDTNER, N. & TREBUŠAK, I. (2002): Mine Water Tracing – A Tool for Assessing Flow Paths in Flooded Underground Mines. – *Mine Water Environ.*, **21**(1):7-14, 3 Fig., 3 Tab.; doi:10.1007/s102300200002.
- WOLKERSDORFER, C. & KUBIAK, C. (2008): Low Density Sludge Storage in a flooded Underground Mine. – In: Rapantova, N. & Hrkal, Z. (eds): *Mine Water Environ.* – p. 51-54, 1 Fig., 1 Tab.; Ostrava (VSB – Technical University of Ostrava).
- WOLKERSDORFER, C., NORDSTROM, D. K., BECKIE, R. D., CICERONE, D. S., ELLIOT, T., EDRAKI, M., VALENTE, T., FRANCA, S. C. A., KUMAR, P., LUCERO, R. A. O. & GIL, A. S. I. (2020): Guidance for the Integrated Use of Hydrological, Geochemical, and Isotopic Tools in Mining Operations. – *Mine Water Environ.*, **39**(2):204-228, doi:10.1007/s10230-020-00666-x.
- WOLKERSDORFER, C., TAMME, S. & HASCHE, A. (2003): Natural attenuation of iron rich mine water by a surface brook. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 433-439, 7 Abb.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- WOLKERSDORFER, C. & THIEM, G. (1999): Ground Water Withdrawal and Land Subsidence in Northeastern Saxony (Germany). – *Mine Water Environ.*, **18**(1):81-92, 3 Fig., 4 Tab.; doi:10.1007/BF02687252.
- WOLKERSDORFER, C., YOUNGER, P. L. & BOWELL, R. J. (2004): PADRE – Partnership for Acid Drainage Remediation in Europe. – *Mine Water Environ.*, **23**(4):181-182, doi:10.1007/s10230-004-0060-0.
- WU, H. & CHEN, S. (1987): Studying and Controlling Mine Water in Xishmen Iron Mine. – *Int. J. Mine Water*, **6**(4):15-30, 7 Fig., 2 Tab.
- WU, Q., FAN, S., ZHOU, W. & LIU, S. (2013): Application of the Analytic Hierarchy Process to Assessment of Water Inrush: A Case Study for the No. 17 Coal Seam in the Sanhejian Coal Mine, China. – *Mine Water Environ.*, **32**(3):229-238, 8 Fig., 1 Tab.; doi:10.1007/s10230-013-0228-6.
- WU, Q., GUO, X. M., SHEN, J. J., XU, S., LIU, S. Q. & ZENG, Y. F. (2017): Risk Assessment of Water Inrush from Aquifers Underlying the Gushuyuan Coal Mine, China. – *Mine Water Environ.*, **36**(1):96-103, doi:10.1007/s10230-016-0410-8.



- WU, Q., LIU, Y., ZHOU, W., LI, B., ZHAO, B., LIU, S., SUN, W. & ZENG, Y. (2015): Evaluation of Water Inrush Vulnerability from Aquifers Overlying Coal Seams in the Menkeqing Coal Mine, China. – *Mine Water Environ.*, **34**(3):258-269, doi:10.1007/s10230-014-0313-5.
- WU, T. & QIN, J. (2018): Experimental Study of a Tailings Impoundment Dam Failure Due to Overtopping. – *Mine Water Environ.*, **37**(2):272-280, doi:10.1007/s10230-018-0529-x.
- WYSOCKA, M., CHALUPNIK, S., CHMIELEWSKAL, I., JANSON, E., RADZIEJOWSKI, W. & SARNOLEJ, K. (2019): Natural Radioactivity in Polish Coal Mines: An Attempt to Assess the Trend of Radium Release into the Environment. – *Mine Water Environ.*, **38**(3):581-589, doi:10.1007/s10230-019-00626-0.
- XAVIER, A. G. (1990): Environmental-Biochemical Aspects of Heavy Metals in Acid Mine Water. – *Int. J. Mine Water*, **9**(1-4):43-55, 2 Tab.
- XIE, P., LI, W., YANG, D. & JIAO, J. (2018): Hydrogeological Model for Groundwater Prediction in the Shennan Mining Area, China. – *Mine Water Environ.*, **37**(3):505-517, doi:10.1007/s10230-017-0490-0.
- XU, D. (1987): Mine Water Control in China's Karst Aquifers. – *Int. J. Mine Water*, **6**(2):37-48, 8 Fig., 1 Tab.
- XU, D., PENG, S., XIANG, S., LIANG, M. & LIU, W. (2016): The Effects of Caving of a Coal Mine's Immediate Roof on Floor Strata Failure and Water Inrush. – *Mine Water Environ.*, **35**(3):337-349, doi:10.1007/s10230-015-0368-y.
- XU, J., LIU, S., WANG, B., ZHANG, P. & GUI, H. (2012): Electrical Monitoring Criterion for Water Flow in Faults Activated by Mining. – *Mine Water Environ.*, **31**(3):172-178, 10 Abb.; doi:10.1007/s10230-012-0184-6.
- XU, K., DAI, G., DUAN, Z. & XUE, X. (2018): Hydrogeochemical Evolution of an Ordovician Limestone Aquifer Influenced by Coal Mining: A Case Study in the Hancheng Mining Area, China. – *Mine Water Environ.*, **37**(2):238-248, doi:10.1007/s10230-018-0519-z.
- XU, S. Y., ZHANG, Y. B., SHI, H., ZHANG, Z. X. & CHEN, J. F. (2020): Impacts of Aquitard Properties on an Overlying Unconsolidated Aquifer in a Mining Area of the Loess Plateau: Case Study of the Changcun Colliery, Shanxi. – *Mine Water Environ.*, **39**(1):121-134, doi:10.1007/s10230-019-00649-7.
- XU, Y., DU, M. & LUO, Y. (2019): Using Water Injection to Prevent Shaft Failure in the Jining No. 3 Coal Mine, China. – *Mine Water Environ.*, **38**(1):60-71, doi:10.1007/s10230-018-00576-z.
- XU, Y., LUO, Y., LI, J., LI, K. & CAO, X. (2018): Water and Sand Inrush During Mining Under Thick Unconsolidated Layers and Thin Bedrock in the Zhaogu No. 1 Coal Mine, China. – *Mine Water Environ.*, **37**(2):336-345, doi:10.1007/s10230-018-0539-8.
- XU, Y. C., ZHANG, E. M., LUO, Y. Q., ZHAO, L. & YI, K. (2020): Mechanism of Water Inrush and Controlling Techniques for Fault-Traversing Roadways with Floor Heave Above Highly Confined Aquifers. – *Mine Water Environ.*, **39**(2):320-330, doi:10.1007/s10230-020-00670-1.
- XU, Z., SUN, Y., GAO, S., ZHAO, X., DUAN, R., YAO, M. & LIU, Q. (2018): Groundwater Source Discrimination and Proportion Determination of Mine Inflow Using Ion Analyses: A Case Study from the Longmen Coal Mine, Henan Province, China. – *Mine Water Environ.*, **37**(2):385-392, doi:10.1007/s10230-018-0512-6.



- YANG, B., SUI, W. & DUAN, L. (2017): Risk Assessment of Water Inrush in an Underground Coal Mine Based on GIS and Fuzzy Set Theory. – *Mine Water Environ.*, **36**(4):617-627, doi:10.1007/s10230-017-0457-1.
- YANG, B., YUAN, J., DUAN, L. & LIU, Q. (2019): Using GIS and Fractal Theory to Evaluate Degree of Fault Complexity and Water Yield. – *Mine Water Environ.*, **38**(2):261-267, doi:10.1007/s10230-018-0563-8.
- YANG, C., LIU, S. D. & WU, R. X. (2017): Quantitative Prediction of Water Volumes Within a Coal Mine Underlying Limestone Strata Using Geophysical Methods. – *Mine Water Environ.*, **36**(1):51-58, doi:10.1007/s10230-016-0394-4.
- YANG, C. & WANG, Z. (2003): Upward-pumping and downward-drainage water draining (UDWD) method and raised-bore drilling technology (CBT) – New techniques employed in shaft construction. – In: Nel, P. J. L. (ed) *Mine Water Environ.* – p. 465-475, 3 Fig., 4 Tab.; Johannesburg (Proceedings 8th International Mine Water Association Congress).
- YANG, C. & WANG, Z. (2005): Surface Pre-grouting and Freezing for Shaft Sinking in Aquifer Formations. – *Mine Water Environ.*, **24**(4):209-212, 2 Fig., 2 Tab.
- YANG, J. E., SKOUSEN, J. G., OK, Y.-S., YOO, K.-Y. & KIM, H.-J. (2006): Reclamation of Abandoned Coal Mine Waste in Korea using Lime Cake By-Products. – *Mine Water Environ.*, **25**(4):227-232, 5 Fig., 4 Tab.; doi:10.1007/s10230-006-0137-z.
- YANG, Y., CHEN, T. H., LI, P., XIE, Q. Q. & ZHAN, X. M. (2017): Cu Removal from Acid Mine Drainage by Modified Pyrite: Batch and Column Experiments. – *Mine Water Environ.*, **36**(3):371-378, doi:10.1007/s10230-016-0421-5.
- YIHDEGO, Y. & PAFFARD, A. (2017): Predicting Open Pit Mine Inflow and Recovery Depth in the Durvuljin soum, Zavkhan Province, Mongolia. – *Mine Water Environ.*, **36**(1):114-123, doi:10.1007/s10230-016-0419-z.
- YIN, H., WEI, J., LEFTICARIU, L., GUO, J., XIE, D., LI, Z. & ZHAO, P. (2016): Numerical Simulation of Water Flow from the Coal Seam Floor in a Deep Longwall Mine in China. – *Mine Water Environ.*, **35**(2):243-252, doi:10.1007/s10230-016-0385-5.
- YIN, L. M., MA, K., CHEN, J. T., XUE, Y. C., WANG, Z. Q. & CUI, B. Q. (2019): Mechanical Model on Water Inrush Assessment Related to Deep Mining Above Multiple Aquifers. – *Mine Water Environ.*, **38**(4):827-836, doi:10.1007/s10230-019-00623-3.
- YOUNGER, P. (2008): Towards Regulatory Criteria for Discharging Iron-rich Mine Water into the Sea. – *Mine Water Environ.*, **27**(1):56-61, 1 Tab.; doi:10.1007/s10230-007-0027-z.
- YOUNGER, P. L. (2000): The adoption and adaptation of passive treatment technologies for mine waters in the United Kingdom. – *Mine Water Environ.*, **19**(2):84-97, 5 Fig., 1 Tab.; doi:10.1007/BF02687257.
- YOUNGER, P. L. (2011): Hydrogeological and Geomechanical Aspects of Underground Coal Gasification and its direct Coupling to Carbon Capture and Storage. – *Mine Water Environ.*, **30**(2):127-140, 2 Fig., 4 Tab.; doi:10.1007/s10230-011-0145-5.
- YOUNGER, P. L. & MAYES, W. M. (2015): The Potential Use of Exhausted Open Pit Mine Voids as Sinks for Atmospheric CO₂: Insights from Natural Reedbeds and Mine Water Treatment Wetlands. – *Mine Water Environ.*, **34**(1):112-120, doi:10.1007/s10230-014-0293-5.
- YU, P. (1994): Surface Subsidence in the Karst Mining Area in China. – *Mine Water Environ.*, **13**(2):21-25, 2 Tab.



- YU, Z. B., ZHU, S. Y., GUAN, Y. Z. & HU, D. X. (2019): Feasibility of Modifying Coal Pillars to Prevent Sand Flow Under a Thick Loose Layer of Sediment and Thin Bedrock. – *Mine Water Environ.*, **38**(4):817-826, doi:10.1007/s10230-019-00622-4.
- YULIN, Y. & HUANJIE, X. (1985): Development of Ammonium as a Chemical Grouting Material. – *Int. J. Mine Water*, **4**(3):43-54, 9 Fig., 4 Tab.
- ZAMZOW, K. L., TSUKAMOTO, T. K. & MILLER, G. C. (2006): Waste from Biodiesel Manufacturing as an Inexpensive Carbon Source for Bioreactors Treating Acid Mine Drainage. – *Mine Water Environ.*, **25**(3):163-170, 4 Fig., 3 Tab.
- ZAWADZKI, W. & CHORLEY, D. (2014): Grouted-in Pressure Transducers: Implications for Hydrogeological Testing and Monitoring in Bedrock. – *Mine Water Environ.*, **33**(3):289-292, 3 Abb.; doi:10.1007/s10230-014-0261-0.
- ZENDELSKA, A., GOLOMEOVA, M., GOLOMEOV, B. & KRSTEV, B. (2019): Removal of Zinc Ions from Acid Aqueous Solutions and Acid Mine Drainage Using Zeolite-Bearing Tuff. – *Mine Water Environ.*, **38**(1):187-196, doi:10.1007/s10230-018-0560-y.
- ZENG, Y., WU, Q., LIU, S., ZHAI, Y., LIAN, H. & ZHANG, W. (2018): Evaluation of a coal seam roof water inrush: case study in the Wangjialing coal mine, China. – *Mine Water Environ.*, **37**(1):174-184, doi:10.1007/s10230-017-0459-z.
- ZHAN, G., HAGGARTY, S. & LUDWICK, W. (2012): Hydrological Evaluation of Gold Leach Pad Rinsing. – *Mine Water Environ.*, **31**(4):307-311, 4 Fig., 5 Tab.; doi:10.1007/s10230-012-0193-5.
- ZHAN, G., KELLER, J., MILCZAREK, M. & GIRAUDO, J. (2014): 11 Years of Evapotranspiration Cover Performance at the AA Leach Pad at Barrick Goldstrike Mines. – *Mine Water Environ.*, **33**(3):195-205, 11 Fig., 6 Tab.; doi:10.1007/s10230-014-0268-6.
- ZHAN, G., LATTIN, D., KELLER, J. & MILCZAREK, M. (2019): 20 Years of Evapotranspiration Cover Performance of the Leach Pads at Richmond Hill Mine. – *Mine Water Environ.*, **38**(2):402-409, doi:10.1007/s10230-019-00592-7.
- ZHANG, D., SUI, W. & LIU, J. (2018): Overburden Failure Associated with Mining Coal Seams in Close Proximity in Ascending and Descending Sequences Under a Large Water Body. – *Mine Water Environ.*, **37**(2):322-335, doi:10.1007/s10230-017-0502-0.
- ZHANG, G. L., YUAN, S. C., SUI, W. H. & QIAN, Z. W. (2020): Experimental Investigation of the Pressure and Water Pressure Responses of an Inclined Shaft Wall During Grouting. – *Mine Water Environ.*, **39**(2):256-267, doi:10.1007/s10230-020-00675-w.
- ZHANG, H., WANG, Y., YANG, R. & YE, R. (2018): Modeling the Effects of Phosphate Mining on Groundwater at Different Stages of Mine Development. – *Mine Water Environ.*, **37**(3):604-616, doi:10.1007/s10230-018-0510-8.
- ZHANG, H., YU, J. & ZHOU, S. (2014): Spatial Distribution of As, Cr, Pb, Cd, Cu, and Zn in the Water and Sediment of a River Impacted by Gold Mining. – *Mine Water Environ.*, **33**(3):206-216, 6 Fig., 3 Tab.; doi:10.1007/s10230-013-0254-4.
- ZHANG, H. T., XU, G. Q., CHEN, X. Q., MABAIRE, A., ZHOU, J. S., ZHANG, Y. X., ZHANG, G. & ZHU, L. (2020): Groundwater Hydrogeochemical Processes and the Connectivity of Multilayer Aquifers in a Coal Mine with Karst Collapse Columns. – *Mine Water Environ.*, **39**(2):356-368, doi:10.1007/s10230-020-00667-w.



- ZHANG, J., JIANG, H., DENG, X. & JU, F. (2014): Prediction of the Height of the Water-Conducting Zone Above the Mined Panel in Solid Backfill Mining. – *Mine Water Environ.*, **33**(4):317-326, doi:10.1007/s10230-014-0310-8.
- ZHANG, J. X., SUN, Q., LI, M. & ZHAO, X. (2019): The Mining-Induced Seepage Effect and Reconstruction of Key Aquiclude Strata During Backfill Mining. – *Mine Water Environ.*, **38**(3):590-601, doi:10.1007/s10230-019-00614-4.
- ZHANG, K., CAO, B., LIN, G. & ZHAO, M. D. (2017): Using Multiple Methods to Predict Mine Water Inflow in the Pingdingshan No. 10 Coal Mine, China. – *Mine Water Environ.*, **36**(1):154-160, doi:10.1007/s10230-015-0381-1.
- ZHANG, M. & WANG, H. (2013): Simultaneous Removal of Copper, Zinc, and Sulfate from Coal Mine Waste in a Laboratory SRB Bioreactor Using Lactate or Ethanol as Carbon Sources. – *Mine Water Environ.*, **32**(4):314-320, 6 Fig., 1 Tab.; doi:10.1007/s10230-013-0233-9.
- ZHANG, M. J., YUAN, X. Z., GUAN, D. J., LIU, H., ZHANG, G. X., WANG, K. H., ZHOU, L. L., WU, S. K. & SUN, K. (2019): Eco-exergy Evaluation of New Wetlands in the Yanzhou Coalfield Subsidence Areas Using Structural-Dynamic Modelling. – *Mine Water Environ.*, **38**(4):746-756, doi:10.1007/s10230-019-00628-y.
- ZHANG, Q. & LOPEZ, D. L. (2019): Use of Time Series Analysis to Evaluate the Impacts of Underground Mining on the Hydraulic Properties of Groundwater of Dysart Woods, Ohio. – *Mine Water Environ.*, **38**(3):566-580, doi:10.1007/s10230-019-00619-z.
- ZHANG, S., ZHANG, D., WANG, Z. & CHEN, M. (2018): Influence of Stress and Water Pressure on the Permeability of Fissured Sandstone Under Hydromechanical Coupling. – *Mine Water Environ.*, **37**(4):774-785, doi:10.1007/s10230-018-0540-2.
- ZHANG, S. C., GUO, W. J., LI, Y. Y., SUN, W. B. & YIN, D. W. (2017): Experimental Simulation of Fault Water Inrush Channel Evolution in a Coal Mine Floor. – *Mine Water Environ.*, **36**(3):443-451, doi:10.1007/s10230-017-0433-9.
- ZHANG, T., ZHAO, Y. X., GAN, Q., NIE, X. D., ZHU, G. P. & HU, Y. (2019): Investigations into Mining-Induced Stress-Fracture-Seepage Field Coupling in a Complex Hydrogeology Environment: A Case Study in the Bulianta Colliery. – *Mine Water Environ.*, **38**(3):632-642, doi:10.1007/s10230-019-00609-1.
- ZHANG, X., HE, X., WEI, M., LI, F., HOU, P. & ZHANG, C. (2019): Magnetic Flocculation Treatment of Coal Mine Water and a Comparison of Water Quality Prediction Algorithms. – *Mine Water Environ.*, **38**(2):391-401, doi:10.1007/s10230-019-00590-9.
- ZHAO, C., JIN, D., GENG, J. & SUN, Q. (2019): Numerical Simulation of the Groundwater System for Mining Shallow Buried Coal Seams in the Ecologically Fragile Areas of Western China. – *Mine Water Environ.*, **38**(1):158-165, doi:10.1007/s10230-018-0551-z.
- ZHAO, Y., LUO, S., WANG, Y., WANG, W., ZHANG, L. & WAN, W. (2017): Numerical Analysis of Karst Water Inrush and a Criterion for Establishing the Width of Water-resistant Rock Pillars. – *Mine Water Environ.*, **36**(4):508-519, doi:10.1007/s10230-017-0438-4.
- ZHENG, Z., LIU, R. T. & ZHANG, Q. S. (2019): Numerical Simulation and Risk Assessment of Water Inrush in a Fault Zone that Contains a Soft Infill. – *Mine Water Environ.*, **38**(3):667-675, doi:10.1007/s10230-019-00621-5.
- ZHONG, W. H. (1982): A new Method of Mine Drainage Prediction using Unit Static Resource Method. – *Int. J. Mine Water*, **1**(3):23-31, 1 Fig., 3 Tab.



- ZHOU, J., SUN, J. & ZHANG, F. (1993): Origin of Mine Water by Using Environmental Isotope Techniques in Water-Logged Coal Mines, Pingdingshan, China. – *Mine Water Environ.*, **12**(1-4):63-69, 2 Fig., 6 Tab.
- ZHOU, Q., HERRERA, J. & HIDALGO, A. (2018): The Numerical Analysis of Fault-Induced Mine Water Inrush Using the Extended Finite Element Method and Fracture Mechanics. – *Mine Water Environ.*, **37**(1):185-195, doi:10.1007/s10230-017-0461-5.
- ZHU, G., WU, X., YU, S., QIAN, C., DONG, Y., ZHANG, C. & WU, C. (2018): Surface Water Control for Mining Thick, Relatively Shallow Coal Seams in the Loess Area of Western China. – *Mine Water Environ.*, **37**(3):442-455, doi:10.1007/s10230-018-0517-1.
- ZHU, T. G., LI, W. P., WANG, Q. Q., HU, Y. B., FAN, K. F. & DU, J. F. (2020): Study on the Height of the Mining-Induced Water-Conducting Fracture Zone Under the Q(2l) Loess Cover of the Jurassic Coal Seam in Northern Shaanxi, China. – *Mine Water Environ.*, **39**(1):57-67, doi:10.1007/s10230-020-00656-z.
- ZHU, Y., MERKEL, B. J., STOBER, I. & BUCHER, K. (2003): The Hydrogeochemistry of Arsenic in the Clara Mine, Germany. – *Mine Water Environ.*, **22**(3):110-117, 6 Abb.
- ZHU, Y. W. S. & ZHANG, T. (2018): Permeability of the Coal Seam Floor Rock Mass in a Deep Mine Based on In-situ Water Injection Tests. – *Mine Water Environ.*, **37**(4):724-733, doi:10.1007/s10230-018-0524-2.
- ZIEMKIEWICZ, P. F., O'NEAL, M. & LOVETT, R. J. (2011): Selenium leaching kinetics and in-situ control. – *Mine Water Environ.*, **30**(2):141-150, 9 Fig., 3 Tab.; doi:10.1007/s10230-011-0154-4.
- ZIEMKIEWICZ, P. F., SKOUSEN, J. G. & SIMMONS, J. (2003): Long-term Performance of Passive Acid Mine Drainage Treatment Systems. – *Mine Water Environ.*, **22**(3):118-129, 1 Fig., 7 Tab.
- ZIPPER, C. E. & SKOUSEN, J. G. (2010): Influent Water Quality Affects Performance of Passive Treatment Systems for Acid Mine Drainage. – *Mine Water Environ.*, **29**(2):135-143, 5 Fig., 4 Tab.; doi:10.1007/s10230-010-0101-9.
- ŽUREK, R., DIAKIV, V., SZAREK-GWIAZDA, E., KOSIBA, J. & WOJTAL, A. Z. (2018): Unique Pit Lake Created in an Opencast Potassium Salt Mine (Dombrovska Pit Lake in Kalush, Ukraine). – *Mine Water Environ.*, **37**(3):456-469, doi:10.1007/s10230-018-0527-z.

Int J Mine Water: International Mine Water Association Journal (ISSN 0255-6960)

Mine Water Environ: Mine Water and the Environment (ISSN 1025-9112)